Husqvarna®

READY WHEN YOU ARE

30

HUSQVARNA RIDER
1987–2017

FOREST & GARDEN PRODUCTS 2017/2018

READY WHEN YOU ARE

Husqvarna tools for forests, parks and gardens are born from a unique relationship between man and machine – between our company and the people who use our equipment to shape nature every day, and who need serious kit to do serious work.

When the going gets tough, Husqvarna tools are tougher. When work gets hard, they're lighter, more comfortable to handle and easier to use. When you need to reach high, we'll help you aim higher. Our job is to help you get whatever you need doing done quickly, more easily and more safely than ever.

Contents.

BATTERY SERIES	4
CHAINSAWS & POLE SAWS	16
BRUSHCUTTERS, TRIMMERS & COMBI MACHINES	32
HEDGE TRIMMERS	46
BLOWERS	52
POWER CUTTERS	58
LAWN MOWING CONCEPT	64
ROBOTIC MOWERS	66
LAWN MOWERS	72
RIDERS & FRONT MOWERS	78
GARDEN TRACTORS	88
ZERO TURNS	94
LAWN EDGER	104
TILLERS	106
PROTECTIVE EQUIPMENT	110
HUSQVARNA SERVICE	118

IMPORTANT INFORMATION
Husqvarna conducts continuous product development and reserves the right to change designs, specifications and equipment levels without prior notification. Always read the instructions carefully before use, as products with moving parts can be dangerous if used incorrectly. All images in the catalogue are for illustrational purposes only. All technical data was current at the time of printing, however these may change as a result of further product development. All engine power values are as rated by the engine manufacturer. Product availability, standard features and equipment may vary from market to market. Optional equipment may be purchased at an additional cost. Please check with your local authorised Husqvarna Servicing Dealer for products recommended and approved in your market.

BATTERY-POWERED PRODUCTS CHARGED WITH PERFORMANCE AND CONVENIENCE

The Husqvarna Battery Series offers all the power, performance and intuitive design you expect from Husqvarna. Our range of highly-efficient handheld products, driven by a powerful Li-ion battery pack, ensure you get significantly less noise and vibrations, minimal maintenance – and no direct emissions at all. Also, you can switch batteries between machines, because Husqvarna batteries are interchangeable between all Husqvarna battery products.

What you get. And how we do it.

Lasting power.

The Li-ion 36V batteries provide long lasting power and top class performance. They are equipped with a cooling system, which extends the battery cells lifetime and lets you work in high temperatures.

Simple operation.

Smart and intuitive, the battery machines are operated using an interactive keypad. You start and stop the machines easily by pushing a button.

Longer operating.

When conditions aren't on the tough side, choose the SavE™ mode on the intuitive keypad for maximised runtime with great results.

Convenience.

The 36V Li-ion battery pack is designed for demanding, long lasting use and fits all* of our machines, allowing you to quickly switch the same battery between equipment and just keep on working.

Consistent torque.

Our in-house developed, advanced brushless motor is 25% more efficient than a standard brush motor. This means that the motor provides high and consistent torque for maximum performance.

Low maintenance.

No refilling of fuel, less parts to service and an electronically controlled drive system means less downtime and low operation costs.

Comfortable operating.

Our battery machines have a compact, slimmed-down design, exceptional product balance, comfortable handle grips and intuitive controls allowing you to work comfortably in all situations.

Quiet operation.

The low noise levels provides a comfortable work situation and low disturbance for others, enabling longer working hours and the possibility to work in noise sensitive and restricted areas.

Features specified not applicable to all models, refer to product technical specifications on page 14 for details.

* Battery blower model 536LiBX suits back-pack battery only.

HUSQVARNA BATTERY SERIES – QUIET AND POWERFUL

Husqvarna backpack batteries are designed to be among the most comfortable on the market. The capacity is up to 10 times higher than the integrated battery, providing more hours of work between charges.

Husqvarna Battery Series includes a range of chargers – quick chargers, standard charger, car charger and 12 V inverter to use with standard lead-acid batteries. You can choose the charger that best suits your way of working and desired charging time.

BLOWERS

Blowing walkways and paved areas without disturbing the crowds.

Husqvarna battery blowers are exceptionally quiet, powerful and well-balanced products for efficient clearing of leaves, debris and litter, even in noise sensitive and environmentally restricted areas. They are ideal for both outdoor and indoor use – in arenas, playgrounds, garages and barns.

LAWN CUTTING

Lawn mowing without cords or petrol.

The Husqvarna battery walk-behind mower is a quiet, convenient collection mower for mid-sized lawns. In our battery-powered lawn mower range, you'll also find the ingenious Husqvarna Automower® robotic mower, as well as the Husqvarna Rider Battery, one of the worlds most quiet ride-on mower's.

CHAINSAWS

Pruning and woodcutting without exhausts.

Husqvarna battery chainsaws are powerful and quiet products, available in versions for professional tree care use and arborists, as well as for carpentry and domestic woodcutting. The powerful brushless motors, high chain speed and convenient handling make them excellent alternatives to petrol chainsaws.

NEW

New this year is a battery-powered pole hedge trimmer with 3.5 m reach. Remote adjustment of cutting head angle and economy mode savE™.

HEDGE TRIMMERS

Hedge trimming without disturbing the neighbours.

Husqvarna battery hedge trimmers are quiet, light weight products with performance levels equal to those of petrol hedge trimmers. Available in versions for professional use as well as domestic use. The powerful motors, long blades with high cutting speed and pivoting rear handles on the professional models ensure best working position and work result.

BRUSHCUTTERS AND TRIMMERS

Grass trimming and brushcutting without running costs.

Husqvarna battery trimmers and brushcutters are powerful, light weight and well-balanced products available in versions for professional, as well as domestic use. They feature brushless motors with high enough torque for grass blades and handles designed for best working position. You can even change trimmer line rotation to avoid grass cuttings landing on walkways!

POLE SAWS

Forestry clearing and tree care without too much effort.

Husqvarna battery pole saws are powerful, light weight and well-balanced products for professional use, with performance levels equal to petrol pole saws. The telescopic pole saw provides class-leading reach while the short, loop-handled clearing saw also can be used for tree care and fruit tree pruning. The short clearing saw, 536LiPX, is a true innovation on the market. A genuine forestry clearing saw, thanks to the adjustable direction of the bar.

FULL-TIME USE

Great news for professionals who use machines like these on a full-time basis. You get the power of a strong petrol engine, but with no direct emissions and lower vibrations.
As batteries are interchangeable, you can switch to a charged one. Husqvarna design focusses on boosting your efficiency.

P HUSQVARNA 536Li XP®

Efficient rear-handle chainsaw, perfect for contractors, carpenters and other professionals. A high-performance saw with extremely low vibrations and no direct emissions.

36V Li-ion | 14" Bar 3/8" LP Chain | 3.9kg (with battery)



P HUSQVARNA T536Li XP®

A high-performance top handle saw with extremely low vibrations and no direct emissions, optimized for arborists. Very easy to use, with high chain speed.

36V Li-ion | 12" Bar 3/8" LP Chain | 3.7kg (with battery)

P HUSQVARNA 536LiPX

Professional and versatile pole clearing saw with a 90 degree adjustable cutting head to quickly switch between horizontal and vertical bar position.

36V Li-ion | 10" Bar 3.0m Reach | 4.4kg (with battery)

P HUSQVARNA 536LiPT5

A robust pole saw with telescopic shaft for maximum reach. Light weight and high performing with extremely low vibrations and no direct emissions.

36V Li-ion | 10" Bar 5.5m Reach | 6.2kg (with battery)

P HUSQVARNA 536LiP4

Fixed length pole saw for efficient and productive tree-care. Light weight and well balanced, with high chain speed.

36V Li-ion | 10" Bar 4.0m Reach | 4.7kg (with battery)

P HUSQVARNA 536LiRX

High-performance brushcutter with great ergonomics and 2-way rotation trimmer head. Grass blade included for more coarser grass areas.

36V Li-ion | 96 dB(A) | 5.1kg (with battery)



P HUSQVARNA 536LiLX

High-performance trimmer with loop handle and 2-way rotation trimmer head. Grass blade available as an accessory.

36V Li-ion | 96 dB(A) | 4.3kg (with battery)

P HUSQVARNA 536LiHD60X

Quiet and highly efficient hedge trimmer with excellent ergonomics including pivoting rear handle for easy cutting performance in vertical and horizontal positions.

36V Li-ion | 60cm Bar Teeth opening 30mm | 5.1kg (with battery)

P HUSQVARNA 536LiHE3

Highly efficient pole hedge trimmer with 3.5 m reach. Remote adjustment of cutting head angle and economy mode savE™.

36V Li-ion | 55cm Bar Teeth opening 32mm | 5.3kg (with battery)

P HUSQVARNA 536LiB

This light, powerful blower is well balanced, for high comfort on long shifts, with low noise levels and boost power mode for extra power when needed.

36V Li-ion | 48 m/s | 3.7kg (with battery)

P HUSQVARNA 536LiBX

Professional handheld battery blower with optimised design for maximum performance. For use with backpack battery only.

36V Li-ion | 50 m/s | 2.8kg (with battery adaptor)

OCCASIONAL USE

A strong range of battery-powered Husqvarna products designed for use at home. Quiet, convenient and easy to use, yet surprisingly powerful. Totally free from starter cords, direct emissions and maintenance needs. Long operating time and design that prioritizes useability.

NEW

Li-ion

HUSQVARNA 120i

Light weight and convenient saw that gives you all the power you need, without the noise and fumes.

36V

12" Bar
3/8" LP Chain

4.3kg
(with battery)

NEW

Li-ion

HUSQVARNA 115iL

Light weight, perfectly balanced and easy to use grass trimmer with a telescopic shaft. Makes light work of grass trimming and lawn edges.

36V Li-ion

83 dB(A)

4.25kg
(with battery)

NEW

Li-ion

HUSQVARNA 115iHD45

Quiet, light weight and easy to operate hedge trimmer ideal for cutting small to medium sized hedges.

36V Li-ion

45cm Bar
Teeth opening 25mm

4.0kg
(with battery)

Li-ion

HUSQVARNA LC 141Li

Convenient battery-powered mower for domestic use. No need for liquid fuel or cords. Easy to start. Great manoeuvrability, with a compact cutting deck.

36V Li-ion

Cutting width
41cm

Collector
capacity
50 litres

HUSQVARNA RIDER BATTERY

Our first battery-powered ride-on mower. No emissions and low noise for less impact on neighbours. Up to 90 minutes runtime, depending on lawn condition.

125Ah Lead/Acid

Cutting width
85cm

Uncut circle
65cm

WHY CHOOSE BATTERY?

Healthier Work
No direct emissions
or exhausts

Low Noise Level
Suitable for noise sensitive
areas - hospitals, parks, etc

Low Vibrations
Provides less fatigue
for a longer working time

Low Maintenance
Thanks to the
electric drive system

Clean Operation
No fuel required

All Weather Use
Come rain, hail or shine
500 series models only

Intuitive Start
Simple user interface - starts
with the press of a button!

Petrol Performance
Petrol performance with
battery convenience

HOW LONG WILL THE BATTERY LAST?

The working time available with a fully charged battery depends on three variables: the capacity of the battery, which machine the battery is used with and if you're doing light or tough cutting/trimming. The chart shows an estimate of the operating time you can expect from your Husqvarna battery equipment in different work situations.
The charging time for a fully discharged battery depends on the capacity of the battery and which of the chargers you use. In many cases the charging time will be shorter than the working time. This means with two batteries available, you can work continuously – one battery operating and the other battery charging. The chart shows an estimate of the charging time for various combinations of batteries and chargers.

WORKING TIME ON ONE CHARGE

BATTERY		536Li XP®			120i	T536Li XP®	536LiPX	536LiPT5/ 536LiP4	536LiRX/536LiLX	
		CARPENTER	PRUNING	LOG CUT	PRUNING	PRUNING	CLEARING	PRUNING	LIGHT	TOUGH
	BLi10	1 h 10 min	30 min	15 min	–	50 min	30 min	40 min	30 min	15 min
	BLi20	2 h 25 min	1 h	25 min	35 min	1 h 40 min	1 h 5 min	1 h 30 min	1 h 5 min	30 min
	BLi200	3 h 5 min	1 h 15 min	35 min	45 min	2 h 10 min	1 h 25 min	1 h 55 min	1 h 25 min	40 min
	BLi300	5 h 35 min	2 h 15 min	1 h	–	3 h 55 min	2 h 30 min	3 h 30 min	2 h 30 min	1 h 15 min
	BLi520X	8 h 40 min	3 h 30 min	1 h 30 min	1 h 30 min	6 h	3 h 50 min	5 h 20 min	3 h 50 min	1 h 50 min
	BLi940X	15 h 40 min	6 h 20 min	2 h 50 min	3 h	11 h	7 h	9 h 40 min	7 h	3 h 30 min

The runtimes are up-to times and correspond to work time using savE™: actual work, basic maintenance and movement /climbing needed for generic operations.
Find information of chargingtimes at huqvarna.com 500 series – Full time user 100 series – Occasional user

	115iL	536LiHE3 / 536LiHD60X		115iHD45	536LiBX*/ 536LiB		LC 141Li
	LIGHT	LIGHT	TOUGH		LIGHT	TOUGH	
	30 min	50 min	25 min	50 min	15 min	10 min	– / 20 min
	1 h	1 h 35 min	50 min	1 h 35 min	30 min	15 min	25 min / 30 min
	1 h 15 min	2 h 5 min	1 h	2 h 5 min	35 min	20 min	30 min / 35 min
	–	3 h 45 min	1 h 50 min	–	1 h 5 min	40 min	1 h / 1 h 5 min
	3 h	5 h 50 min	2 h 50 min	4 h	1 h 40 min	1 h	–
	5 h 30 min	10 h 30 min	5 h 10 min	7 h 30 min	3 h 10 min	1 h 50 min	–



Li-iON BACKPACK BATTERIES

HUSQVARNA BLi940X
Backpack battery with long-lasting power and top-class performance, so you can work with fewer breaks and greater efficiency. Good comfort thanks to wide, padded straps and hip belt.
966 77 60–01

HUSQVARNA BLi520X
High-capacity backpack battery with good performance, so you can work with fewer breaks and greater efficiency. Lots of adjustment options and wide, padded straps and hip belt.
966 77 59–01

BATTERIES

NEW

HUSQVARNA BLi300
For professional use. Integrated battery with remarkable power and runtime. Offering excellent runtime and market-leading capacity/weight ratio. Features 4-LED charge indicator, all-weather operation and excellent cooling. Rechargeable up to 1500 times.
967 07 19–01

NEW

HUSQVARNA BLi200
For professional use. Long runtime in a slim package. Features 4-LED charge indicator, all-weather operation and excellent cooling. Rechargeable up to 1500 times.
967 09 19–01

NEW

HUSQVARNA BLi20/10
Powerful battery for domestic use. Long runtime in a slim package. Features efficient cooling, 3-LED charge indicator. Rechargeable up to 400 times.

967 09 17–01	BLi20
967 09 16–01	BLi10

BATTERY CHARGERS & ACCESSORIES

NEW

HUSQVARNA QC500
Super-fast charging, 50% faster than QC330 with BLi300, BLi520X and BLi940X. Optimized for BLi300 battery. Active cooling of the batteries, 2-LED status indicator and high power output.
967 09 15–01

HUSQVARNA QC330
Quick charging unit with active cooling of the batteries and 2-LED status indicator.
966 73 06–05

HUSQVARNA QC80
Standard charger with LED status indicator.
967 33 56–71

HUSQVARNA QC80F
Field charger for charging in 12 V car/truck outlet during transport.
967 62 83–01

HUSQVARNA VI600F VOLTAGE CONVERTER
Enables quick charging in the field by converting 12V DC from any lead-acid battery to 220V AC for your QC500, QC330 or QC80 quick chargers.
967 62 85–03

HUSQVARNA BATTERY BOX
Box for safe transport and storage of Husqvarna batteries, chargers and other accessories.

585 42 87–01	Small - suits batteries BLi10/20, BLi200
585 42 88–01	Large - suits batteries BLi200/300, BLi520X/940X

HUSQVARNA BATTERY BAG
Keeps batteries warm in winter and cool in summer. Effectively absorbs shocks and protects against dirt, grime and moisture. For BLi10 /20/200.
585 37 18–01

Charge time.

BATTERY / CHARGER		QC500		QC330		QC80		QC80F	
		CHARGING LEVEL		CHARGING LEVEL		CHARGING LEVEL		CHARGING LEVEL	
		80%	100%	80%	100%	80%	100%	80%	100%
	BLi10	25 min	40 min	25 min	40 min	50 min	1 h 10 min	50 min	1 h 10 min
	BLi20	25 min	40 min	25 min	40 min	1 h 50 min	2 h 10 min	1 h 50 min	2 h 10 min
	BLi200	30 min	50 min	30 min	50 min	2 h 25 min	2 h 40 min	2 h 25 min	2 h 40 min
	BLi300	35 min	1 h	55 min	1 h 20 min	4 h	4 h 20 min	4 h	4 h 20 min
	BLi520X	55 min	1 h 20 min	1 h 30 min	1 h 55 min	6 h 30 min	8 h 30 min	6 h 30 min	8 h 30 min
	BLi940X	1 h 25 min	2 h 25 min	2 h 30 min	3 h 25 min	10 h 40 min	11 h 50 min	10 h 40 min	11 h 50 min

Product guide.

BATTERIES	BLi940X	BLi520X	BLi300	BLi200	BLi20	BLi10
TECHNICAL SPECIFICATIONS						
Battery type	Li-Ion	Li-Ion	Li-Ion	Li-Ion	Li-Ion	Li-Ion
Battery voltage, V	36	36	36	36	36	36
Capacity, Ah	26.1	14.4	9.4	5.2	4.0	2.0
Energy, Wh	940	520	335	180	144	72
Weight, integrated, kg	—	—	1.8	1.3	1.2	0.8
Weight, backpack excl. harness, kg	6.5	5.7	—	—	—	—
Weight, backpack incl. harness, kg	7.9	7.1	—	—	—	—
State of charge indication	5-Led	5-Led	4-Led	4-Led	3-Led	3-Led
Charging cycles (up to)	1500	1500	1500	1500	400	400

CHARGERS	QC500	QC330	QC80	QC80F
TECHNICAL SPECIFICATIONS				
Weight, kg	1.4	1.4	0.6	0.6
Charging power, W	500	330	80	80
Mains voltage, V	100–240	100–240	100–240	12

— = Not available

CHAINSAWS - BATTERY	120i	536LiXP	T536LiXP
Article Number	967 09 82-02	966 72 91-14	966 72 92-12
Battery Type / Voltage	Li-Ion / 36V	Li-Ion / 36V	Li-Ion / 36V
Motor type	Brushless	Brushless	Brushless
Oil tank volume	0.2 L	0.2 L	0.2 L
Oil pump type	Automatic	Automatic	Adjustable
Equivalent vibration level (ahv, eq)** Front / Rear handle"	3.37 / 3.82 m/s2	2.5/2.8 m/s2	2/2.4 m/s2
Sound pressure level at operator's ear*	86 dB(A)	93 dB(A)	93 dB(A)
Sound power level, guaranteed (LWA)	100 dB(A)	106 dB(A)	106 dB(A)
Standard bar length	12"	14"	12"
Chain pitch	3/8"	3/8"	3/8"
Chain gauge	.043" / 1.1mm	.043" / 1.1mm	.043" / 1.1mm
Chain speed at max power	11.5 m/s / 37.73 fts	20 m/s / 65.62 fts	20 m/s / 65.62 fts
Weight (excl. battery)/(Incl. BLi20* / BLi200)	3.0 kg / 4.2 kg*	2.6 kg / 3.9 kg	2.4 kg / 3.7 kg

POLE SAWS - BATTERY	536LiPX	536LiP4	536LiPT5
Article Number	967 34 10-12	967 34 11-10	967 34 13-10
Battery Type	Li-ion	Li-ion	Li-ion
Battery voltage	36 V	36 V	36 V
Motor type	Brushless	Brushless	Brushless
Equivalent vibration** front / rear handle	1.2 / 2.6 m/s2	1.0 / 0.9 m/s2	1.0 / 1.2 m/s2
Sound pressure level at operator's ear*	96 dB(A)	88 dB(A)	83 dB(A)
Sound power level, guaranteed (LWA)	101 dB(A)	98 dB(A)	98 dB(A)
Standard bar length	10" / 25cm	10" / 25cm	10" / 25cm
Chain pitch	3/8"	1/4"	1/4"
Chain gauge	.050" / 1.3mm	.050" / 1.3mm	.050" / 1.3mm
Chain speed at max power	20 m/s / 65.62 fts	20 m/s / 65.62 fts	20 m/s / 65.62 fts
Weight (excl. battery)	3.1 kg	3.4 kg	4.9 kg
Weight (Incl. BLi200 battery)	4.4 kg	4.7 kg	6.2 kg

TRIMMERS/BRUSHCUTTERS- BATTERY	115iL	536LiLX	536LiRX
Article Number	967 09 88-02	967 32 68-11	967 32 67-11
Battery Type / Voltage	Li-Ion / 36V	Li-Ion / 36V	Li-Ion / 36V
Motor type	Brushless	Brushless	Brushless
Equivalent vibration level (ahv, eq)** Front/Rear handle	1.9/1.4 m/s2	1.7/0.5 m/s2	2.6/2.1 m/s2
Sound pressure level at operator's ear*	70 dB(A)	81 dB(A)	76 dB(A)
Sound power level, guaranteed (LWA)	83 dB(A)	96 dB(A)	96 dB(A)
Trimmer head	Twin Line Tap 'N Go™ Semi Auto	T25B Tap 'N Go™ Semi Auto	T25B Tap 'N Go™ Semi Auto
Cutting width	330 mm	400 mm	400 mm
Weight (excl. battery)	3.45 kg	3.0 kg	3.8 kg
Weight (Incl. BLi10 battery)	4.15 kg	-	-
Weight (Incl. BLi200 battery)	-	4.3 kg	5.1 kg

SOUND AND VIBRATION LEVELS

TABLE KEY: ● = Standard (●)= Optional - = Not applicable

*Equivalent sound pressure level, as per ISO 22868, is calculated as the time-weighted energy sum for the sound pressure levels at various operational states.

Typical variation for equivalent sound pressure level is a standard deviation of 1 dB(A).

** Equivalent vibration level, as per ISO 22867, is calculated as the time-weighted energy sum for the vibration levels at various operational states. The data presented for equivalent vibration level has a typical variation (standard deviation) of 1 m / s^2.

HEDGE TRIMMERS - BATTERY	115iHD45	536LiHD60X	536LiHE3
Article Number	967 09 83-02	966 72 94-03	967 34 15-11
Battery Type / Voltage	Li-Ion / 36V	Li-Ion / 36V	Li-ion / 36V
Motor type	Brushless	4 Brush	Brushless
Equivalent vibration level (ahv, eq)** Front/Rear handle	1.29/1.93 m/s2	1.6/2.5 m/s2	3.5 / 2.5 m/s2
Sound pressure level at operator's ear*	78 dB(A)	78 dB(A)	84 dB(A)
Sound power level, guaranteed (LWA)	90 dB(A)	94 dB(A)	95 dB(A)
Knife length	45 cm	60 cm	55 cm
Blade opening	25 mm	30 mm	32 mm
Blade speed	3000 1/min	4000 1/min	4000 1/min
Weight (excl. battery)	3.2 kg	3.8 kg	4.15 kg
Weight (Incl. BLi10 battery)	4.0 kg	-	–
Weight (Incl. BLi200 battery)	-	5.1 kg	5.45 kg

BLOWERS - BATTERY	536LiB	536LiBX
Article Number	967 25 25-02	967 25 26-02
Battery Type / Voltage	Li-Ion / 36V	Li-Ion / 36V
Motor type	Brushless	Brushless
Equivalent vibration level (ahv, eq)**	0.5 m/s2	0.4 m/s2
Sound pressure level at operator's ear*	82 dB(A)	78 dB(A)
Sound power level, guaranteed (LWA)	98 dB(A)	94 dB(A)
Air flow in pipe	11.7 m³/min / 413.18 cfm	12.2 m³/min / 430.84 cfm
Air speed	48 m/s / 166 kph	50 m/s / 180 kph
Weight (excl. battery)	2.4 kg	2.8 kg
Weight (Incl. BLi200 battery)	3.7 kg	-

LAWN MOWERS - BATTERY	LC141Li
Article Number	967 62 84-02
Battery Type	Li-Ion
Drive system	Push
Cutting width	41 cm
Cutting height, min-max	25 -75 mm
Cutting height steps	10
Cutting methods	Collection / Rear discharge
Collector type	Hard top with fabric bag
Collector volume	50 L
Wheel size	170 mm / 203.2 mm
Weight (excl. battery)	20.0 kg
Weight (Incl. BLi200 battery)	21.3 kg

RIDERS - BATTERY	BATTERY RIDER
Article Number	967 18 70-01
Battery Type / Capacity / Voltage	Lead - Acid / 125 Ah / 3 x 12V
Maximum run time^ / Typical charge time	90 min / 16 hr
Drive motor type / power	Electric / 1500 W
Number of blade motors / Blade motor power	2 / 2 x 800 W
Cutting width / Cutting height, min - max	85cm / 25-70mm
Cutting deck type / material	Stamped / Steel
Cutting methods	Bio Clip®
Drive method	Pedal-operated
Speed forward / reverse, min-max	0-7.5km/h / 0-2.5km/h
Tyre dimensions	155 / 50-8

^Depending on lawn conditions

CHAINSAWS DEVELOPED FOR HIGH PRODUCTIVITY AND SAFETY, YEAR AFTER YEAR

Our product development never stops, and neither does our collaboration with the professional forestry workers who work with our machines. This is how we create chainsaws that help you work longer, producing less vibrations for less fatigue, and equipped with features that deliver high levels of safety. Every model gives you the power, performance and design excellence you expect from Husqvarna.

What you get. And how we do it.

Optimal performance.

AutoTune™ provides maximum power through an automatic engine setting with no manual carburettor adjustments. Compensates for different fuels, altitude, humidity and ambient temperature.

Raw power.

X-Torq® - Engine technology that reduces the exhaust emissions by up to 75% and increases fuel efficiency, without compromising on power.

Safety chain brake.

All Husqvarna chainsaws are built with inertia-activated chain brakes, so if a kickback occurs and the tip of the bar is forced upwards, the inertia of the sudden movement will activate the chain brake instantly.

Quick adjustments.

Selected models feature tool-less chain tensioning, for easy chain adjustment and assembling of the bar and chain without using any tools.

Smoother starting.

Smart Start® - The engine and starter have been designed so the machine starts quickly with minimum effort.



Comfortable operation.

Low Vib® - Effective anti-vibration dampeners absorb vibration, reducing the impact on the user's arms and hands. For a more comfortable operation.



Longer operating time.

Air Injection™ - centrifugal air cleaning system for reduced wear and longer operating time between filter cleanings. You will be able to work longer shifts.

Built to last.

The robust magnesium crankcase has been designed to withstand high rpms and tough professional use, ensuring a long service life for your chainsaw.

**Used on selected models.*

Features specified not applicable to all models, refer to product technical specifications on page 30 for details.

GIVING YOU THE POWER FOR BETTER PERFORMANCE

High performing battery chainsaws designed for professional users who want a Light weight and balanced chainsaw with low running costs

Angled handle with soft grip

Smart Start® – the engine and starter have been designed so the machine starts quickly and with minimum effort.

Forged three-piece crankshaft means maximum durability for the toughest applications

Side-mounted chain tensioner makes chain adjustment quick and easy

Selected models feature sturdily built magnesium crankcase withstands high rpms and tough professional use, ensuring a long service life

Low Vib® – effective anti-vibration dampeners absorb vibration, reducing the impact on the user's arms and hands. In the long run this may contribute to a longer, healthier working life.

Bars and chains for a more efficient cut.

By combining high quality materials with product development based on the demands of forestry professionals, we can specify the bar and chain combinations that deliver maximum efficiency with your Husqvarna chainsaw. Read more about how to choose the optimal bar and chain at our website husqvarna.com

Protective clothing that will help you work more safely.

Our extensive range of protective clothing offers the latest innovations in design and material. All our clothing will provide you with the level of protection and comfort you need to get the job done, not only safely, but effectively too.

Read more on page 110.

PROFESSIONAL CHAINSAWS

Really large trees or efficient limbing?

Our professional chainsaws are designed to help you get the most out of every shift – even in the toughest situations. All saws are made of carefully selected, first-rate components, which make them extremely durable. The user-centric design minimizes fatigue, so you can be more productive for longer periods. Some models are the perfect choice for felling of larger trees while others are more suitable for taking down normal-sized trees and really smooth limbing. Whatever machine you choose, you will get a high-performing saw with impressive raw power and rapid acceleration.

ALL-ROUND CHAINSAWS

For felling and turning trees into firewood in no time.

Our all-round chainsaws really live up to the name. They are truly powerful and versatile saws for those users who occasionally, for instance, need to take down a smaller tree and cut firewood. All machines are robustly built, convenient and easy to use and deliver excellent cutting performance at all times.

How to work smarter and more efficiently.

Choosing the right chainsaw can be tough and learning how to use it correctly can take time. We are here to guide you and to give you useful information that can make your operation safer, easier and more efficient. At www.husqvarna.com you'll find plenty of information as well as your closest dealer. We are here to help you.

TOP-HANDLE CHAINSAWS

Saws you appreciate high up in a tree.

Our arborist saws are all slim, Light weight, convenient and powerful machines. These and features such as LowVib® and Air Injection™ enable you to work non-stop with the highest performance, even when you are facing challenging work in really difficult conditions.

POLE SAWS

Well-balanced machines for the trickiest of tasks.

Pruning dense trees can force unnatural working positions that can be harmful to your body. Our pole saws are designed to help you work with ease and give you a high-end result in every situation. The saws are light, well-balanced and have rear-mounted engines that provide rapid acceleration.

FULL-TIME USE

Our most technically advanced range of chainsaws designed for full time intensive use in the most demanding conditions. The XP® range are developed solely to maximize your performance, offering excellent power to weight ratio, class leading ergonomics and innovative solutions which optimise performance without compromise.

P HUSQVARNA 3120 XP®

Our largest chainsaw and one of the most powerful on the market. Designed for handling the largest diameter timber, yet easy to start and use. For professional felling.

28" Bar .404" Chain | 118.8cc | 6.2kW | 10.4kg



P HUSQVARNA 395 XP®

Large capacity heavy duty chainsaw offering high levels of torque ideal for handling larger bar lengths when cutting hardwoods.

24" Bar 3/8" Chain | 93.6cc | 5.2kW | 7.9kg

P HUSQVARNA 390 XP®

Large capacity heavy duty chainsaw offering excellent power to weight ratio, with low vibrations and robust design.

24" Bar 3/8" Chain | 88.0cc | 4.8kW | 7.2kg

P HUSQVARNA 576 XP®

High performance chainsaw combining excellent ergonomics with high output, ideally suited to professional applications.

20" Bar 3/8" Chain | 73.5cc | 4.2kW | 6.8kg

P HUSQVARNA 562 XP®

Latest generation high performance mid-range chainsaw offering excellent ergonomics and a number of innovative features for maximising output.

20" Bar 3/8" Chain | 59.8cc | 3.5kW | 6.0kg

P HUSQVARNA 550 XP®

Latest generation high performance compact chainsaw offering excellent ergonomics with several innovative features making it perfect for professionals and skilled landowners.

16" Bar* .325" Chain | 50.1cc | 2.8kW | 4.9kg

*18" Bar on New Zealand variant

P HUSQVARNA 550 XP® TRIO-BRAKE™

A unique chainsaw offering a number of innovative features, like the TrioBrake™ system providing increased safety and encourages you to work more efficiently and ergonomically.

Available in Australia only.

15" Bar .325" Chain | 50.1cc | 2.8kW | 5.0kg

P HUSQVARNA T540 XP®

Ultimate arborist chainsaw with excellent power to weight ratio designed for full time use by professional arborists.

12" Bar 3/8" Chain | 37.7cc | 1.8kW | 3.9kg



P HUSQVARNA 536Li XP®

Efficient rear-handle chainsaw, perfect for contractors, carpenters and other professionals. A high-performance saw with no direct emissions or vibrations.

14" Bar 3/8" LP Chain | 36V Li-ion | 93 dB(A) | 3.9kg (with battery)

P HUSQVARNA T536Li XP®

A high-performance top handle saw with no direct emissions or vibrations, optimized for arborists. Very easy to use, with high chain speed.

12" Bar 3/8" LP Chain | 36V Li-ion | 104 dB(A) | 3.7kg (with battery)

P HUSQVARNA 525PT5S

Robust, well-balanced, and light pole saw with telescopic tube for long, flexible reach.

10" Bar 3.97m Reach | 25.4cc | 1.0kW | 7.0kg



P HUSQVARNA 536LiPX

Professional and versatile pole clearing saw with a 90 degree adjustable cutting head to quickly switch between horizontal and vertical bar position.

10" Bar 3.0m Reach | 36V Li-ion | 4.4kg (with battery)

P HUSQVARNA 536LiPT5

A robust pole saw with telescopic shaft for maximum reach. Light weight and high performing without direct emissions or vibrations.

10" Bar 5.5m Reach | 36V Li-ion | 6.2kg (with battery)

P HUSQVARNA 536LiP4

Fixed length pole saw for efficient and productive tree-care. Light weight and well balanced, with high chain speed.

10" Bar 4.0m Reach | 36V Li-ion | 4.7kg (with battery)

PART-TIME USE

Powerful, yet easy to start and manoeuvre. With numerous advanced features, these saws can prune, limb, fell, cut firewood and much more. Ideal for landowners and other regular users who value performance and efficiency.

L HUSQVARNA 570AT II
Pro-grade chainsaw delivering high torque over a wide rpm range making it the ideal machine for hard wood and large tree removals on the land.

20" Bar 3/8" Chain | 73.5cc | 4.2kW | 6.8kg

L HUSQVARNA 556 AT
Powerful, fuel efficient, low emission chainsaw ideal for contractors and landowners who tackle tough cuts.

20" Bar 3/8" Chain | 59.8cc | 3.1kW | 6.0kg



L HUSQVARNA 460
Robust all-round saw for demanding jobs where you need a longer bar. Easy handling and high torque over a wide rpm range.

20" Bar 3/8" Chain | 60.3cc | 2.7kW | 5.8kg

L HUSQVARNA 455 R-AT
Robust all-round saw for demanding jobs. Easy handling and high torque over a wide rpm range.

20" Bar .325" Chain | 55.5cc | 2.6kW | 5.9kg

L HUSQVARNA 450 II
A reliable workmate for landowners, with professional qualities delivering more power, less fuel, lower emissions and reduced vibrations.

18" Bar .325" Chain | 50.2cc | 2.4kW | 4.9kg

L HUSQVARNA 445 II
Excellent all-round saw that combines performance with fuel efficiency. Ideal for cutting firewood and general maintenance on the land.

18" Bar .325" Chain | 45.7cc | 2.1kW | 4.9kg

L HUSQVARNA 440 E-SERIES II
A Light weight, efficient all-round chainsaw that is extremely easy to start and handle at home or on the land.

16" Bar .325" Chain | 40.9cc | 1.8kW | 4.4kg

L HUSQVARNA T435
Top handle chainsaw designed specifically for tree care and pruning tasks. Great balance combined with high power and low weight.

12" Bar 3/8" Chain | 35.2cc | 1.5kW | 3.4kg

OCCASIONAL USE

These chainsaws deliver excellent cutting performance, are easy to start and come with features that make operation comfortable and flexible. Ideal for lighter work such as cutting smaller trees and firewood.

H HUSQVARNA 135 E-SERIES
Low on fuel consumption, emissions and vibrations, yet big on power and performance around the home.

16" Bar 3/8" LP Chain | 40.9cc | 1.5kW | 4.6kg

H HUSQVARNA 240 E-SERIES
Light weight, efficient and easy starting homeowner chainsaw ideal for lighter cutting tasks, firewood and property maintenance.

16" Bar 3/8"LP Chain | 38.2cc | 1.5kW | 4.7kg



H HUSQVARNA 236 E-SERIES
Easy to start and operate with a light weight design, making it the ideal entry-level chainsaw for pruning tasks and cutting firewood.

14" Bar 3/8"LP Chain | 38.2cc | 1.4kW | 4.7kg

H HUSQVARNA 120i
Light weight and convenient saw that gives you all the power you need, without the noise and fumes.

12" Bar 3/8" LP Chain | 36V Li-ion | 86 dB(A) | 4.3kg (with battery)

GIVE YOUR CHAINSAW SOME EXTRA BITE.

The cutting equipment accounts for a large part of a chainsaw's efficiency, and thereby your results. Using original Husqvarna chains, bars and lubricants is the only way to make sure you get the maximum performance out of your machine.

Check your teeth often.

With a correctly sharpened chain, your work will be both easier and safer. Husqvarna offers a variety of filing equipment that simplifies this important maintenance task. Read more on page 27.

Don't make a splash.

For convenient and efficient refuelling, Husqvarna Combi Cans are designed to prevent any splash effects or waste. The sizes of the two combined containers have been adjusted to match the correct fuel to chain oil ratio. Read more on page 26.

BARS AND CHAINS FOR A SAFER AND MORE EFFICIENT CUT

Bars designed specifically for Husqvarna chainsaws, to optimize the saw's features.

Husqvarna offers a wide range of chains for different needs. High-performance chains, developed specifically for Husqvarna.

Testing and fulfilling ISO, EN and ANSI standards and internal standards is a priority in the development of new Husqvarna accessories.

Always use Husqvarna chain oil. Incorrect use of chain oil is a common source of damage to saws and tends to lead to rapid wear of the bar, or the chain jamming or derailing.

CARVING BAR
With a narrow body and smaller nose radius, the Husqvarna carving bar is the perfect choice for sculpting and other precision work. Best suited to Husqvarna chainsaw models 536LiXP and T536LiXP.

X-FORCE PRO BARS
The X-Force Pro laminated bars offer easier maintenance and increased productivity. Depending on the model, these benefits come from features such as updated profiles, larger nose sprocket, cutouts in the centre plate, additional bearings, supported shields, and the removal of the grease hole.

LAMINATED BARS WITH NOSE SPROCKET
The gentle curve and small nose radius reduces the risk of kickback and facilitates good cutting control. Coated bars to protect against scratches and corrosion. Available in 3/8" Mini, .325", and 3/8" Pitch in length 10 – 20". Available as TechLite in 3/8" Mini Pitch (12 –16") and Pixel 3/8" Mini Pitch (12 –14").

SOLID BARS WITH REPLACEABLE TIP
Recommended for use with long bars to reduce load on the bar tip. The load is transferred to the high quality roller bearing. The bars are coated to protect against scratches and corrosion. Replaceable tip is available as a spare part. Available in lengths 16" to 42".



HUSQVARNA SOLID BARS
Solid bars are used for hard species of timber, thick bark and in very sandy, dusty or sooty conditions. The bars are coated to protect against scratches and corrosion. Available in lengths 24 – 42".

Using different chains.

Husqvarna offers a wide range of chains for different needs. Find more information and chains on our website.

1/4" CHAINS, RECOMMENDED UP TO 38 CC
Extremely Light weight chain for smooth clean cuts. Have Micro Chisel cutters.

PIXEL 3/8" MINI
Recommended for Battery Saws. Light weight, low kickback chain which requires less power.

3/8" MINI CHAINS, RECOMMENDED UP TO 45 CC
Chain with low vibrations, for woodcutters who use smaller-size saws in high production environment. Available in low kickback version.

PIXEL .325" CHAINS, RECOMMENDED FOR 35 – 55 CC
Developed to meet the specific needs of today's Light weight chainsaws. Cuts narrow kerf, which requires less power.
Low kickback and low-vibration features with Micro Chisel cutters. Not recommended for heavy-duty work e.g. storm damaged forest.

.325" CHAINS, RECOMMENDED FOR 35 – 60 CC
High-performance, low-vibration chain with Micro Chisel cutters. Ideal for demanding conditions.

3/8" CHAINS, RECOMMENDED FOR 50 – 100 CC
Professional Chisel cutters for high-production cutting of clean wood and Semi-Chisel cutters for fast cutting and easy sharpening. The Chisel cutter is available as a square ground for professional use.

.404" CHAINS, RECOMMENDED FOR 85 CC AND LARGER
A big-timber chain in three variants, designed for professional users. Chisel cutters for users who need high production and who cut clean wood with larger-size chain saws. Micro Chisel cutters for fast cutting end easy sharpening. Fully rounded Chipper variant for excellent performance, easy sharpening and edge-holding durability.

RIPPING CHAINS
Chains with special factory grind for making dimensional boards and planks from larger timbers by cutting parallel to the wood grain.

525PT5S / 536LiPT5 / 536LiP4	536LiPX	120i/136Li/T536LiXP	536LiXP	T435	T540XP II	236 / 236e	240e / 135e	440e	445 II / 450 II	550XP TrioBrake™	550XP	455R-AT	555-AT	460	562XP / 556-AT	570AT II /576XP	390XP / 395XP	3120XP
Mini bar mount (A041 / A095)								Small bar mount (K095)							Large bar mount (D009)			
SPECIALTY - CARVING BAR																		
		O	O															
LAMINATED BAR WITH NOSE SPROCKET																		
■																		
O																		
	■																	
		O	O															
		■	O															
		O	■															
					O													
					■													
					O													
				O														
				■		O	O											
				O		■	O											
						O	■											
								O	O	O	O	O	O	O				
								O	O	O	O	O	O	O				
								■	O	O	O	O	O	O				
								O	■	O	O	O	O	O				
										O	O	O	O	O				
								O	O	■	O	O	O	O				
								O	O	O	■	O	O	O				
								O	O	O	O	O	O	O				
										O	O	■	O	O				
												O	O	O				
												O	O	O				
												O	■	O				
												O	O	O				
															O			
															O			
															O	O	O	
															O	O	O	
SOLID BAR WITH REPLACEABLE BAR NOSE																		
								O	O	O	O	O	O	O				
												O	O	O				
												O	O	O				
												O	O	■				
															O	O		
															O	O		
															O	O	O	O
														■	■	■	O	O
															O	O	O	O
															O	O	■	O
																O	O	O
																	O	O
																	O	O
																	O	O
																	O	O
																O	O	O
																O	O	O
																	O	■
																	O	O
																	O	O
LASER TIP SOLID BAR																		
																O	O	
																O	O	
																O	O	
																O	O	
																	O	O

■ = Standard Cutting Equipment O = Optional Cutting Equipment

Always check your operator's manual for the cutting equipment that fits your chainsaw. Solid bar with .404" chain pitch on 390 XP ® is optional on certain markets.

Bar Length in./cm.	Chain Pitch in.	Gauge, in./cm.	Guide Bar Part No.	Drive Links	Chain Type	Chain Part No.
					CHAINS	
12/30	1/4"	.050/1.3	587 39 44-68	68	H00	501 84 40-68
					CHAINS	
10/25	1/4"	.050/1.3	5758422-58	58	H00	501 84 40-58
12/30	1/4"	.050/1.3	5758422-64	64	H00	501 84 40-64
10/25	3/8 LP	.050/1.3	5018285-40	40	H37	5769365-40
10/25	3/8 LP	.043/1.1	5019595-40	40	H38	581 80 79-40
12/30	3/8 LP	.043/1.1	501 95 95-45	45	H38	581 80 79-45
14/35	3/8 LP	.043/1.1	501 95 95-52	52	H38	581 80 79-52
12/30	3/8 LP	.050/1.3	576 83 07-45	45	H37	576 93 65-45
14/35	3/8 LP	.050/1.3	576 83 07-52	52	H37	576 93 65-52
16/40	3/8 LP	.050/1.3	576 83 07-56	56	H37	576 93 65-56
10/25	3/8 LP	.050/1.3	501 95 92-40	40	H37	576 93 65-40
12/30	3/8 LP	.050/1.3	501 95 92-45	45	H37	576 93 65-45
14/35	3/8 LP	.050/1.3	501 95 92-52	52	H37	576 93 65-52
16/40	3/8 LP	.050/1.3	501 95 92-56	56	H37	576 93 65-56
13/33	0.325 Pixel	.050/1.3	585 94 32-56	56	H30	501 84 06-56
15/38	0.325 Pixel	.050/1.3	585 94 32-64	64	H30	501 84 06-64
16/40	0.325 Pixel	.050/1.3	585 94 32-66	66	H30	501 84 06-66
18/45	0.325 Pixel	.050/1.3	585 94 32-72	72	H30	501 84 06-72
20/50	0.325 Pixel	.050/1.3	585 94 32-80	80	H30	501 84 06-80
13/33	0.325	.058/1.5	585 94 33-56	56	H25	501 84 04-56
15/38	0.325	.058/1.5	585 94 33-64	64	H25	501 84 04-64
16/40	0.325	.058/1.5	585 94 33-66	66	H25	501 84 04-66
18/45	0.325	.058/1.5	585 94 33-72	72	H25	501 84 04-72
20/50	0.325	.058/1.5	585 94 33-80	80	H25	501 84 04-80
15/38	3/8	.058/1.5	585 94 34-56	56	H42	501 84 14-56
16/40	3/8	.058/1.5	508 91 41-60	60	H42	501 84 14-60
18/45	3/8	.058/1.5	585 94 34-68	68	H42	501 84 14-68
20/50	3/8	.058/1.5	585 94 34-72	72	H42	501 84 14-72
15/38	3/8	.058/1.5	508 91 31-56	56	H42	501 84 14-56
16/40	3/8	.058/1.5	508 91 31-60	60	H42	501 84 14-60
18/45	3/8	.058/1.5	585 95 08-68	68	H42	501 84 14-68
20/50	3/8	.058/1.5	585 95 08-72	72	H42	501 84 14-72
					CHAINS	
18/45	0.325	.058/1.5	502 44 00-72	72	H25	501 84 04-72
16/40	3/8	.058/1.5	608 00 00-17	60	H42	501 84 14-60
18/45	3/8	.058/1.5	501 95 77-68	68	H42	501 84 14-68
20/50	3/8	.058/1.5	501 95 77-72	72	H42	501 84 14-72
16/40	3/8	.058/1.5	501 95 69-60	60	H42	501 84 14-60
18/45	3/8	.058/1.5	501 95 69-68	68	H42	501 84 14-68
20/50	3/8	.050/1.3	608 00 00-46	72	H46	501 84 25-72
20/50	3/8	.058/1.5	501 95 69-72	72	H42	501 84 14-72
22/55	3/8	.058/1.5	501 95 69-76	76	H42	501 84 14-76
24/60	3/8	.058/1.5	501 95 69-84	84	H42	501 84 14-84
28/70	3/8	.058/1.5	501 95 69-92	92	H42	501 84 14-92
32/81	3/8	.058/1.5	608 00 00-54	105	H42	501 84 14-05
32/81	3/8	.063/1.6	608 00 00-55	105	H45	588 41 22-01
32/81	0.404	.063/1.6	608 00 00-62	95	H57	501 84 34-95
36/90	3/8	.063/1.6	502 43 96-15	115	H45	588 41 22-02
20/50	0.404	.063/1.6	502 07 73-65	65	H57	501 84 34-65
24/60	0.404	.063/1.6	502 07 73-76	76	H57	501 84 34-76
28/70	0.404	.063/1.6	502 07 73-84	84	H57	510 09 41-01
36/90	0.404	.063/1.6	608 00 00-63	104	H57	501 84 34-04
42/107	0.404	.063/1.6	502 07 73-22	122	H57	510 09 43-01
					CHAINS	
18/45	3/8	.058/1.5	501 95 80-68	68	H42	501 84 14-68
20/50	3/8	.058/1.5	501 95 80-72	72	H42	501 84 14-72
24/60	3/8	.058/1.5	501 95 80-84	84	H42	501 84 14-84
28/70	3/8	.058/1.5	501 95 80-92	92	H42	501 84 14-92
28/70	0.404	.063/1.6	501 58 96-01	84	H57	510 09 41-01

ENGINEERED TO OPTIMISE YOUR HUSQVARNA SAW

Two-stroke chainsaw engines can run at 10,000 rpms, often under heavy load. At Husqvarna we design ours to be durable and powerful, while also Light weight. This places special requirements on the oil – so it's vital to choose the right one. Husqvarna two-stroke oils that meet our strict requirements are labelled VEF – Verified Engine Formula.

Benefits of the right oil.

Seemingly similar two-stroke oils can produce hugely different results when tested. With Verified Engine Formula oils you greatly reduce wear and almost eliminate carbon build-up on the piston, as well as getting an engine that runs cooler.

Rigorous testing.

At Husqvarna we test oils in hot temperatures, to see if the machine stays lubricated, and in the cold, to check that it starts easily. And we test for thousands of hours in real life field tests. Only the oils that fulfil our strict requirements get the VEF label.

The spouts are designed for an optimized, constant flow that speeds up refuelling. A mechanical lock prevents leakage and an auto-stop prevents spill and flooded tanks.

The integrated tool box allows you to bring tools such as files, and spare parts such as chains.

HUSQVARNA COMBI CAN, 5 L

Enables you to refuel quickly without splash effects and any waste. The two containers are designed to achieve an optimized fuel and chain oil ratio. Integrated tool box for frequently needed spare parts. Approved in accordance with UN recommendations.

580 75 42–01	5.0 / 2.5 L
586 11 04–01	Fuel spout
586 11 05–01	Oil spout
586 11 07–01	Quick-pour spout

HUSQVARNA TWO-STROKE OIL, LS+

A semi synthetic low smoke oil that gives very good seizure protection, both against lean and carbon related piston seizures. The additive package is one of the best on the market. Fulfils the requirements of JASO FD / ISO EGD and Rotax 253 snowmobile test. VEF approved.

578 18 03–02	0.1 Litre
578 03 70–02	1 Litre dosage bottle
578 03 71–02	4 Litres
578 18 00–02	10 Litres

HUSQVARNA TWO-STROKE OIL, HP

Developed with carefully selected components to work well with low quality petrol. Fulfils the requirements of JASO FB / ISO EGB and Rotax 253 snowmobile test. VEF approved.

587 80 85–01	0.1 Litre
587 80 85–11	1 Litre dosage bottle
587 80 85–20	4 Litres
587 80 85–30	20 Litres

HUSQVARNA SAW CHAIN OIL, BIO ADVANCED

Husqvarna vegetable chain oil with superior lubrication performance even in extreme conditions. Excellent anti-oxidation properties protect the bar and chain during storage.

588 81 83–01	1 Litre
588 81 83–10	5 Litres
588 81 83–20	20 Litres

HUSQVARNA MINERAL SAW CHAIN OIL

With adhesive agent for high-performance chainsaws. Guaranteed low wear of chains and rails. For universal use all year round.

579 39 60–01	1 Litre
579 39 61–01	5 Litres
579 39 62–01	20 Litres

HUSQVARNA AIR FILTER OIL

Biodegradable. Effectively traps particles in the filter, keeping the engine cleaner and reducing wear.

Effectively traps particles in the filter, keeping the engine cleaner and reducing wear.

531 00 92–48	Biodegradable foam filter oil, 1 Litre
502 71 89–01	Air filter spray AU - 750ml
504 70 53–01	Air filter spray AU - 750ml / NZ - 400ml

A sharp chain is as important as a powerful engine.

For your chainsaw to operate effectively, safely and with precision it is vital to have a sharp chain. How often it needs to be sharpened depends on how frequently you use it. A good indication of the condition of your chain is the appearance of the wood chips. A sharp chain will produce fine, even wood chips. While a dull chain generates sawdust. You'll need a round file, a flat file and a filing gauge to file a chain. We also recommend that you use a stump vise to hold the bar, leaving both hands free for filing.

File the cutting teeth.

File using light and even pressure, with gentle pushing strokes, parallel to the gauge. Try to get the same length of all cutters.

File the depth gauge.

File all the way down to the gauge. If you file the depth gauge without a tool you, risk filing them too far down and the chain will produce too thick chips.

READ MORE AT HUSQVARNA.COM

HUSQVARNA INTENSIVE CUT ROUND FILES

Designed for optimal cutting performance and longer lifetime.

510 09 57–01	4.0 mm
577 23 37–01	4.5 mm
510 09 55–01	4.8 mm
510 09 56–01	5.5 mm

FLAT FILES

Quality files which give you the right geometry of the cutter.

505 69 81–60	Flat files 6"
505 69 81–80	Flat files 8"

FILE GAUGES

Specially designed file gauges that give the correct filing angles, use together with our round files.

505 69 81–10	.325", H22 / H25 / H28
505 24 37–01	3/8" MINI H35 / H36 / H37
579 55 88–01	3/8" MINI PIXEL H38
505 69 81–15	.404" H64(S)
580 68 74–01	1/4" H00

DEPTH GAUGE TOOL

Specially designed depth gauges that give the correct filing angles, use together with our flat files.

505 69 81–00	.325"
505 69 81–01	3/8"
505 69 81–02	.404"
505 69 81–03	3/8" MINI / 3/8" MINI PIXEL

COMBINATION GAUGES

Our combination gauges are specially designed with a file gauge and depth gauge setter together in one tool. Use together with our round and flat files for a correct filing angle.

586 93 84–01	.325" / 1.3 mm PIXEL H30
505 69 81–09	.325" / 1.5 mm H22 / H25 / H28
505 24 35–01	3/8" H42 / H45 / H46 / H47(S) / H48(S) / H50
575 99 15–01	Semichisel 3/8" H49 / H51 / H54 / H58
580 68 74–01	1/4"

FILE HANDLE

Patented file locking system. Fits all our files. 25° and 30° guides ensures correct file angling.

505 69 78–01	File handle Ø 4.5 – 5.5 mm

STUMP VISE

To fasten the chainsaw in a secure position when filing. Made of forged steel.

505 66 52–56



FILE KITS

Complete filing kit with a file handle, combination gauge or a file gauge and depth gauge, two round files and one flat file.

505 69 81–25	.325"
505 69 81–27	.325" PIXEL
586 93 34–01	.325 / 1.3mm Pixel - SP33G
505 69 81–30	3 / 8"
505 69 81–38	3/8" MINI H36
579 65 36–01	3/8" MINI H37
505 69 81–92	.404"
580 68 75–01	1/4"

Every tool has a job to do and these will do it well.

Being the world's leading supplier of outdoor power products does not mean we forget about the smaller tools and accessories needed to complete the job. Every tool in our portfolio of axes, knives, lifting hooks, breaking bars and other things has been carefully selected to ensure that you have everything you need to do your work well. Our bags are made of sustainable materials to keep your equipment protected and make it easier to carry.

MEASURING TAPE
Simple, Light weight design that can be adjusted without tools. Marked on both sides of tape. Contact customer service for full spare parts list.

505 69 73–15	15m Loggers Tape with release hook
505 69 73–01	15m Spare Tape
505 69 73–04	15m Spare Tape - Scissor Hook
505 69 73–20	20m Loggers Tape with release hook
505 69 71–05	20m Spare Tape
505 69 72–10	Release Hook

LIFTING- / TIMBER TONGS
Sharp hook with grinded edges. Special hardened steel with treated surface makes them robust and less sensitive for rust.

574 38 76–01	30 cm
574 38 75–01	20 cm

LIFTING HOOK
Extended hook for longer, wider opening to give a better grip when working. Special hardened steel with treated surface makes it robust and less sensitive for rust

574 38 74–01

Husqvarna axes – genuine craftsmanship.

Husqvarna provides a wide range of axes for different kinds of work. Forged in Sweden from Swedish axe steel with a consistently high quality.

FOREST AXE
For felling smaller trees and limbing logs.

576 92 62–01	65 cm

CARPENTER'S AXE
For wood work with a recess in the head by the handle.

576 92 65–01	50 cm

HATCHET AXE
For small firewood and garden work.

576 92 64–01	37.5 cm

SLEDGE AXE
For splitting logs and large chunks of wood, also for use as a sledge.

576 92 66–01	80 cm
576 92 66–02	Spare handle

SPLITTING AXE
For splitting stronger wood and firewood.

576 92 67–01	75 cm
576 92 67–02	Spare Handle

SMALL SPLITTING AXE
For basic splitting of firewood.

576 92 68–01	50 cm
576 92 68–02	Spare handle

HUSQVARNA H900
Small hatchet for outdoor, trekking and garden activities.

580 76 10–01	34 cm

HUSQVARNA A1400
Universal axe ideal for splitting resinous wood.

580 76 11–01	60 cm

HUSQVARNA A2400
Powerful universal axe for different kind of wood work.

580 76 12–01	70 cm

HUSQVARNA S1600
Splitting axe for splitting logs and chunks of wood.

580 76 13–01	60 cm

HUSQVARNA S2800
Powerful splitting axe for splitting large logs.

580 76 14–01	70 cm

ARBORIST

CHAINSAW STROP, ARBORIST
To be used together with a chainsaw hook for connecting the chainsaw to a belt. Elastic design. Measures 0.5 m when relaxed and 1.25 fully stretched out.

577 43 80–01

CHAINSAW EYELET, ARBORIST
For arborists who use a standard chainsaw. Offers a safe way to connect the chain saw to the chainsaw strop. Has an overload release.

578 07 71–01

CHAINSAW HOOKS, ARBORIST
For easy connection of a chainsaw to a harness. Robust construction.

577 43 79–01	Metal
580 80 03–01	Plastic

FELLING WEDGES
Made of high impact ABS plastic. Helps the tree fall in the right direction.

505 69 47–02	14 cm
505 69 47–03	20 cm
505 69 47–04	25 cm
608 20 10–02	30 cm

MAGNESIUM FELLING WEDGE
Helps the tree fall in the right direction.

505 69 47–00	12 cm



ALUMINIUM FELLING WEDGE
Helps the tree fall in the right direction.
Possible to re-grind.

586 88 59–01	550 g, 22 cm
586 88 59–02	1000 g, 27,5 cm

SPLITTING WEDGE
Twisted wedge for splitting logs, to be used with a sledge or a sledge axe.
577 25 92–01

FOOT BREAKING BAR, VIKTOR
Telescopic foot breaking bar. Can be carried in a holster on a belt.
Available in New Zealand only.

504 98 16–92	46 cm
505 69 32–92	Holster

BREAKING BAR WITH CANT HOOK
Fully forged with plastic handle, repeat heel and turning hook.

586 89 69–01	80 cm

LONG BREAKING BAR
Forged bottom parts for extra strength. Front teeth give better grip. Long handle makes it possible for a two-hand grip.

574 38 72–01	130 cm

LIMBING SAW
Curved blade with hook at tip and blade for cutting bark to prevent splitting.

505 69 45–66	33.3 cm with barkblade
505 69 45–76	33.3 cm

TELESCOPIC SHAFT FOR LIMBING SAW
2.5–5 meters. Length is easy to adjust.
502 42 73–01

FOLDABLE PRUNING SAW 200 FO
Foldable saw with 200 mm blade for different applications.
967 23 64–01

STRAIGHT PRUNING SAW 300 ST
Straight saw with 300 mm blade for sawing of fresh and dry wood. Holster included.
967 23 65–01

CURVED PRUNING SAW 300 CU
Curved saw with 300 mm blade for heavy pruning. Holster included.
967 23 66–01

FOREST BAG
Roomy bag, perfect to pack all your protective equipment in. Hard and stable bottom, grip handles on sides, side pockets and carrying straps.
576 85 95–01

SPORT BAG
Practical sports bag with an optional shoulder strap, zip closure and multiple compartments to carry all your gear.
582 40 36–01

CHAINSAW BAG
Special pockets for chain saw files. Velcro fastening pocket to outside. Fits all our chainsaws.
576 85 91–01

BACK PACK
Convenient, light weight backpack with adjustable staps, padded back panel, side pockets, two compartments including laptop space and inside organiser.
582 39 18–01

CARRY CASE
Sturdy, stackable design with moulded compartments to hold accessories. Comes standard with 18"-20" guide bar cover. Fits up to model 576XP.
502 67 49–01

TECHNICAL SPECIFICATONS	236 e-series	240 e-series	135 e-series	440E II	445E II	450E II	455R AutoTune™	460
Article Number	967 32 65–01	967 32 61–01	967 29 25–03	967 65 14–01	967 65 15–01	967 65 16–01	966 76 77–20	965 03 12–70
Displacement, cc	38.2	38.2	40.9	40.9	45.7	50.2	55.5	60.3
Power, kW	1.4	1.5	1.5	1.8	2.1	2.4	2.6	2.7
Noise level, dB(A)	100.7	100.7	102	102	103.3	103.5	104	104
Noise emissions LWA, dB(A)	113	113	114	114	114	115	113	114
Vibrations, front / rear handle, m/s²	2.1 / 2.7	2.1 / 2.7	3.9 / 3.8	2.5 / 3.2	1.9 / 2.6	2.3 / 2.7	3.4 / 4.5	3.5 / 4.5
Weight excl. bar and chain, kg	4.7	4.7	4.6	4.4	4.9	4.9	5.9	5.8
Chain pitch, inches	3/8 LP	3/8 LP	3/8 LP	.325 Pixel	.325 Pixel	.325 Pixel	0.325	3/8
Rec. bar length, inches	13-16	13-16	14-16	13–18	13–20	13–20	13–20	16-20
Inertia-activated chain brake	●	●	●	●	●	●	●	●
TrioBrake™	–	–	–	–	–	–	–	–
Air Injection™	●	●	●	●	●	●	●	●
X-Torq®	●	●	●	●	●	●	●	●
Low Vib®	●	●	●	●	●	●	●	●
AutoTune™	–	–	–	–	–	–	●	–
Decompression valve	–	–	–	–	–	–	●	●
SmartStart®	●	●	●	●	●	●	●	●
Air Purge	●	●	●	●	●	●	●	●
Starting reminder	●	●	●	●	●	●	–	–
Combined choke/stop control	●	●	●	●	●	●	●	●
Magnesium crankcase	–	–	–	–	–	–	–	–
Forged three-piece crankshaft	–	–	●	●	●	●	●	●
Quick release on air filter/air filter cover	– /–	– / –	– /●	●/●	●/●	●/●	●/●	– /–
Visible fuel level	–	–	–	●	●	●	●	–
Flip-up Fuel / Oil Caps	–	–	–	●	●	●	●	–
Vibration-dampened carburettor	–	–	–	●	●	●	●	●
Adjustable oil pump	–	–	–	–	–	–	●	●
Side-mounted chain tensioner	–	–	–	●	●	●	●	●
Tool-less chain tensioner	●	●	●	●	–	–	–	–
Captive bar nuts	–	–	–	–	–	–	–	–
Integrated loop for rope	–	–	–	–	–	–	–	–

CHAINSAWS - BATTERY	120i	536LiXP	T536LiXP
Article Number	967 09 82-02	966 72 91-14	966 72 92-12
Battery Type / Voltage	Li-Ion / 36V	Li-Ion / 36V	Li-Ion / 36V
Motor type	Brushless	Brushless	Brushless
Oil tank volume	0.2 L	0.2 L	0.2 L
Oil pump type	Automatic	Automatic	Adjustable
Equivalent vibration level (ahv, eq)** Front / Rear handle	3.37 / 3.82 m/s2	2.5/2.8 m/s2	2/2.4 m/s2
Sound pressure level at operator's ear*	86 dB(A)	93 dB(A)	93 dB(A)
Sound power level, guaranteed (LWA)	100 dB(A)	106 dB(A)	106 dB(A)
Standard bar length	12"	14"	12"
Chain pitch	3/8"	3/8"	3/8"
Chain gauge	.043" / 1.1mm	.043" / 1.1mm	.043" / 1.1mm
Chain speed at max power	11.5 m/s / 37.73 fts	20 m/s / 65.62 fts	20 m/s / 65.62 fts
Weight (excl. battery)/Incl. BLi20ˆ / BLi200)	3.0 kg / 4.2 kgˆ	2.6 kg / 3.9 kg	2.4 kg / 3.7 kg

SOUND AND VIBRATION LEVELS

*Equivalent sound pressure level, as per ISO 22868, is calculated as the time-weighted energy sum for the sound pressure levels at various operational states. Typical variation for equivalent sound pressure level is a standard deviation of 1 dB(A).

**Equivalent vibration level, as per ISO 22867, is calculated as the time-weighted energy sum for the vibration levels at various operational states. The data presented for equivalent vibration level has a typical variation (standard deviation) of 1 m / s².

556 AutoTune™	570 II AutoTune™	550 XP® AutoTune™	550 XP® TrioBrake™	562 XP® AutoTune™	576 XP® AutoTune™	390 XP®	395 XP®	3120 XP®	T435	T540 XP® II
967 16 97–40	967 10 83-40	966 64 81-16 - AU 966 64 81-18 - NZ	966 64 87-15	966 57 03-40	966 87 43-40	965 06 07-44	965 90 27-44	965 96 03-28	966 99 72-12	967 28 75-12
59.8	73.5	50.1	50.1	59.8	73.5	88.0	93.6	118.8	35.2	37.7
3.1	4.2	2.8	2.8	3.5	4.2	4.8	5.2	6.2	1.5	1.8
106	105	106	106	106	105	107	102	102	103	104
118	116	116	116	118	116	118	115	116	114	116
2.7 / 3.2	2.9 / 3.7	3.8 / 3.7	3.8 / 3.7	2.7 / 3.2	2.9 / 3.7	5.8 / 7.0	6.5 / 10.2	6.7 / 7.8	4.1 / 3.9	3.1 / 3.2
6.0	6.8	4.9	5.0	6.0	6.8	7.2	7.9	10.4	3.4	3.9
3/8	3/8	0.325	0.325	3/8	3/8	3/8	3/8	3/8 0R.404	3/8 LP	3/8 LP
15-28	15-24	13-20	13-20	15-28	15-28	18–28	18–36	24–42	12-14	12–16
●	●	●	●	●	●	●	●	●	●	●
–	–	–	●	–	–	–	–	–	–	–
●	●	●	●	●	●	●	●	–	–	●
●	●	●	●	●	●	–	–	–	●	●
●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	–	–	–	–	●
●	●	●	●	●	●	●	●	●	–	–
●	●	●	●	●	●	●	●	–	–	●
●	–	●	●	●	–	–	–	–	●	●
–	–	–	–	–	–	–	–	–	–	–
●	●	●	●	●	●	–	–	–	–	–
●	●	●	●	●	●	●	●	●	–	●
●	●	●	●	●	●	●	●	●	–	●
●/●	●/●	●/●	●/●	●/●	●/●	●/●	●/–	●/●	●/●	●/●
●	–	●	●	●	–	–	–	–	–	●
●	–	–	–	–	–	–	–	–	–	●
●	●	●	●	●	●	●	●	–	●	●
●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	–	–	●	●
–	–	–	–	–	–	–	–	–	–	–
●	–	●	●	●	–	–	–	–	–	●
–	–	–	–	–	–	–	–	–	●	●

POLE SAWS - BATTERY	536LiPX	536LiP4	536LiPT5
Article Number	967 34 10-12	967 34 11-10	967 34 13-10
Battery Type	Li-ion	Li-ion	Li-ion
Battery voltage	36 V	36 V	36 V
Motor type	Brushless	Brushless	Brushless
Equivalent vibration** front / rear handle	1.2 / 2.6 m/s2	1.0 / 0.9 m/s2	1.0 / 1.2 m/s2
Sound pressure level at operator's ear*	96 dB(A)	88 dB(A)	83 dB(A)
Sound power level, guaranteed (LWA)	101 dB(A)	98 dB(A)	98 dB(A)
Standard bar length	10" / 25cm	10" / 25cm	10" / 25cm
Chain pitch	3/8"	1/4"	1/4"
Chain gauge	.050" / 1.3mm	.050" / 1.3mm	.050" / 1.3mm
Chain speed at max power	20 m/s / 65.62 fts	20 m/s / 65.62 fts	20 m/s / 65.62 fts
Weight (excl. battery)	3.1 kg	3.4 kg	4.9 kg
Weight (Incl. BLi200 battery)	4.4 kg	4.7 kg	6.2 kg

POLE SAWS - PETROL	525PT5S
Article Number	967 32 96-01
Displacement, cc	25.4
Power, kW	1.0
Sound pressure level at operators ear, dB(A)*	89
Equivalent vibration level (ahv,eq), collapsed, front/rear handle,m/s2 **	6.3 / 5.3
Equivalent vibration level (ahv,eq), extended, front/rear handle,m/s2 **	4.1 / 6.7
"Length incl. cutting equipment, collapsed/	2.72 / 3.97
extended, m"	10
Standard Bar length, inch	7.0
Weight excl. accessories, kg	•
X-Torq®	•/•
Auto return stop switch / Air purge	•
Telescopic shaft	•
Rear impact guard	•
Adjustable, automatic oil pump	•



THE EASY WAY TO TURN A TOUGH JOB INTO AN EXCELLENT RESULT

Brushcutting and grass trimming can be tough, lengthy jobs that demand endurance from both machine and operator. This is why our brushcutters, trimmers and clearing saws combine power and extreme durability with low weight. They are designed to be easy to handle and to deliver results you can be proud of. To ensure work is handled in the most comfortable way, Husqvarna offers harnesses designed to distribute the load optimally between shoulders, chest and back. For maximum comfort on long shifts.

What you get. And how we do it.

Raw power.

X-Torq® - Engine technology that reduces the exhaust emissions by up to 75% and increases fuel efficiency, without compromising on power.

Comfortable operation.

Intelligent design features deliver exceptional ergonomics including a well-balanced design for easy manoeuvrability and adjustable off-set handles to ensure a comfortable operating stance.

Maximum durability.

All components are made of high quality materials and are thoroughly tested under extreme conditions to ensure they deliver top class performance and durability.



Trouble free starting.

Smart Start® - The engine and starter have been designed so the machine starts quickly with minimum effort.

Long operation.

Low Vib® - Effective anti-vibration dampners absorb vibration, reducing the impact on the user's arms and hands. For a more comfortable operation.

Total control of the line feed.

The trimmer line is automatically fed when the Tap 'N Go™ head is tapped on the ground.

Best cutting performance.

Our bevel gears are precisely angled to facilitate and improve your grass clearing work that the support cup and blade do not hit the ground, but glide over the grass.



Wide cutting path.

The combination of superior engine power, higher torque ensuring rpm is maintained and matched to the optimal bevel gear reduction ratios ensures a cutting path up to 31% wider than the opposition.

Features specified not applicable to all models, refer to product technical specifications on page 45 for details.

HIGH-END RESULTS, WHATEVER YOUR NEEDS

Thanks to the Tap 'N Go™ functions, the trimmer line is fed automatically when the head is pushed into the ground, which facilitates your work

Adjustable handle for optimal comfort

READ MORE AT HUSQVARNA.COM

The handle is vibration-dampened and adjustable for comfortable operation

The well-balanced design means easy and convenient work

The cutting attachment combi guard can be used with either a grass blade or a trimmer head, allowing you to quickly switch between different work tasks

Battery performance at its best.

The Battery Series is genuine Husqvarna built equipment – sturdy, reliable and well-designed. Power, torque and battery runtime is generously dimensioned for professional needs. The operational costs are extremely low – meaning you can charge it again, again and again. Read more on page 4.

High handlebar.

High handlebar gives increased legroom when working on slopes, which makes operation more efficient.

The intuitive key pad makes the battery trimmers very easy to operate

The Li-ion battery provides long lasting power and top class performance

Commercial grade air filter gives long operating time and trouble free use

The powerful and easy to start engine enables great productivity

Starting as easy as it gets.

The Husqvarna 500 series of trimmers and brushcutters are equipped with intuitive controls for purge and choke. Smart Start® minimizes the effort to pull the starter cord, and the stop switch automatically returns to the "ON" position. This makes the starting procedure virtually fail-safe.

TRIMMERS

For a great finishing touch.

Our powerful and reliable trimmers are the perfect choice trimmers when it comes to give the lawn edges a great finishing touch, as well as trim grass at those hard to reach places. All machines are easy to handle and are designed to help get the job done as effortlessly and swiftly as possible.

BRUSHCUTTER

Tougher clearing with ease.

Powerful and impressively Light weight, extremely durable yet easy and comfortable to use. There you have our brushcutters in a nutshell. All machines are designed for long, demanding shifts of clearing high and thick grass, heavy brushwood – and even smaller trees.

FORESTRY CLEARING SAW

Really hard-working companions.

Our forestry clearing saws fulfil the job with accuracy in really challenging conditions. All machines are robust, easily operated and deliver great power at all times. The short and smooth shaft with the bevel gear, angled 24 degrees, simplifies directional felling of small trees – even in the densest forests.

FULL-TIME USE

Forestry clearing saws and brushcutters built for long periods of tough use. They meet the requirements of forestry, lawn and garden care professionals. At Husqvarna, design is always about optimizing performance – the machine's, as well as your own.

P HUSQVARNA 555FX
For full-time forestry clearing, our largest and strongest model combines high power and great fuel economy to tackle the most heavy duty applications.

53.3cc | 2.8kW | 8.9kg

NEW

P HUSQVARNA 545RXT
High performance, professional brushcutter with maximised ergonomics designed for heavy duty applications. Can be fitted with an optional saw blade for forestry clearing.

45.7cc | 2.2kW | 8.6kg

P HUSQVARNA 536LiPX
Professional and versatile pole clearing saw with a 90 degree adjustable cutting head to quickly switch between horizontal and vertical bar position.

36V Li-ion | 10" Bar 3.0m Reach | 4.4kg (with battery)

P HUSQVARNA 535RXT
High-performance brushcutter for tough professional use. Powerful and extremely manoeuvrable, the 535RXT comes with Balance X harness and features the LowVib® system.

34.6cc | 1.6kW | 6.2kg

P HUSQVARNA 524R
Efficient brushcutter with 4-stroke engine for long, intensive shifts. Suitable for parks, golf courses, gardens, etc.

25.0cc | 0.8kW | 5.5kg



P HUSQVARNA 525RS
Versatile, reliable machine for tough trimming applications with high power output and lower emissions. Easy to use, maintain and service.

25.4cc | 1.0kW | 5.0kg

P HUSQVARNA 536LiRX
High-performance brushcutter with great ergonomics and 2-way rotation trimmer head. Grass blade included for more coarser grass areas.

36V Li-ion | 96 dB(A) | 5.1kg (with battery)

P HUSQVARNA 535RJ
For tough commercial use, this J-handled brushcutter offers high performance and excellent durability in a variety of trimming conditions.

34.6cc | 1.6kW | 6.0kg



P HUSQVARNA 525LST
For full-time professional use, the 525LST grass trimmer delivers high power, with lower fuel consumption and reduced emissions for a more productive work day.

25.4cc | 0.95kW | 4.7kg



P HUSQVARNA 522L
Robust grass trimmer with intuitive controls like Smart Start® delivering faster starting efficiency, so professionals can focus on completing the job at hand.

22.5cc | 0.5kW | 4.2kg

P HUSQVARNA 536LiLX
High-performance trimmer with loop handle and 2-way rotation trimmer head. Grass blade available as accessory.

36V Li-ion | 96 dB(A) | 4.3kg (with battery)

OCCASIONAL USE

Light weight brushcutters for occasional use that are perfect for homeowners. Smart Start recoil system, fuel pump and an always-ON auto return stop switch ensure trouble-free starting. Husqvarna machines are packed with intelligent, useful features.



H HUSQVARNA 135R
Versatile, powerful brushcutter, perfect for homeowners and landowners alike. Offers an easy loading, semi-automatic trimmer head and grass blade to suit a variety of trimming conditions.

34.6cc | 1.4kW | 6.8kg

L HUSQVARNA 322L
Built for larger home gardens, this grass trimmer delivers superb performance, ease of use and high durability, so you can trim like a professional.

22.5cc | 0.75kW | 4.2kg



H HUSQVARNA 122C
Light weight curved shaft trimmer ideal for homeowners. Easy to start with a low noise engine so you wont disturb the neighbours.

21.7cc | 0.6kW | 4.4kg

H HUSQVARNA 115iL
Light weight, perfectly balanced and easy to use grass trimmer with a telescopic shaft. Makes light work of grass trimming and lawn edges.

36V Li-ion | 83 dB(A) | 4.25kg (with battery)

Operate safely and expect first-class results.

When using a brushcutter or trimmer, you should use protective eyewear and a visor, as well as protective trousers and boots. You should also not forget gloves and hearing protection. Our complete range of protective equipment will make sure that you get a result to be proud of, while staying safe.
Read more on page 110.

GET ONE MACHINE FOR THE WHOLE GARDEN

Our combi trimmers and brushcutters are the perfect choice if you want to have a truly smart, versatile work tool. You will only have to start and warm up one machine – then you are able to quickly and easily switch between many attachments to deal with all kinds of tasks – all year round. The engine units, together with all attachments, are as powerful and efficient as the conventional trimmers, pole saws, hedge trimmers, and so on. Also, a combi machine means less space for storage as well as less time and money for maintenance and service.

Our quick connection system enables you to easily switch between attachments

COMBI TRIMMERS

Easy to use and efficient machines.

Husqvarna combi trimmers with convenient loop handles are impressively Light weight, yet still reliable and efficient machines.

Combi trimmers are supplied standard with a trimmer attachment and can be fitted with a wide range of attachments.

Reliable performance.

The engine units, together with all attachments, are as powerful and efficient as the conventional trimmers, pole saws, hedge trimmers, and so on. All to give you reliable workmates that help you get the job done at all times.

Start up one machine.

You will only have to start and warm up one machine – then you are able to quickly and easily switch between many attachments to deal with all kinds of tasks – all year round.

Attachments that help you get rid of everything.

Start by choosing the machine that best suits your needs – then explore our wide range of attachments. Each attachment offers a quick connection, durable design and – most importantly – sufficient power to trim dense grass, cut vigorous bushes, blow or sweep huge piles of leaves and debris. Just some examples of garden tasks that are made easier with our combi attachments.

Enjoy highly efficient work – at whatever height.

We never compromize when it comes to power, durability and productivity. Therefore, we have designed our combi machines to work equally well as our conventional machines. This means that you can enjoy convenient and powerful pole sawing, as well as really efficient and reliable cultivating.

FULL-TIME USE

These are heavy-duty machines that can handle high frequency operation by professionals. Excellent performance and balance, so you get lots of work done with a minimum of strain on your body. Husqvarna design is always focussed on helping you get the most out of your workday, with excellent results.

P HUSQVARNA 525RJD
High performance, professional grass trimmer delivers high power, lower fuel consumption and reduced emissions for increased productivity. Detachable shaft design to power a whole fleet of gardening tools.

25.4cc | 1.0kW | 4.9kg

P HUSQVARNA 524LK
Professional grass trimmer with a 4-stroke engine, for full-time use. Detachable shaft design to power a whole fleet of gardening tools.

25.0cc | 0.8kW | 5.4kg

OCCASIONAL USE

Combi machines for homeowners who want a high level of performance and durability, in combination with easy starting and operation. And who appreciate design that delivers smart solutions and great results.

H HUSQVARNA 122LK
Light weight easy-start trimmer, perfect for homeowners, with a low-noise engine that wont disturb the neighbours. Detachable shaft design to suit a shed full of gardening tools.

21.7cc | 0.6kW | 4.8kg

OPTIONAL ATTACHMENTS

TRIMMER HEAD TA 850/24
Equipped with combination guard and T35 Tap-n-Go trimmer head. Fits 525RJD, 524LK and 122LK.
537 35 35–01

SHORT HEDGER HA 110
Short hedge trimmer attachment. Cutting deck 55 cm. Tube length 11 cm. Shaft diameter 24 mm. Fits 525RJD, 524LK and 122LK.
537 19 66–05

LONG HEDGER HA 850
Long hedge trimmer attachment. Cutting deck 55 cm. Tube length 85 cm. Shaft diameter 24 mm. Fits 525RJD, 524LK and 122LK.
537 19 66–06

EDGER EA 850
Keeps lawns, pathways and flowerbeds looking good with straight, neat edging. Shaft diameter 24 mm. Fits 525RJD, 524LK and 122LK.
537 19 69–01

BRISTLE BRUSH BR 600
Sturdy brush that removes dirt from paths, driveways and even in deep grooves. Guard is included. Width 60 cm. Shaft diameter 24 mm. Fits 525RJD, 524LK and 122LK.
967 29 67–01

POLE SAW PA 1100
Gives extra reach when needed. Cuts branches up to approx. 15 cm in thickness. Length 110 cm. Shaft diameter 24 mm. Fits 525RJD, 524LK and 122LK.
537 18 33–23

TILLER CA 230
Ideal on delicate flowerbeds and around the base of trees. Shaft diameter 24 mm. Fits 525RJD, 524LK and 122LK.
967 29 42–01

DETHATCHER DT 600
Cleans away moss to provide a healthier lawn. Width 60 cm. Shaft diameter 24 mm. Fits 525RJD, 524LK and 122LK.
967 29 69–01

SWEEPER SR 600-2
Rubber broom with large capacity that cleans sand and gravel from paths, driveways and lawns. Guard is included. Width 60 cm. Shaft diameter 24 mm. Fits 525RJD and 524LK.
967 29 44–01

BLOWER BA 101
Powerful blower that frees paths and driveways from leaves, litter and grass clippings. Shaft diameter 24 mm. Fits 525RJD, 524LK and 122LK.
967 28 64–01

EXTENSION EX 780
Shaft extension that gives an extra reach of almost 80 cm. Shaft diameter 24 mm. Fits 525RJD, 524LK and 122LK..
967 29 71–01

Flexible shoulder section and individual height adjustment. Wide ventilated back plate.

Weight distribution from shoulders to hips.

Easy-access quick release in case of an emergency. Shock-absorbing, travelling hip pad.

Ergonomically designed harnesses for optimized load distribution.

When working full days with heavy equipment, the quality and design of your harness may certainly make or break your day. An appropriate harness must meet many different requirements, depending both on the way you are built and the type of machine you are carrying. The full Husqvarna range includes ergonomic harnesses that cover all aspects.

HUSQVARNA BALANCE XT™
Advanced harness with several unique features such as settings for men and women, and a pivoting shoulder section. Gives you an outstanding weight distribution between the shoulders, chest and back. Also, it distributes load from the shoulders to the hips.
578 44 98–01

HUSQVARNA BALANCE FLEX™
To be used with various Husqvarna pole products. The Balance Flex™ has enhanced lifting force. Ergonomically designed, it attaches with open hooks making it easier for the user.
578 44 99–01

HUSQVARNA BALANCE X™
Delivers great relief to your upper body and arms thanks to outstanding weight distribution between the shoulders, between the chest and back, and from the shoulders to hips.
578 44 97–01

HUSQVARNA BALANCE
Ergonomic harnesses that distribute the load optimally between your shoulders, chest and back. Balance 35B is developed especially for use with our battery trimmers and blowers.
537 27 57–01 Balance 55
537 27 57–05 Balance 35B

HUSQVARNA STANDARD
Designed for lighter brushcutters. Adjustable, padded shoulder straps. Simple and effective quick release on chest.
537 21 63–01

SHOULDER STRAP
Simple shoulder strap for smaller trimmers. Easy to remove the harness with one hand if needed.
537 21 62-01

Husqvarna oils – optimized for superior performance.

Husqvarna oils are optimized according to the development of our engines. You can always trust in us to provide a wide range of oils to suit your conditions. We use a blend of synthetic and highly refined mineral oils that with the specially developed additives, will bring perfect lubrication, seizure protection and cleaner engines. Husqvarna two-stroke oils that meet our strict requirements are labelled VEF – Verified Engine Formula.

HUSQVARNA TWO-STROKE OIL, LS+

A semi synthetic low smoke oil that gives very good seizure protection, both against lean and carbon related piston seizures. The additive package is one of the best on the market. Fulfils the requirements of JASO FD / ISO EGD and Rotax 253 snowmobile test. VEF approved.

578 18 03–02	0.1 Litre
578 03 70–02	1 Litre dosage bottle
578 03 71–02	4 Litres
578 18 00–02	10 Litres

HUSQVARNA TWO-STROKE OIL, HP

Developed with carefully selected components to work well with low quality petrol. Fulfils the requirements of JASO FB / ISO EGB and Rotax 253 snowmobile test. VEF approved.

587 80 85–01	0.1 Litre
587 80 85–11	1 Litre dosage bottle
587 80 85–20	4 Litres
587 80 85–30	20 Litres

HUSQVARNA ECO GREASE

For brushcutter bevel gears. Proven grease that lubricates the transmission and absorbs the axial forces. Environmentally compatible. Biodegradable.

503 97 64–01	100 g

Trim up your performance with the right accessories.

It's easy to customize your brushcutter or trimmer for a variety of jobs. Just add one of our many accessories to make it the perfect tool for your task.

TRIMFORCE™ TRIMMER LINE

Commercial grade co-polymer pentagon-shaped orange string trimmer line with great cutting performance, reduced breakage and welding. Fits all standard trimmer heads.

2.0mm Green		
639 00 61-02	2.0mm - .080"	15m
639 00 61-03	2.0mm - .080"	63m
639 00 61-04	2.0mm - .080"	121m
2.4mm Orange		
639 00 61-08	2.4mm - .095"	15m
639 00 61-09	2.4mm - .095"	42m
639 00 61-10	2.4mm - .095"	85m
639 00 61-11	2.4mm - .095"	256m
2.7mm Yellow		
639 00 61-14	2.7mm - .105"	35m
639 00 61-15	2.7mm - .105"	70m
639 00 61-16	2.7mm - .105"	210m
639 00 61-17	2.7mm - .105"	356m
3.3mm Red		
639 00 61-19	3.3mm - .130"	23m
639 00 61-20	3.3mm - .130"	46m
639 00 61-21	3.3mm - .130"	137m
639 00 60-22	3.3mm - .130"	232m

XP FORCE™ TRIMMER LINE

Extreme Commercial Grade dual polymer string trimmer line in a metallic green color that blends with grass. The same dimple shape of our X Force™ Trimmer Line is combined with the cutting edge technology of a strong abrasion resistant outer skin. Fast acceleration and level flight characteristics allow for reduced fuel consumption and makes the line run quieter. Fits all standard string trimmer heads. Lasts 30% longer than traditional trimmer line depending on application.

2.7mm Yellow		
505 03 16-05	2.7mm - .105"	70m
505 03 16-07	2.7mm - .105"	210m
3.3mm Red		
505 03 16-09	3.3mm - .130"	45m
505 03 16-08	3.3mm - .130"	137m

ALLOY TRIMMER HEAD

A robust and reliable trimmer head with quick and easy line loading. Suitable for any Husqvarna trimmer line and designed for an optimal line locking. The maintenance is minimised and the low cutting height gives an attractive and tidy result.

578 44 82–01	Aluminium Fixed Line Head (1pk)
575 99 01–01	Aluminium Fixed Line Head - Bulk Pack (10pk)

TRIMMER HEAD - MANUAL

Trimmer head with manual cord feed. The cord is fed manually by the user when pushing the cord feed button and pulling the cord.

578 44 74–01	Trimmer Head-S35 (M10)
578 44 76–01	Trimmer Head-S35 (M12)

TRIMMER HEAD - TRIMMY SII M12

578 44 78–01	Trimmer Head SII M12 Manual

TRIMMER HEAD – TAP 'N GO™

Tap 'N Go™ heads feature a semi-automatic cord feed system. The trimmer line is fed automatically when the head is pushed into the ground. This means that the user always controls when the line is fed and the line can be fed while working with the machine. The machine does not need to be turned off or released from the harness while feeding is taking place.

966 67 44–01	Trimmer Head-T25 (3/8" RH, LH, M10)
578 44 94–01	Trimmer head - T35 Universal
578 44 65–01	Trimmer Head-T35-X (M10)
578 44 66–01	Trimmer Head-T35-X (M12)
578 44 68–01	Trimmer Head-T45-X (M12)
578 44 70–01	Trimmer Head-T55-X (M12)

TRIMMER HEAD – AUTOMATIC

Cord is fed automatically when it is too short. The cord length is self-adjusting.

531 00 92–26	Trimmer Head-Auto 55 (M12) 1"

TRIMMER HEAD – TRI-CUT

For coarser grass and terrain with stones. Highly visible, replaceable plastic flails, safe for use around trees and bushes.

578 44 91–01	Tri-Cut (M10)
578 44 93–01	Tri-Cut (M12)
531 01 77–14	Plastic Blade Tri-Cut (255mm) Pkt 6
531 01 77–15	Plastic Blade-Tri Cut (300mm) Pkt 6

GRASS BLADE

For dense, coarse grass, but not for woody growth. Grass falls onto the blade for neat rows. Four to eight teeth.

578 44 42–01	8 Tooth, 255mm Ø, 20mm Arbor
578 44 40–01	8 Tooth, 255mm Ø, 1" Arbor
578 44 39–01	4 Tooth, 255mm Ø, 20mm Arbor
578 44 37–01	4 Tooth, 255mm Ø, 1" Arbor

MULTI BLADE

For dense, coarse grass, but not for woody growth.

578 44 50–01	3 Tooth, 255mm Ø, 20mm Arbor
578 44 49–01	3 Tooth, 255mm Ø, 1" Arbor
578 44 48–01	4 Tooth, 275mm Ø, 20mm Arbor
578 44 47–01	4 Tooth, 275mm Ø, 1" Arbor
578 44 46–01	3 Tooth, 300mm Ø, 20mm Arbor
578 44 45–01	3 Tooth, 300mm Ø, 1" Arbor

SAW BLADE - MAXI

The original Husqvarna Saw Blade. Robust and reliable.

578 44 29–01	22 Tooth, 200m, Ø, 20mm Arbor
578 44 32–01	26 Tooth, 200mm Ø, 20mm Arbor
578 44 30–01	22 Tooth, 225mm Ø, 20mm Arbor
578 44 31–01	26 Tooth, 200mm Ø, 1" Arbor
502 26 84–01	22 Tooth, 255mm Ø, 20mm Arbor

SAW BLADE - SCARLETT

Superior cutting performance, low vibration saw blade.

578 44 25–01	22 Tooth, 200mm Ø, 1" Arbor
578 44 26–01	22 Tooth, 200mm Ø, 20mm Arbor
578 44 28–01	24 Tooth, 225mm Ø, 20mm Arbor
578 44 27–01	24 Tooth, 225mm Ø, 1" Arbor

SUPPORT CUPS

Prevents the blade from digging into ground. Two versions. One rotates with the blade and the other runs on bearings for extended life.

503 89 01–01	Support Cup (M10), black
503 89 01–02	Support Cup (M12)
503 90 18–02	Fixed Support Cup 20mm, grey
502 15 70–02	Support Cup w/ Bearing (M12)

J-HANDLE

Converts loop handled units to blade use.
Kit includes;

- Grass cutting blade
- Flange washer
- Support cup
- Combi blade guard (suitable for line & blade)
- "J" handle
- Shoulder strap
- Combi tool
- Saw blade guard kit (200mm)

537 04 85–01	J-Handle Kit
952 71 56–16	J-Handle Kit - 125L
544 24 96–01	J-Handle Kit - Suits 335LS / 535LS

READ MORE AT HUSQVARNA.COM

GRASS TRIMMER, BRUSHCUTTER & CLEARING SAW MODELS		115iL	536LiLX / 536LiRX	122C	122LK / 322L	135R / 535RXT	522L	525LST / 525RJD	524LK	524R	525RS	535RJ	545RXT	555FX
TRIMMER HEADS														
Manual Heads														
578 44 74-01	S35 - M10				0		0	0	0	0	0			
578 44 76-01	S35 - M12					0						0	0	
575 98 98-01	Alloy Head (Fixed Line)				0	0	0	**S**	0	0	0	0	0	
578 44 78-01	Trimmy SII M12 (Free-wheeling plate)					0						0	0	0
Tap 'N Go Heads														
966 67 44-01	T25 3/8" RH			**S**										
966 67 44-01	T25 M10				**S**			0	0	0	0			
966 67 44-01	T25 3/8" LH													
585 34 79-01	Tap n' Go™, Single Line													
582 51 25-01	Tap n' Go™, Twin Line	**S**												
579 29 40-02	T25B		**S**											
578 44 65-01	T35 X - M10				0		**S#**	**S**	**S#**	**S#**	**S**			
578 44 66-01	T35 X - M12					**S#**						**S#**	0	
578 44 68-01	T45 X - M12					0						0	**S**	0
578 44 70-01	T55 X - M12												0	0
Automatic Heads														
531 00 92-26	Auto 55 - M12					0						0	0	
TriCut Heads														
578 44 91-01	Tri-cut M10				0		0	0	0	0	0			
578 44 93-01	Tri-cut M12					0						0	0	
BLADES														
Grass Blades														
578 44 40-01	225-8T 1in				0*	0				0		0	0	0
578 44 37-01	255-4T 1in					**S**		**S**	**S**	**S**	**S**	**S**	**0**	0
Multi Blades														
578 44 49-01	255-3T 1in		**S**			0						0	0	0
578 44 47-01	275-4T 1in					0						0	0	0
578 44 45-01	300-3T 1in					0						0	**S**	0
Saw Blades Maxi														
578 44 31-01	200-26T 1in									0		0	0	0
Saw Blades Scarlett														
578 44 25-01	200-22T 1in					0				0		0	0	**S**
578 44 26-01	200-22T 20mm													
578 44 27-01	225-24T 1in									0		0	0	0
KITS														
537 04 85-01	J-handle Kit						0	**	**					
544 24 96-01	J-handle Kit											**		

S = Standard Equipment 0 = Optional Equipment * = Not applicable to 122LK # = T35 Standard; Replacement = T35X
** = J Handle Kit Components Included

GRASS TRIMMERS & COMBI TRIMMERS - PETROL	122C	322L	522L	525LST	535RJ	122LK	525RJD	524LK
Article Number	966 77 97-01	967 17 52-01	967 34 36-01	967 21 06-01	966 62 87-01	967 25 28-01	967 21 07-01	967 32 69-04
Displacement, cc	21.7	22.5	22.5	25.4	34.6	21.7	25.4	25
Power, kW	0.6	0.75	0.75	0.95	1.6	0.6	1.0	0.8
Sound pressure level at operators ear, dB(A)*	88	98	98	98	100	90	98	97
Guaranteed sound power level, L_{WA} dB(A)	108	107	TBA	114	116	108	114	107
Equivalent vibration level ($a_{hv,eq}$), left/right handle,m/s²**	5.0 / 3.6	5.0 / 3.8	5.4 / 4.0	5.8 / 3.3	4.0 / 4.1	3.6 / 3.5	4.5 / 3.9	4.1 / 4.1
Weight excl. accessories, kg	4.4	4.2	4.2	4.7	6.0	4.7	4.9	5.4
Low Vib®	–	–	–	●	–	–	●	–
E-Tech II®	–	–	–	–	•	–	–	•
X-Torq®	–	●	●	●	●	–	●	–
SmartStart®	●	●	●	●	●	●	●	●
Auto return stop switch	●	●	●	●	●	●	●	–
Air Purge	●	●	●	●	●	●	●	●
Stand alone starter	–	●	●	●	●	–	●	–
Soft grips	–	–	–	●	–	–	●	–
Adjustable handlebar / handle	●	●	●	●	●	●	●	●
Two-piece shaft	–	–	–	–	●	●	●	●

BRUSHCUTTERS & CLEARING SAWS - PETROL	135R	525RS	524R	535RXT	545RXT	555FX
Article Number	966 60 48-01	967 21 08-01	967 32 71-02	966 62 89-01	966 01 58-03	966 62 91-03
Displacement, cc	34.6	25.4	25	34.6	45.7	53.3
Power, kW	1.4	1.0	0.8	1.6	2.1	2.8
Sound pressure level at operators ear, dB(A)*	98	98	89	96	100	103
Guaranteed sound power level, L_{WA} dB(A)	113	114	106	111	117	117
Equivalent vibration level ($a_{hv,eq}$), left/right handle,m/s²**	2.9 / 2.5	3.6 / 2.4	2.7 / 2.2	2.5 / 2.7	3.2 / 2.9	2.1 / 2.3
Weight excl. accessories, kg	6.8	5.0	5.5	6.2	8.7	8.9
Low Vib®	–	●	–	●	●	●
E-Tech®	–	–	– / •	● / –	–	–
X-Torq®	●	●	–	●	●	●
SmartStart®	–	●	●	●	●	●
Auto return stop switch	●	●	–	●	●	●
Air Purge	●	●	●	●	●	●
Stand alone starter	–	●	–	–	–	–
Thumb-operated throttle	–	–	–	–	–	●
Soft grips	–	●	●	●	●	●
Adjustable handlebar / handle	●	●	●	●	●	●

TRIMMERS/BRUSHCUTTERS- BATTERY	115iL	536LiLX	536LiRX
Article Number	967 09 88-02	967 32 68-11	967 32 67-11
Battery Type / Voltage	Li-Ion / 36V	Li-Ion / 36V	Li-Ion / 36V
Motor type	Brushless	Brushless	Brushless
Equivalent vibration level (ahv, eq)** Front/Rear handle	1.9/1.4 m/s2	1.7/0.5 m/s2	2.6/2.1 m/s2
Sound pressure level at operator's ear*	70 dB(A)	81 dB(A)	76 dB(A)
Sound power level, guaranteed (LWA)	83 dB(A)	96 dB(A)	96 dB(A)
Trimmer head	Twin Line Tap 'N Go™ Semi Auto	T25B Tap 'N Go™ Semi Auto	T25B Tap 'N Go™ Semi Auto
Cutting width	330 mm	400 mm	400 mm
Weight (excl. battery)	3.45 kg	3.0 kg	3.8 kg
Weight (Incl. BLi10 battery)	4.15 kg	-	-
Weight (Incl. BLi200 battery)	-	4.3 kg	5.1 kg

TABLE KEY: ● = Standard (•)= Optional – = Not applicable

SOUND AND VIBRATION LEVELS

* Equivalent sound pressure level, as per ISO 22868, is calculated as the time-weighted energy sum for the sound pressure levels at various operational states. Typical variation for equivalent sound pressure level is a standard deviation of 1 dB(A).

** Equivalent vibration level, as per ISO 22867, is calculated as the time-weighted energy sum for the vibration levels at various operational states. The data presented for equivalent vibration level has a typical variation (standard deviation) of 1 m / s².

A GREAT-LOOKING HEDGE IS NO COINCIDENCE

A hedge needs time and care to stay healthy and beautiful. A well kept hedge will provide you with privacy while giving the garden solid lines and visual appeal. Different hedges need different types of tools, which is important to keep in mind when buying a hedge trimmer. All Husqvarna hedge trimmers are powerful, precise and efficient to give great results every time. They're machines designed to make your work easier.



What you get. And how we do it.

Trouble free starting.

Smart Start® - The engine and starter have been designed so the machine starts quickly with minimum effort.

Power for the environment.

X-Torq® - Engine technology that reduces the exhaust emissions by up to 75% and increases fuel efficiency, without compromising on power.

Quiet neighbourhood.

Selected models feature innovative technology that delivers low engine noise. An important feature for those operating in residential areas.

Quality where quality counts.

The precision sharpened blades, with optimal cutting angles, are made of high-grade steel which keeps its edge when cutting gets tough.

Long operating.

Designed with effective anti-vibration technology to deliver low vibration, making your operation comfortable as well as more ergonomic.

Durability.

All parts on our Hedge Trimmers are manufactured with the best materials and precise control to ensure a long life under tough conditions.

Ease of use.

The remote control function on the pole hedge trimmers enables fast and easy adjustment of the cutter bar during operation. The adjustable cutting bar provides increased versatility, improved comfort and makes work less tiring.



Trim both sides of the hedge.

On selected models, the rear handle can be angled for both vertical and horizontal trimming.

Features specified not applicable to all models, refer to product technical specifications on page 51 for details.

MAKE SURE YOU ALWAYS TRIM WITH FIRST CLASS RESULTS

Adjustable cutting bar angle

EXTENDED HEDGE TRIMMERS

Reach where others struggle.

Articulating extended hedge trimmers are perfect when you need to reach difficult places without losing performance. They have superb handling, are easy to start, suit both high and low hedges and with a folding cutting bar, they are also extra easy to store and transport.

- Difficult trimming
- Low and high hedges
- Great handling
- Easy storage



DOUBLE-SIDED HEDGE TRIMMERS

Flexible handling at any angle.

Double-sided hedge trimmers are designed for shaped sections of hedges. They offer efficient and comfortable operation with features such as Smart Start®, LowVib® and adjustable handle on most models.

- Shaping hedges
- Quick starts
- Great performance
- Adjustable handles

Why choose a battery hedge trimmer?

- Low noise.
- No direct emissions.
- Low vibrations.
- Perfect balance.
- High performance.
- Extremely low operational cost.

These are some of the criteria of an excellent hedge trimmer and that's exactly what you get from the Husqvarna Battery Series hedge trimmer. Light weight and perfectly balanced to facilitate comfortable work, even when trimming for extended hours. Plus, you enjoy the low maintenance of a battery-powered tool.
The Husqvarna backpack battery has a capacity up to six times the standard Husqvarna battery, so you don't need to re-charge until you're finished for the day.
Read more on page 4.

FULL-TIME USE

High performance petrol and battery operated hedge trimmers designed for professional use. These hedge trimmers feature heavy-duty commercial gear boxes and high blade speeds for efficient cutting. Consider a battery model for equivalent petrol performance with lower noise, running costs and no direct emissions.

P HUSQVARNA 325HE4
Professional, long reach hedge trimmer with low weight and good ergonomics designed for frequent use. Up to 4 metres reach, including the height of the user.

25.4cc | 1.0kW | 55cm Bar | 6.4kg
Teeth opening 29mm

NEW

P HUSQVARNA 536LiHE3
Highly efficient pole hedge trimmer with 3.5 m reach. Remote adjustment of cutting head angle and economy mode savE™.

36V Li-ion | 55cm Bar | 5.3kg (with battery)
Teeth opening 32mm

P HUSQVARNA 226HD60S
Exceptionally well-balanced, professional hedge trimmer with double sided blade and durable gear box to withstand intensive use.

23.6cc | 0.85kW | 60cm Bar | 5.8kg
Teeth opening 28mm

P HUSQVARNA 536LiHD60X
Quiet and highly efficient hedge trimmer with excellent ergonomics including pivoting rear handle for easy cutting performance in vertical and horizontal positions.

36V Li-ion | 60cm Bar | 5.1kg (with battery)
Teeth opening 30mm

OCCASIONAL USE

Light weight hedge trimmers ideal for occasional use around the home. Designed to be user friendly with features such as Smart Start and auto return stop switch for ease of use on the petrol models. For the ultimate easy to operate machine, choose the battery powered version which starts at the press of a button.

H HUSQVARNA 122HD60
Low-noise, Light weight hedge trimmer for domestic use with convenient features like an adjustable rear handle and Smart Start®.

21.7cc | 0.6kW | 60cm Bar | 4.9kg
Teeth opening 28mm

H HUSQVARNA 122HD45
Low-noise, Light weight hedge trimmer for domestic use, with useful features like Auto return stop switch and Smart Start®.

21.7cc | 0.6kW | 45cm Bar | 4.7kg
Teeth opening 28mm

NEW

H HUSQVARNA 115iHD45
Quiet, light weight and easy to operate hedge trimmer ideal for cutting small to medium sized hedges.

36V Li-ion | 45cm Bar | 4.0kg (with battery)
Teeth opening 25mm

Easy cutting in any position.

Selected model feature a pivoting rear handle which makes it easier to manoeuvre when cutting both vertically and horizontally.

Simple adjustments.

The remote cutter adjustment on the pole hedge trimmers ensures quick and simple adjustments to the cutting bar, whilst keeping your hands at a safety distance from the cutting blades.

Husqvarna oils – optimized for superior performance.

Husqvarna oils are optimized according to the development of our engines. You can always trust in us to provide a wide range of oils to suit your conditions. We use a blend of synthetic and highly refined mineral oils that with the specially developed additives, will bring perfect lubrication, seizure protection and cleaner engines. Husqvarna two-stroke oils that meet our strict requirements are labelled VEF – Verified Engine Formula.

HUSQVARNA TWO-STROKE OIL, LS+

A semi synthetic low smoke oil that gives very good seizure protection, both against lean and carbon related piston seizures. The additive package is one of the best on the market. Fulfils the requirements of JASO FD / ISO EGD and Rotax 253 snowmobile test. VEF approved.

578 18 03–02	0.1 Litre
578 03 70–02	1 Litre dosage bottle
578 03 71–02	4 Litres
578 18 00–02	10 Litres

HUSQVARNA TWO-STROKE OIL, HP

Developed with carefully selected components to work well with low quality petrol. Fulfils the requirements of JASO FB / ISO EGB and Rotax 253 snowmobile test. VEF approved.

587 80 85–01	0.1 Litre
587 80 85–11	1 Litre dosage bottle
587 80 85–20	4 Litres
587 80 85–30	20 Litres

CLASSIC GLOVES

A one size durable glove made with a goat leather palm and spandex fabric on the back. Goat leather offers good protection against moisture since it contains natural fat and is therefore suitable for demanding jobs. Rubberised cuff with cotton binding for a perfect fit around the wrist.

5793799–10	Size 10

GLOVES - CLASSIC LIGHT

A slim fit and comfortable glove made with a goat leather palm with jersey fabric on the back. Goat leather has a good protection against moisture since it contains natural fat and is therefore suitable for demanding jobs. Ideal for a range of tasks around the home and garden.

579 38 00–06	Size 6
579 38 00–08	Size 8
579 38 00–09	Size 9
579 38 00–10	Size 10

FUNCTIONAL FOREST HELMET WITH PERSPEX OR MESH VISOR

Polycarbonate helmet, made in Australia and supplied with hearing protection, sun peak, neck guard and now includes new UltraVision visor - which offers a 20% light reduction giving a clearer view. Certified to AS/NZS 1801:1997, Type 2.

579 24 40–01	

PREMIUM EARMUFF WITH PERSPEX OR MESH VISOR

Fitted with a cover between the visor and headband to prevent debris from entering above. Protectors made from impact resistant ABS plastic. Meets requirements of EN 352-1, EN166 and EN 1731.

505 66 53–48	with Perspex Visor
505 66 53–58	with Mesh Visor

GARDEN EARMUFF WITH PERSPEX OR MESH VISOR

Complete with visor holder and perspex or mesh visor. Protectors made from impact resistant ABS plastic. Meets requirements of EN 352-1 and EN 166.

505 66 53–60	with Perspex Visor
505 66 53–61	with Mesh Visor

FM RADIO EARMUFF

Designed to centralise the pressure on the headband, reducing pressure on the ears. Audio input 3.5mm (AUX). Noise reduction - SNR - 27dB(A). Meets requirements of EN352-3:2002, EN352-6:2002 and EN352-8:2008.

578 27 49–01	

PREMIUM EARMUFF

Padded headband design allows for 20% adjustment of pressure for a comfortable fit. Protectors made from impact resistant ABS plastic. Meets requirements of EN 352-1.

505 66 53–04	Single
579 03 56–01	Helmet

GARDEN EARMUFF

Extra wide headband for a secure, comfortable fit with less pressure on the head. Protectors made from impact resistant ABS plastic. Meets requirements of EN 352-1 and EN 166.

510 19 95–01	Single

HEDGE TRIMMERS - PETROL	122HD45	122HD60	226HD60S	325HE4
Article Number	966 53 23-01	966 53 24-01	967 27 98-02	966 78 77-01
Displacement, cc	21.7	21.7	23.6	25.4
Power, kW	0.6	0.6	0.85	1.0
Sound pressure level at operators ear, dB(A)*	93	94	91	93
Guaranteed sound power level, L_{WA} dB(A)	101	101	102	106
Equivalent vibration level, front/rear handle, m/s²	2.9 / 4.9	4.1 / 3.6	2.0 / 2.1	5.4 / 2.4
Bar length, cm	45	60	60	55
Teeth opening, mm	28	28	28	29
Recommended maximum twig diameter, mm	20	20	22	20
Weight excl. accessories, kg	4.7	4.9	5.8	6.4
SmartStart®	•	•	–	–
Auto return stop switch	•	•	–	•
Air Purge	•	•	•	•
X-Torq®	–	–	•	•
Low Vib®	•	•	–	–
Adjustable rear handle	–	•	•	–
Ergonomic handles	•	•	•	•
Remote controlled / Angleable cutting bar	–	–	–	•/•

HEDGE TRIMMERS - BATTERY	115iHD45	536LiHD60X	536LiHE3
Article Number	967 09 83-02	966 72 94-03	967 34 15-11
Battery Type / Voltage	Li-Ion / 36V	Li-Ion / 36V	Li-ion / 36V
Motor type	Brushless	4 Brush	Brushless
Equivalent vibration level (ahv, eq)** Front/Rear handle	1.29/1.93 m/s2	1.6/2.5 m/s2	3.5 / 2.5 m/s2
Sound pressure level at operator's ear*	78 dB(A)	78 dB(A)	84 dB(A)
Sound power level, guaranteed (LWA)	90 dB(A)	94 dB(A)	95 dB(A)
Knife length	45 cm	60 cm	55 cm
Blade opening	25 mm	30 mm	32 mm
Blade speed	3000 1/min	4000 1/min	4000 1/min
Weight (excl. battery)	3.2 kg	3.8 kg	4.15 kg
Weight (Incl. BLi10 battery)	4.0 kg	-	–
Weight (Incl. BLi200 battery)	-	5.1 kg	5.45 kg

SOUND AND VIBRATION LEVELS

* Equivalent sound pressure level, as per ISO 22868, is calculated as the time-weighted energy sum for the sound pressure levels at various operational states. Typical variation for equivalent sound pressure level is a standard deviation of 1 dB(A).

** Equivalent vibration level, as per ISO 22867, is calculated as the time-weighted energy sum for the vibration levels at various operational states. The data presented for equivalent vibration level has a typical variation (standard deviation) of 1 m / s².

TABLE KEY: • = Standard (•)= Optional – = Not applicable

LET THE FORCES OF NATURE DO THE CLEANING FOR YOU

Get rid of leaves, straw, grass, cobwebs, sand, gravel – as well as the hard work. Husqvarna blowers are designed with the user in focus. Efficient and enjoyable to work with and with a range of jobs in-mind, you can be sure these blowers will handle the task effortlessly.

What you get. And how we do it.

Consistent power.

The cruise control function ensures the blowing speed can be set at the ideal rpm for optimal handling and performance.

High blowing capacity.

High spec engines, powerful enough to move and pile-up the leaves and garden rubbish whenever you need to.

Zero reaction forces.

The fan housing on our hand-held blowers is designed so the air stream is in line with the handle. This makes the machine very easy to manoeuvre and less stressful on the operator.

Low vibrations.

Effective anti-vibration dampeners absorb vibration, helping to reduce operator fatigue and ensuring maximum comfort.

Comfortable operation.

Our backpack blower models come fitted with an adjustable, ventilated and load reducing harness with hip belt and wide shoulder straps, ensuring maximum comfort at all times.

Comfortable handling.

The handles on our backpack blowers can be angled to suit individual requirements and feature rubber inserts for a stable and comfortable grip.

Durability.

All components are made of high quality materials and are thoroughly tested under extreme conditions to ensure they deliver top class performance and durability.



High power.

X-Torq® - Engine technology that reduces the exhaust emissions by up to 75% and increases fuel efficiency, without compromising on power.

Features specified not applicable to all models, refer to product technical specifications on page 56 for details.

BLOW THE HARD WORK AWAY

The throttle handle on our blowers is positioned to neutralize the lateral forces generated by the air stream and the engine

BACKPACK BLOWERS

Manage larger areas with ease.

Husqvarna's backpack blowers are powerful machines that offer the user total control. They are ideal for tackling large areas and long periods of heavy work.

- Large areas
- Outstanding blowing power
- Top ergonomics

Cruise control and boost functions are easily set with the intuitive keypad

HANDHELD BLOWERS

Versatile and efficient.

Perfectly designed for efficient work in smaller to medium sized areas. Our handheld blowers combine high power with great balance, making them perfect for a variety of lighter as well as more demanding tasks. The handheld range includes both battery and petrol-powered blowers.

- Small–medium sized areas
- Great manoeuvrability
- Petrol or battery power

S-shaped outlet for better performance.

The fan housing is designed so that the air stream aligns with the handle. This eliminates the lateral forces and makes it easier to manoeuvre the blower and work efficiently.

Powerful and Light weight battery blowers.

They produce no fumes and less noise – and are equally as powerful as many of their petrol-fuelled equivalents. Even an excellent choice for challenging tasks indoors. We are talking about our battery blowers that also offer the lowest weight on the market, along with a well-balanced design. Last but not least, they are easy to use. To start and stop you just press a button on the intuitive keypad.

FULL-TIME USE

Backpack and battery-powered blowers for professional users who spend many hours a week on leaf and debris blowing. With features that professionals demand, like durability, ergonomics and great balance.

P HUSQVARNA 570BTS
High performance professional backpack blower designed to move high volumes of debris over large areas.

65.6cc | 2.9kW | 106 m/s | 11.2kg

P HUSQVARNA 530BT
Light weight commercial backpack blower in a class of its own. Combines easy operation, great balance and impressive performance.

29.5cc | 0.96kW | 64.82 m/s | 6.7kg

P HUSQVARNA 525BX
Powerful, low vibration, well-balanced handheld blower designed for professional use. The special fan and housing design, combined with the X-Torq engine, provides high blowing capacity.

25.4cc | 0.85kW | 70 m/s | 4.3kg

P HUSQVARNA 536LiB
This light, powerful blower is well balanced, for high comfort on long shifts, with low noise levels and boost power mode for extra power when needed.

36V Li-ion | 48 m/s | 3.7kg (with battery adaptor)

P HUSQVARNA 536LiBX
Professional handheld battery blower with optimised design for maximum performance. For use with backpack battery only.

36V Li-ion | 50 m/s | 2.8kg (with battery adaptor)

OCCASIONAL USE

For homeowners who use a blower less frequently but still appreciate Husqvarna quality. That means a solid build, high capacity, good performance and user-friendly operation.

H HUSQVARNA 125BVX
Ideal for homeowners, this well-balanced handheld blower and vacuum combines power, ease of use and manoeuvrability. Includes vac kit.

28.0cc | 0.8kW | 76 m/s | 4.35kg

H HUSQVARNA 125B
Low on weight, high on power and easy to use, this homeowner blower is ideal for quick clean up around the home..

28.0cc | 0.8kW | 76 m/s | 4.26kg

Protect your best asset -you.

Whether you're using a blower in the home garden or out in the professional field, you should always equip yourself with hearing protection and safety glasses - don't forget the gloves too.
Read more on page 110.

Gutter cleaning kit.

The gutter cleaning kit is designed to allow easy cleaning of gutters on lower building using your petrol blowers. Uses air flow to remove leaves and debris, most effective on dry leaves. Total tube length 3 metres. Suits models 125B and 125BVX.

BLOWERS - PETROL	125B	125BVX	525BX	530BT	570BTS
Article Number	952 71 56-43	952 71 56-45	967 28 42-01	966 78 03-01	966 62 94-01
Displacement, cc	28	28.0	25.4	29.5	65.6
Power, kW	0.8	0.8	0.85	0.96	2.9
Sound pressure level at operators ear, dB(A)*	92	92	91	94	99
Noise level 15 m ANSI B 175.2	70	70	–	69	76
Guaranteed sound power level, LWA, dB(A)	107	107	106	102	110
Equivalent vibration level (ahv,eq), m/s2*˙	11.1	11.1	1.2	2.5	1.8
Air flow, fan housing, m^3/min	13.3	13.3	–	12.2	27.5
Air flow with round nozzle, m^3/min	12	12	13	10.2	21.8
Air speed with round nozzle, m/s km/h	58.1 / 209	58.1 / 209	70.0 / 252	64.8 / 233	105.6 / 380
Air speed with flat nozzle, m/s km/h	76.0 / 274	76.0 / 274			
Weight excl. accessories, kg	4.3	4.4	4.3	6.7	11.2
E-Tech®	●	●	–	●	–
X-Torq®	–	–	●	●	●
Low Vib®	–	–	●	–	●
Auto-return stop switch	●	●	●	–	–
Cruise Control	●	●	●	●	●
Adjustable handle	–	–	–	●	●
Ergonomic harness	–	–	–	●	●
Vacuum Kit	–	●	–	–	–

BLOWERS - BATTERY	536LIB	536LIBX
Article Number	967 25 25-02	967 25 26-02
Battery Type / Voltage	Li-Ion / 36V	Li-Ion / 36V
Motor type	Brushless	Brushless
Equivalent vibration level (ahv, eq)**	0.5 m/s2	0.4 m/s2
Sound pressure level at operator's ear*	82 dB(A)	78 dB(A)
Sound power level, guaranteed (LWA)	98 dB(A)	94 dB(A)
Air flow in pipe	11.7 m^3/min / 413.18 cfm	12.2 m^3/min / 430.84 cfm
Air speed	48 m/s / 166 kph	50 m/s / 180 kph
Weight (excl. battery)	2.4 kg	2.8 kg
Weight (Incl. BLi200 battery)	3.7 kg	-

SOUND AND VIBRATION LEVELS

* Equivalent sound pressure level, as per ISO 22868, is calculated as the time-weighted energy sum for the sound pressure levels at various operational states. Typical variation for equivalent sound pressure level is a standard deviation of 1 dB(A). ** Equivalent vibration level, as per ISO 22867, is calculated as the time-weighted energy sum for the vibration levels at various operational states. The data presented for equivalent vibration level has a typical variation (standard deviation) of 1 m / s^2.

TABLE KEY: ● *= Standard* (●) *= Optional* – *= Not applicable*

Husqvarna

DEVELOPED BY EXPERTS – FOR EXPERTS LIKE YOU

We're driven by constant change. By a curiosity and a desire to advance our power cutters as well as the cutting industry, through the introduction of new technology – often developed in-house. Large and small innovations that help you cut more efficiently – with greater precision and less effort. Our basic philosophy is to offer you cutters with high power, without compromising on comfort and versatility.

What you get. And how we do it.

High power.
X-Torq® - Engine technology that reduces the exhaust emissions by up to 75% and increases fuel efficiency, without compromising on power.

Longer operating time.
Active Air Filtration™ is our two-step filtration system with centrifugal cleaning and a single paper filter, which increases product life and extends service intervals.

High power with less fuel.
Our built-in automatic filter compensation SmartCarb™ maintains high power and lowers fuel consumption.

Smoother starting.
The unique design of the carburettor, cylinder and digital ignition system, together with air purge and decompression valve ensure an easy start.

Efficient cutting without dust & slurry.
DEX (dust Extinguisher System) ensures cleaner cutting with less water usage and slurry, thanks to the water saving wet cutting kit.

Maintenance-free starter.
DuraStarter™ is our dust-sealed starter, where the return spring and the pulley bearing are sealed, giving a virtually maintenance free starter. Developed with a durable starter cord.

Comfortable operation.
Effective anti-vibration dampening reduces vibrations in the cutter handle for more comfort and longer operation periods.



Versatile cutting options.
Blade properties are determined by the application, the material to be cut and the machine to be used. Husqvarna offers blades for all types of cutting and can advise the right blade for each situation.

Features specified not applicable to all models, refer to product technical specifications on page 62 for details.

CUTTING HARD MATERIALS WITH MINIMAL STRAIN AND MAXIMUM EFFICIENCY

Husqvarna power cutters and diamond blades are well-known for their high productivity and reliable operation. You'll get an optimal mix of high power-to-weight ratio, low vibration levels, ergonomic design and easy maintenance. For best cutting performance, choose a Husqvarna diamond blade optimized for both the machine and the material to be cut.



Optimal performance.
The K 760 and K 970 III have a new cylinder design and integrated heat deflectors that deliver optimal engine performance regardless of variations in climate and fuel.

Maximum uptime.
Active Air Filtration™ is one of the most efficient air filtration systems on the market and delivers impressively long service intervals.

We see the diamond tool, the machine and the user as a whole that must work optimally together. If you want to ensure that you get the most out of your Husqvarna equipment, use it with Husqvarna diamond tools.

Smartcarb™ maintains high power and low fuel consumption also when the air filter is getting dirty. This results in a more efficient and economic operation.

PETROL-POWERED

Highly productive for extensive cutting jobs outdoors.

Our petrol-driven power cutters are all equipped with high powered, fuel efficient X-Torq® engines and great vibration dampening. Ideal for dry or wet cutting of curb stones and pavers in landscaping or of concrete, masonry, asphalt and metal in all kinds of construction work.

- Powerful engines
- Fast cutting
- Large cutting depth

Low weight, compact design and optimally positioned handles, plus outstanding anti-vibration system. Together they facilitate the handling and reduce fatigue when working for long periods.

Convenient dust control.

Superior dust control with minimal water and slurry. Our petrol cutters have a new-designed water valve allowing for progressive water flow adjustment.

Smoother starting.

DuraStarter™ is a virtually maintenance starter device featuring a dust-sealed return spring and pulley bearing and a heavy duty starter cord.

PETROL-DRIVEN

Powerful and efficient cutters delivering up to 5.9 kW. Highly productive for extensive cutting jobs outdoors due to advanced vibration dampening, best-in-class ergonomics, high power-to-weight ratio and minimal service requirements.

P HUSQVARNA K 1270
This totally new version of our largest power cutter features a fuel-efficient X-Torq® engine and digital ignition for easy starting.
The steplessly adjustable magnesium blade guard saves weight.

P HUSQVARNA K 970 III
Powerful enough for large cutting depths, yet agile to handle all-round jobs. With SmartTension for semi automatic belt tensioning, you minimize the risk of under- and over-tensioning. The magnesium blade guard saves weight.

P HUSQVARNA K 760
Our best-selling all-round power cutter. Low weight and in every detail developed with the user in mind. The outstanding power-to-weight ratio, the reliable start and exceptionally low vibrations (below 2.5 m/s²) mean less strain and maximized work time.

POWER CUTTERS	K760	K970III	K1270
Article Number	967 18 10-02	967 60 55-01 (14") 967 60 56-01 (16")	967 25 26-02
Displacement, cc	73.5	93.6	119.0
Power, kW	3.7	4.8	5.8
Power-to-weight ratio	0.37	0.44/0.41	0.43
Blade diameter options	350mm (14")	350mm / 400mm (14"/16")	400mm (16")
Maximum cutting depth	125mm (5")	125mm / 145mm (5"/6")	145mm (6")
Sound pressure level at operators ear, dB(A)*	101	104	103
Guaranteed sound power level, LWA, dB(A)	115	115	117
Equivalent vibration level, front handle (ahv,eq), m/s2**	2.4	3.9/3.4	3.6
Equivalent vibration level,rear handle (ahv,eq), m/s2**	2.4	4.2/4.8	4.1
Weight excl. accessories, kg	9.8	10.9 / 11.9	13.7
X-Torq® engine	•	•	•
Active Air Filtration™	•	•	•
DuraStarter™	•	•	•
SmartCarb™	•	•	•
DEX (Dust Extinguisher System)	•	•	•

TABLE KEY: • = *Standard* (•) = *Optional* – = *Not applicable*

SOUND AND VIBRATION LEVELS

* Equivalent sound pressure level, as per ISO 22868, is calculated as the time-weighted energy sum for the sound pressure levels at various operational states. Typical variation for equivalent sound pressure level is a standard deviation of 1 dB(A). ** Equivalent vibration level, as per ISO 22867, is calculated as the time-weighted energy sum for the vibration levels at various operational states. The data presented for equivalent vibration level has a typical variation (standard deviation) of 1 m / s².

DIAMOND BLADES FOR CUTTING JOBS IN ALL MATERIALS

In handheld applications, fast and smooth cutting is essential to minimize strain on the user. For maximum work efficiency and cost-effectiveness, we recommend you to choose a blade with the properties that suits the job you are about to do. Husqvarna Elite-Cut diamond blades are developed for professional users with high demands on efficiency. If you need to cut many different materials with the same blade, Husqvarna Vari-Cut is the series for you. Husqvarna Tacti-Cut series consists of diamond blades with balanced performance, developed for occasional cutting.

HUSQVARNA ELITE-CUT

Professional diamond blades for fast cutting in all materials.

Superb cutting performance thanks innovative segment design for efficient cutting, cooling and slurry evacuation, which increases both cutting speed and service life. Easy-fit blade bushing for bore hole expansion from 20 to 25.4 mm. The packaging is tailored to ensure you find the right blade for different materials.

HUSQVARNA VARI-CUT

Premium blades for all-round applications.

Vari-Cut blades have good performance and deliver high cutting speed with good service life in frequent all-round use. In this product family there are three versions for cutting in different materials, all clearly indicated on the packaging.

HUSQVARNA TACTI-CUT

Quality blades for precision cutting in hard materials.

Provides good balance between price and performance. Recommended when you cut only occasionally and seek low cost per blade.

Which blade suits your job?
See the packaging for guidance.

Recommendation chart – diamond tools.

MATERIAL	ELITE-CUT			VARI-CUT			TACTI-CUT
	420	450	480	S 35	S 50	S 65	S 50 Plus
 NATURAL STONE	●	–	–	–	–	–	–
HARD MATERIALS	●●●	–	–	●●●	–	●	●
CONCRETE	●●	●●●	–	●●	●●●	●	●●●
 UNIVERSAL	●●	●●●	–	●●	●●●	●	●●●
 ABRASIVE MATERIALS	●	●●	●●●	●	●●	●●●	●●
ASPHALT	–	–	●●	–	●	●●	●

●●● = Optimal ●● = Good ● = Acceptable – = Not recommended

OUR ANSWERS TO YOUR LAWN MOWING NEEDS

When you're looking for a lawn mower there are many questions you will ask, and we have an extensive range of grass cutting machines to answer all of them. From self-propelling mowers to ride-on machines, different cutting methods, and attachments to give more versatility and year round use. Most of all, choosing Husqvarna means you can be sure you are buying a machine that delivers the results you expect and has the quality to keep doing this year after year.

READ MORE AT HUSQVARNA.COM

ZERO TURNS

Superb in tight and hard to reach spaces.

If you want to enjoy the ride while easily getting around every obstacle, a Husqvarna zero-turn is undoubtedly the mower for you. Husqvarna mowers not only offer high levels of productivity, but are engineered to withstand the demands of any mowing job. Cutting edge ergonomics and comfort features provide everything needed to meet the requirements of commercial landscapers or demanding residential applications.

- Superior manoeuvrability
- Versatile cutting system
- Innovative features
- Durable construction

ROBOTIC LAWN MOWERS

Let Husqvarna Automower® do the job for you.

If a well-kept lawn is at the top of your wish list and lawn mowing is close to the bottom, then a robotic lawn mower will give you the best solution. In fact, unless you are a really skilled lawn care specialist, you'll hardly be able to beat this robot when it comes to producing a excellent result. Even on a lawn with complex shapes, slopes and obstacles. Husqvarna Automower® mower is willing to work around the clock, day in day out, leaving you to enjoy your garden on your own terms.

- Fully automatic
- Excellent lawn quality
- Li-ion battery power
- Quiet operation
- No handling of grass clippings

RIDERS

Superb in tight and hard to reach spaces.

If you want to enjoy the ride while easily getting around every obstacle, then the Husqvarna Rider is undoubtedly the mower for you. It has many features and also a wide range of attachments to get the job done. The articulated steering gives the Rider excellent manoeuvrability and a small turning radius. The front-mounted deck can cut under hard to reach places, such as bushes or along fences with no problems.

- Superior manoeuvrability
- Versatile cutting system
- BioClip®
- Year round use
- Available with battery power

WALK BEHIND LAWN MOWERS

Traditional lawn mowing just got easier.

For those who have decided on having a walk behind lawn mower, we can offer a range of machines that will fit many different types of lawns and users. If you want the versatility of different cutting methods, we recommend the collector models which also give you both mulching and rear-eject options when mowing your lawn. Because we understand that every lawn is different, you'll find a machine that has all the features you need for great results and enjoyable work.

- Outstanding manoeuvrability
- Versatile cutting system
- Collector
- BioClip®
- Available with battery power

GARDEN TRACTORS

Your garden work horse.

With high quality performance and easy operation, the Husqvarna tractors bring versatility to the garden workload. Its wide range of attachments and a built-in choice of cutting methods give our garden tractors excellent versatility. Ideal for efficient lawn care and various tasks around your land. The Husqvarna tractors can be fitted with trailers, spreaders, snow throwers and more, turning them into year round garden work horses.

- Versatile cutting system
- Collector
- BioClip®
- Year round use
- Outstanding comfort

ANY SHAPE OF LAWN CAN BE MOWED TO PERFECTION

What does it take to make a robotic mower that can work around the clock to deliver a well-kept lawn in every garden – despite bad weather, complex shapes, steep slopes narrow passages and other obstacles? We would say, it takes more than 20 years of innovation, testing and refinement. Since 1995 we have been developing the original Husqvarna Automower® into the most proven, reliable and extensive robotic mower range available. Among our six different models with various capabilities, you will find the optimal robotic mower to suit your garden and your personal preference.

P **Professional**
Extreme Duty -
All day, every day use.

L **Landowner**
Heavy Duty -
Frequent or demanding use.

H **Homeowner**
Medium Duty -
Seasonal or occasional use.

What you get. And how we do it.

Install and forget.

Husqvarna Automower® robotic mowers are equipped with advanced technical solutions to achieve the highest level of reliability, quality and mowing results. This means maintenance free operation and minimum service.

Happy neighbours.

Automower® is a friendly robotic lawnmower powered by battery, it cuts the grass without harmful emissions and is very quiet. It will work in your garden without disturbing the neighbours.

Set your working hours.

Pre-programming – you decided if you want your robotic lawn mowers to mow the lawn around the clock, 7 days a week.



Beautiful results.

Using specially designed blades, Automower® achieves the finest cut to give lawns a lush, green look, that ordinary blades can not achieve. The cut grass fertilises the lawn to give a carpet like finish.

Adapts to grass growth.

Automower® automatically maximises it's mowing time during periods of strong grass growth. In sunny or dry weather, or late in the season, it will spend less time mowing, decreasing wear on lawn and mower.

Hassle-free.

The onboard GPS enables selected Husqvarna Automower® models to detect which parts of the garden it has covered and ensure an excellent cutting result.

Automatic Charging.

Automower® knows when it needs to be charged, and automatically returns to the charging station.

Weather Proof.

Designed to function properly and unattended regardless of the weather conditions. Built to withstand harsh climates without a problem.

Features specified not applicable to all models, refer to product technical specifications on page 70 for details.

A WELL-KEPT LAWN AT ALL TIMES

Over 20 years experience built-in to ensure a reliable and independent mower

Excellent terrain performance with up to 45 % (24°) slope capacity

Low weight and smart design allows for high capacity and low energy consumption

GPS-assisted navigation ensures uniform cutting result in complex gardens (Models 430X, 450X)

Drive motors with Ultrasilent technology enable extremely low noise levels (Models 430X, 450X)

Remote object detection makes the mower slow down before bumping into an object (Model 450X)

Headlights that allows you to see the product work even in the dark (Option on model 430X, standard on model 450X)

A very high mowing capacity allows maintenance of up to 5000 m² if operated 24 /7, or a very short mowing time if operated on a small lawn

Pivoting razor-sharp blades gently cut each grass blade instead of ripping it off

Rubber bumper protects the cover from collision marks (Models 430X, 450X)

The Automower® 450X depicted is equipped with the orange top cover accessory.

GPS-assisted navigation for optimal mowing in complex gardens.

Husqvarna Automower® 430X and 450X have an onboard GPS system that creates a map of the garden. The robotic mower knows exactly which parts of the garden it has covered and optimizes the mowing pattern automatically.

Automower® Connect. Just add a smartphone and you're in charge.

Automower® Connect is a feature that gives you full control of the mower right in your smartphone. You can send start, stop and park commands, check and adjust the settings, and also receive alarms and track your mower's position in case of theft – wherever you are.

Optional on models 315, 430X. Standard on model 450X.

Things to consider when buying a Husqvarna Automower® robotic mower.

To decide which robotic mower you should go for, there are a few things to consider as mentioned below: Your desired working hours, the size of your lawn and the complexity in terms of slopes, shape, passages and other obstacles. Visit the Automower® section on the Husqvarna website for more information and guidance.

READ MORE AT HUSQVARNA.COM

Working hours.

Your robotic mower shouldn't be working while your family members want to play and relax on the lawn. Make sure you choose an Automower® with enough capacity to mow the entire lawn during the time when your lawn is free of activity. If you plan to mow at night, choose a model with Ultrasilent drive motors for minimal disturbance.

Complexity.

If your lawn is plain and square, a less advanced robotic mower can do the job. On the other hand, if the lawn contains slopes, narrow passages, uneven areas and frequent obstacles such as bushes and trees, we recommend that you go for a mower with proven capability to handle such challenges.

Size of your lawn.

The mowing capacity specified for any robotic mower is a maximum value that can be obtained if the mower works 24 / 7 and only stops to charge the battery. Therefore, we recommend that you go for a mower capacity that substantially exceeds the size of your lawn, to have time also for play and other activities.

Example: If your lawn is 500 m² and you want your robotic mower to work between 8–16 every day (8 hours / 24 = 0.33) the specified capacity should be at least 500/0.33 = 1,500 m²

Your Husqvarna dealer can assist with advice and installation service.

Consulting your Husqvarna dealer is always a good way to secure that you get the optimal model of Husqvarna Automower® for you and your garden. To secure maximum convenience and trouble-free operation, we recommend that you also let the dealer take care of the installation in your garden.

400 SERIES

Our robotic mowers with the highest cutting capacity, the lowest noise levels and the most advanced features. They handle small and large uneven lawns with ease and can be programmed, for greater convenience and even better results.

L HUSQVARNA AUTOMOWER® 450X

The next generation in lawn care from the world leaders in robotic mowing. For large gardens up to 5000m² with greater challenges. Handles demanding, complex and rough gardens with more than one passage and steeper slopes. Equipped with Automower® Connect - comfortable remote connectivity through your smartphone or Apple Watch.
(not available for iPad).

18V Li-ion | Working area up to 5000m² | Cutting capacity up to 210m²/h | Max. incline 45% (24.5°)

H HUSQVARNA AUTOMOWER® 430X

The perfect choice for all, including highly complex gardens up to 3200m², with separated lawn areas, narrow passages, trees, bushes and steep slopes. Features include an intelligent GPS-assisted navigation and weather timer. Automower® Connect compatible.

18V Li-ion | Working area up to 3200m² | Cutting capacity up to 133m²/h | Max. incline 45% (24.5°)

300 SERIES

Ideal for mid-sized lawns and offering smart features that allow you to programme how, where and when your Automower® robotic mower cuts. They can handle slopes of up to 40 %. Intuitive menu system on user-friendly display.

H HUSQVARNA AUTOMOWER® 315

The automatic passage handling helps deal with narrow passages while the weather timer adjusts mowing to match growth. For mid-size gardens up to 1500m² with several obstacles. Handles slopes of a more general character. Automower® Connect compatible.

18V Li-ion | Working area up to 1500m² | Cutting capacity up to 68m²/h | Max. incline 40% (22°)

100 SERIES

For homeowners with smaller flat lawns who want all the reliability, convenience and performance of our robotic mowers. Just like the larger models, the 100 series delivers excellent cutting results. Easy to install, maintain and operate, your neighbours will probably not even notice they're mowing.

H HUSQVARNA AUTOMOWER® 105

Designed for smaller lawns. The compact size and low weight increases manoeuvrability in small areas. For open and flat gardens up to 600m² with few obstacles. Handles wider passages and easier slopes.

18V Li-ion | Working area up to 600m² | Cutting capacity up to 43m²/h | Max. incline 25% (14°)

ROBOTIC MOWERS	105	315	430X	450X
Article Number	967 62 23-06	967 62 34-06	967 62 25-06	967 62 26-06
Recommended working area	0-600m² +/-20%	0-1500m² +/-20%	0-3200m² +/-20%	0-5000m² +/-20%
Area capacity per hour	43m²	68m²	133m²	210m²
Battery type/capacity, Ah	Li-ion / 2.1Ah	Li-ion / 2.1Ah	Li-ion / 5.2Ah	Li-ion / 10.4Ah
Battery voltage, V	18	18	18	18
Charging system	Automatic	Automatic	Automatic	Automatic
Charging current, A	1.3	2.2	4.2	8.0
Typical charging time, min	50	60	65	75
Typical mowing time per charge, min	70	70	135	260
Cutting system	3 pivoting razor blades	3 pivoting razor blades	3 pivoting razor blades	3 pivoting razor blades
Cutting height/width, mm	20-50 / 170	20-60 / 220	20-60 / 240	20-60 / 240
Sound level, dB(A)	61	60	58	59
Weight, kg	6.7	9.0	13.2	13.9

ACCESSORIES

Available on the App Store GET IT ON Google play Download App available in Appstore and GooglePlay.



AUTOMOWER® CONNECT

Automower® Connect enables you to remotely control, configure and monitor your mower with an app in your smartphone. Equipped as standard on Automower® 450X, available as accessory on all 300- and 400 series models.

Control Receive status messages and send Start, Stop and Park commands to the mower from anywhere in the world.

Configure Brings the mower's menu system to your smartphone. Read and change the mower settings without the need of being on site.

Security Receive alarm and track your mower's position in case of theft.

GPRS based communication – GPS tracking and fault messages also available for non-smartphone users (via SMS).

586 66 23–04

REPLACEABLE TOP COVER

Make your mower unique and personal by changing the colour. Available in white and orange for 315 and 450X.

587 23 58–02	Polar white, 315
587 23 58–03	Husqvarna orange, 315
588 79 91–02	Polar white, 450X
588 79 91–03	Husqvarna orange, 450X

WHITE DESIGN BODIES

Husqvarna robotic mowers 105 and 430X can be equipped with a polar white body,

580 96 54–02	105
580 96 57–02	430X

HOUSING

Protects the charging station and the robotic lawn mower from exposure to sun and rain.

587 23 61–01	315
585 01 94–01	430X / 450X

LED HEAD LIGHTS

Let your Automower® 430X shine also at night with these energy-efficient headlights.

581 91 25–02

WALL HANGER

Easy wall storage for mower and charging station when not in use.

587 22 40–01	315
585 01 97–02	430X / 450X

SOFT CARRY BAG

A special carry bag makes it easy to move the robotic lawn mower between lawns.

522 91 67–01

ROUGH TERRAIN KIT

Provides excellent traction on rough and sloping lawns, ensuring that your Automower® performs to your expectations. The slope performance increases by some 5 %-points at the edge of the lawn, depending on weather and lawn quality.

587 23 53–01	315
581 88 97–02	430X / 450X

WHEEL BRUSH KIT

Keeps the driving wheels clean to maintain good traction.

587 23 57–01	315
581 90 31–02	430X / 450X

LONG-LIFE SAFETY BLADE

Unbreakable carbon steel safety blade. Combines its high-strength properties without losing the sharpness for a long time. Conforms to the safety standard for Robotic Lawnmowers IEC 60335–2–107.

577 86 46–02 9 pcs

Use only Husqvarna original blades. Tested and approved by Intertek (a Notified Body), regarding safety, function and noise levels in accordance with EN 50636-2-107.

INSTALLATION KITS

Includes Loop Wire, Cramps, Splicers and Connectors in different numbers and length.

KIT LARGE – For open lawn areas of max 5000m² or complex lawn areas of max 2500m².

KIT MEDIUM – For open lawn areas of max 2000m² or complex lawn areas of max 1000m².

KIT SMALL – For open lawn areas of max 800m² or complex lawn areas of max 400m².

967 62 36–03	Large - Includes Loop Wire x 400m / Cramps x 600pcs / Splicers x 5pcs / Connectors x 5pcs
967 62 36–02	Medium - Includes Loop Wire x 250m / Cramps x 400pcs / Splicers x 3pcs / Connectors x 5pcs
967 62 36–01	Small - Includes Loop Wire x 150m / Cramps x 300pcs / Splicers x 3pcs / Connectors x 5pcs

IF YOU'RE SERIOUS ABOUT LAWN MOWING, HERE'S YOUR PERFECT MATCH

All our lawn mowers are designed to give the highest performance and efficiency with thoughtful ergonomic solutions. They have high-spec and easy-starting engines as well as durable cutting decks, delivering first class cutting results every time. So no matter what Husqvarna model you choose, you can expect a mower that's robust, reliable and one that delivers the results for a healthy, well kept lawn.

What you get. And how we do it.

Versatile cutting system.

Choose the way you want to cut with versatile cutting systems that let you collect, mulch or eject the clippings. Collection for tidy results, mulch (BioClip®) for frequently cut lawns and ejection for longer grass.

Superior manoeuvrability.

The double ball bearing wheels ensure the mowers roll easily, even after many years of use. The LB models also feature self-propelled front wheel drive systems, which make them exceptionally easy to handle and manoeuvre.

Comfortable operating.

Excellent ergonomics are provided by the easy access controls, comfort grip handles and central cutting height adjustment for ease of operation. The LB models also feature an anti-vibration system and a side-adjustable handle for easy access in all areas.

Improved lawn condition.

With the BioClip® cutting system, the grass is cut multiple times and finely chopped before being returned to the lawn as a natural fertiliser. The finely chopped grass cuttings fertilise the lawn and make it more drought-resistant.



Durability.

Our lawn mowers are equipped with a one-piece cutting deck, straight from the stamping line. This means no welded parts - a feature that will bring you torsional stiffness and enable you to operate with stability. A one-piece cutting deck also means a tolerant and durable performance.

Tidy results.

The LC models offer the option of a collection cutting system, which collects the clippings and helps prevent weeds from spreading, and tidying the lawn by collecting leaves and twigs for a nice overall finish.

Streamline cutting.

One step towards a perfect lawn is that perfect length. Your Husqvarna mower will be quick and easy to adjust thanks to the central cutting height lever that allows you to control the whole deck.

Power to perform.

The high specification and reliable engines that power our lawn mowers guarantee superior performance and a long life span to get the job done right.

Features specified not applicable to all models, refer to product technical specifications on page 77 for details.

LAWN MOWERS FOR DEMANDING LAWNS AND FREQUENT USERS

READ MORE AT HUSQVARNA.COM

Durability.

Our lawn mowers are equipped with a one-piece cutting deck, straight from the stamping line. This means no welded parts - a feature that will bring you torsional stiffness and enable you to operate with stability. A one-piece cutting deck also means a tolerant and durable performance.

Why choose a Husqvarna battery mower?

Husqvarna battery-powered lawnmowers are quiet, efficient collecting mowers that are extremely easy to use. Ideal for mid-sized lawns or for trimming areas where a robotic mower or ride-on mower can't reach. The 36 V Li-ion batteries – used on all Husqvarna Battery Series handheld products – have an operating time of up to 30 minutes of mowing, depending on mowing conditions.

Size and complexity of your lawn.

The larger lawn you have, the more you will benefit from a self-propelled mower with a wider cutting deck. A mower with smaller cutting deck and variable speed provides better manoeuvrability if your lawn has many narrow passages and obstacles to mow around.

Storage and transport.

Do you plan to transport your mower between your home and your summer cottage? Then you should consider a compact, lightweight mower with foldable handles.

Collecting or mulching.

If you prefer a tidy cutting result and want to collect grass clippings, we recommend a mower equipped with collector. However, a mower with BioClip® (mulching) function provides a more healthy lawn without need for fertilising the lawn or emptying the collector, provided that you mow frequently enough.

Husqvarna Oils.

Husqvarna SAE10W/30 4-Stroke engine oil is a premium, multi-grade engine oil and has been specially compounded and approved for use with 4-stroke, air cooled engines. Read more on page 93.

Comfortable operation makes all the difference.

Excellent ergonomics are standard on our lawnmowers, with easy access controls, comfort grip handles and central cutting height adjustment for ease of operation. The LB models also feature and anti-vibration system and side adjustable handle for easy access in all areas.



FULL-TIME USE

For professionals and domestic users who want commercial-grade equipment. Featuring commercial grade components and high specification engines that deliver outstanding performance, durability and reliability no matter what the application. The machines offer excellent ergonomics, easy of use and very easy to maintain.

P HUSQVARNA LB 553S e
Large capacity mulch mower designed for professional applications, ideal for use in larger areas. Side adjustable handlebar for optimal flexibility and highly durable cutting deck.

Honda OHC 160cc | Cutting width 53cm | Cutting height 27-65mm, 5 steps | Self-propelled, single speed

P HUSQVARNA LB 548S e
Compact mulch mower designed for professional use, ideal in complex and confined areas. Side adjustable handlebar for optimal flexibility and highly durable cutting deck.

Honda OHC 160cc | Cutting width 48cm | Cutting height 30-60mm, 6 steps | Self-propelled, single speed

DEMANDING OCCASIONAL USE

Petrol lawn mowers designed for small contractor applications and more demanding domestic use on medium to larger lawns. Featuring high performance cutting decks with optimised design for easy manoeuvrability and excellent collection results. A choice of push or self-propelled models, each with easy start engine, central cutting height adjustment and folding comfort handle.

P LC19AP
Durable professional lawn mower ideal for mowing contractors and more demanding domestic applications. High performance alloy cutting deck and excellent collection results.

Briggs & Stratton DOV I/C 161cc | Cutting width 48cm | Cutting height 15-56mm, 10 steps | Collector capacity 44 litres

L LC19SP
Self-propelled, single speed petrol lawn mower with rear wheel drive and efficient cutting deck for easy lawn maintenance.

Briggs & Stratton DOV 161cc | Cutting width 48cm | Cutting height 15-75mm, 8 steps | Collector capacity 44 litres

L LC19A
Easy to start, push lawn mower with a durable alloy cutting deck that delivers high performance cutting and collection results.

Briggs & Stratton DOV 161cc | Cutting width 48cm | Cutting height 15-75mm, 10 steps | Collector capacity 44 litres

H LC19 - *Available in Australia only*
High specification, easy to start petrol lawn mower designed for domestic use on medium sized lawns. Quality steel cutting deck delivers impressive cutting and collection performance.

Briggs & Stratton DOV 161cc | Cutting width 48cm | Cutting height 15-82mm, 10 steps | Collector capacity 44 litres

H LC18
Designed for homeowners with small to medium sized lawns. Robust design, easy to start and operate. The steel cutting deck features 4 cutting blades that deliver a superior cut and finish.

Briggs & Stratton 550ex 140cc | Cutting width 46cm | Cutting height 16-80mm, 8 steps | Collector capacity 44 litres

OCCASIONAL USE

A range of easy yo use lawn mowers designed for domestic use on smaller sized lawns. With a choice of petrol or battery operated lawn mowers to suit a range of requirements. Durable designs with quality cutting decks that deliver an excellent cut and collection performance.

HUSQVARNA LC 141Li
Convenient battery-powered mower for domestic use. No need for liquid fuel or cords. Easy to start. Great manoeuvrability thanks to compact cutting deck.

36V Li-ion | Cutting width 41cm | Cutting height 25-75mm, 10 steps | Collector capacity 50 litres

LAWN MOWERS - PETROL	LC18	LC19 *Available in Australia only*	LC19A	LC19AP	LC19SP	LB548SE	LB553SE
Article Number	967 60 48-01	967 25 73-01	967 25 74-01	967 25 75-01	967 65 31-01	967 25 69-01	967 25 70-01
Engine	Briggs & Stratton OHV	Briggs & Stratton DOV	Briggs & Stratton DOV	Briggs & Stratton DOV I/C	Briggs & Stratton DOV	Honda OHC	Honda OHC
Engine displacement, cc	140	161	161	161	161	160	160
Fuel tank capacity, litres	0.8	1.05	1.05	1.05	1.05	0.9	0.9
Drive system	Push	Push	Push	Push	Self-propelled, single speed	Self-propelled, single speed	Self-propelled, single speed
Drive wheels	–	–	–	–	Rear	Front	Front
Cutting deck material	Steel	Steel	Alloy	Alloy	Steel	Aluminium	Aluminium
Cutting methods	BioClip® / Collect	BioClip® / Collect	BioClip® / Collect	BioClip® / Collect	BioClip® / Collect	BioClip® / Rear eject	BioClip® / Rear eject
Cutting width, cm / Cutting height, mm	46 / 15-80	48 / 15-80	48 / 15-55	48 / 15-55	48 / 15-75	48 / 30-60	53 / 30-60
Sound level, dB(A)	75	75	75	75	75	77	78
Weight, kg	31.5	33.5	34.0	34.0	33.3	32.5	34
ReadyStart® engine	●	●	●	●	●	–	–
Collector	●	●	●	●	●	–	–
Anti-vibration handle	–	–	–	–	–	●	●
Tilting handle/Folding handle	– / ●	– / ●	– / ●	– / ●	– / ●	● / –	● / –
Double ball-bearing wheels	●	●	●	●	●	●	●

TABLE KEY: ● = *Standard* (●) = *Optional* – = *Not applicable*

LAWN MOWERS - BATTERY	LC141LI
Article Number	967 62 84-02
Battery Type	Li-Ion
Drive system	Push
Cutting width	41 cm
Cutting height, min-max	25 -75 mm
Cutting height steps	10
Cutting methods	Collection / Rear discharge
Collector type	Hard top with fabric bag
Collector volume	50 L
Wheel size	170 mm / 203.2 mm
Weight	20 kg

Your safety comes first.

Safety is at the forefront of all our product development. When using a lawn mower, Husqvarna recommends protective equipment such as protective pants, hearing protection and eye protection. Read more on page 110.

MOW IN PLACES YOU NEVER THOUGHT POSSIBLE

Husqvarna Riders reach places you never thought possible, helping you work in narrow spaces, on slopes and across all types of terrain. But you'll find there's more to a Husqvarna Rider than just that. Our range of machines is specifically designed to offer different working solutions for different needs. With different mowing options and a wide range of attachments for everything from mowing to snow throwing, they deliver a new level of performance.

P Professional
Extreme Duty -
All day, every day use.

L Landowner
Heavy Duty -
Frequent or demanding use.

H Homeowner
Medium Duty -
Seasonal or occasional use.

What you get. And how we do it.

Superior manoeuvrability.

The unique articulated steering system allows the rear wheels to swing in underneath the machine. The result is superior maneuverability and intuitive operation, which means that you can easily handle driving around obstacles like trees and bushes.

Mowing accessibility.

The front-mounted cutting deck gives excellent overview of the working area, allowing you to trim edges and reach into corners and under bushes with ease.

Easy access controls.

All controls are ergonomically located and easy to reach from the driver's seat. The cutting blades are engaged automatically when the cutting deck is lowered.

Optimised drivers position.

With a Rider you get safety, stability and traction on both flat grounds and hillsides. The Rider's low centre of gravity contributes to superior traction as well as a comfortable "sit-in" feeling for the user.

All wheel drive.

Automatically adjusts the traction on all wheels depending on the situation and ground condition.

Available on selected models.

Easy driving.

Speed and direction changes are controlled with the easy drive foot-pedal hydrostatic transmission, with separate pedals for forward and reverse. This allows you to keep both hands on the steering wheel for maximum driving control.

Simple maintenance.

A clean cutting deck always gives the best cutting results. On selected models, the cutting deck is easily tilted up into service position, which makes it easy to clean and service.

Versatile cutting system.

The Combi cutting deck offers the versatility of two different cutting systems. You can choose between BioClip® for lawn fertilisation and rear ejection for efficient mowing on areas with long thick grass.

Features specified not applicable to all models, refer to product technical specifications on page 83 for details.

LAWN MOWING HAS NEVER BEEN SO INSPIRING

A clean cutting deck always gives optimal cutting results. The cutting deck is easily tilted up into service position, which makes it easy to clean and service.

Comfort high-back seat

Easy-access service points

Turn Key start means you can start the engine without adjusting a choke, regardless of the weather conditions. You just turn the key.

Easy-access controls

Pedal-operated hydrostatic transmission

All-wheel-drive, on selected models, automatically adjusts the traction on all wheels and ensures traction on uneven, wet and slippery areas and slopes.

30 HUSQVARNA RIDER 1987–2017

Husqvarna has developed and built market-leading riders for 30 years.

A quiet and comfortable battery driven Rider.

This Rider Battery gives a comfortable ride, with low noise and no direct emissions. Enjoy Husqvarna performance with excellent results. An ideal machine for environmentally conscious homeowners, with up to 90 minutes run time - depending on lawn condition.

Husqvarna BioClip® – superior mulching technology.

Husqvarna BioClip® is a great way to take care of grass clippings and fallen leaves. With BioClip® the clippings and leaves are repeatedly circulated through the blades and cut into small pieces, before dropping to the lawn. These cuttings are so small that they pass through the grass, down to the soil, working as a natural fertilizer. It's a convenient and environmentally friendly way to get a healthy, green lawn.

Large areas or small complex gardens.

With cutting widths ranging from 85 to 112 cm you will easily find a Husqvarna Rider that suits your preference and your garden, whether it is large and widespread or narrow and complex. Their excellent manoeuvrability and the superb accessibility offered by the front-mounted cutting decks make these ride-on mowers perform in a class of their own. If you happen to live in a noise-sensitive quarter, why not delight your neighbours by investing in the very quiet-running Husqvarna Rider Battery?

One machine – many options.

Adapt your Husqvarna Rider to multiple tasks with a range of optional attachments, including trailer, sweeper, spreader, brush or flail mower. The quick tool connection attachment frame ensures it is easy to shift between the cutting deck and optional front-mounted attachments providing excellent versatility.

300 SERIES

These versatile machines can be used all year round thanks to the wide range of attachments. Choose between three different Combi cutting decks to meet the demands of both land and smaller lawns.

L HUSQVARNA R 316Ts AWD

The impressive V-twin engine, power steering, all-wheel-drive and a choice of cutting decks make this Rider highly efficient and easy to drive.

Kawasaki FS Series V-twin	9.6kW @ 2900 rpm	Cutting width 112cm	Uncut circle 30cm

L HUSQVARNA R316T

Easy to use versatile Rider designed for demanding landowner use. High torque V-Twin engine provides smooth and efficient mowing.

Kawasaki FX Series V-Twin	9.6kW @ 2900 rpm	Cutting width 103cm	Uncut circle 30cm

200 SERIES

Suitable for homeowners who require high efficiency, ease of use, first-class manoeuvrability and performance. Choose AWD for improved grip or the X model for extra efficiency.

H HUSQVARNA R 216

Combining ease of use and excellent handling with power and performance, this Rider is a pleasure to operate and delivers great results.

Briggs & Stratton Intek	9.6kW @ 2900 rpm	Cutting width 94cm	Uncut circle 30cm

100 SERIES

Offers compact-sized machines that are perfect for the smaller gardens with all the Rider characteristics you can expect but in a smaller and more compact package.

H HUSQVARNA RIDER BATTERY

Our first battery-powered ride-on mower. No emissions and low noise for less impact on neighbours. Up to 90 minutes' runtime.

125Ah Lead/ Acid	Cutting width 85cm	Battery Runtime 90min*	Uncut circle 65cm

*Depending on lawn conditions.

ATTACHMENTS

SWEEPER

Robust sweeper with extra high capacity collection. Quick and tool-less assembly. Foldable for easy storage. Adjustable height setting. Working width 112 cm. Fits the 300 and 200 series.

586 63 65–01

FLAIL MOWERS

Robust, reliable flail mowers for rough areas with overgrown grass and low brushwood. Equipped with a hard-wearing mitre gear for maximum product life. Fits the 300 series.

966 41 61–01

BROOM

Light, durable rotating brooms for quick and efficient sweeping of sand, gravel and leaves. Sweeps up to walls, fences, etc. Can be set to different angles from the driver's seat. Working width 100–120 cm. Spray guard included on all models. Fits the 300 series.

587 02 46–01

RIDER COVER

Made of water resistant nylon with adjustable drawstring and ventilation holes. Fits all models.

577 61 68–48

RIDERS - PETROL	R216	R316T	R316TSAWD
Article Number	967 33 08-01	967 29 16-02	967 63 50-01
Engine manufacturer	Briggs & Stratton Intek	Kawasaki FS Series	Kawasaki FS Series
Engine type	Single Cylinder	V-Twin	V-Twin
Net power @ preset rpm	9.6kW @2900 rpm	9.6kW @2900 rpm	9.6kW@2900rpm
Alternator, A	3	15	TBA
Battery capacity, V/Ah	12V / 24 Ah	12 / 24	12 / 24
Fuel tank capacity, litres	12	12	12
Transmission	Hydrostatic	Hydrostatic	Hydrostatic AWD
Transmission manufacturer	Tuff Torq	Tuff Torq	Kanzaki K574
Tyre size, front and rear	165/60-8	165/60-8	165/60-8
Cutting width, cm	94	103	112
Cutting height, mm	25 - 75	25 - 75	25 – 75
Number of cutting blades	3	3	3
Wheel base, cm	88.7	88.7	88.7
Sound Pressure Level (at Operators Ear), dB(A)	99	83	83
Width/height/length, base machine, cm	89/107/190	89/107/190	89/115/202
Weight excl. cutting deck, kg	198	238.0	246
Air filter type	Dual Element	Dual Element	Dual Element
Seat type	Standard	Comfort high back	Comfort high back
Power steering	–	–	●
All-Wheel-Drive (AWD)	–	–	●
Attachment Frame	–	●	●
Service position	–	●	●
Headlights	(●)	●	●
Quick connection	–	●	●
12V outlet	–	●	●
CUTTING DECK OPTIONS			
BioClip® 95	–	–	–
Combi 94	●	–	–
CombiClip® 103	–	●	–
CombiClip® 112	–	–	●

RIDERS- BATTERY	BATTERY RIDER
Article Number	967 18 70-01
Battery Type / Capacity / Voltage	Lead - Acid / 125 Ah / 3 x 12V
Maximum run time^ / Typical charge time	90 min / 16 hr
Drive motor type / power	Electric / 1500 W
Number of blade motors / Blade motor power	2 / 2 x 800 W
Cutting width / Cutting height, min - max	85cm / 25-70mm
Cutting deck type / material	Stamped / Steel
Cutting methods	Bio Clip®
Drive method	Pedal-operated
Speed forward / reverse, min-max	0-7.5km/h / 0-2.5km/h
Tyre dimensions	155 / 50-8

TABLE KEY: ● = *Standard* (●) = *Optional* – = *Not applicable*

NOMINAL POWER

A new machinery directive (2006 / 42 / EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and fulfilling applicable noise regulations (at specified rpm, see owners manual) of a typical production engine for the engine model measured to SAE standard J 1349 / ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

MAKE TURNS YOU NEVER THOUGHT POSSIBLE

Designed for quick service and maintenance to minimise down-time, the front mowers feature a tilting hood and easy access servicing points. The cutting deck can be tilted up without tools for easy cleaning and service maintenance.

All-wheel-drive automatically adjusts the traction on all wheels and ensures traction on uneven, wet and slippery areas and slopes.



Unbeatable manoeuvrability.

Our front mowers have the smallest uncut circle in the industry. The secret lies in the unique dog-bone solution that links the front of the mower to the rear axle. When you turn, the wheels in the back swing underneath the machine - allowing you to make more advanced manoeuvres around corners, trees and bushes. The articulated steering system creates a dynamis weight transfer on the front wheels, which maximises traction in all conditions.

Built for years of commercial use.

The rigid, reinforced heavy-duty steel ladder frame has an open design for excellent serviceability. For improved durability, the complete rear wagon us in one piece ductile cast iron. The high performance Combi deck is stamped from a single piece of steel plate and has durable, flat-free support wheels with air-filled core to provide good dampening and smooth operation with maximum up time.

Features specified not applicable to all models, refer to product technical specifications on page 87 for details.

REDUCE FOLLOW UP TRIMMING – SAVE TIME AND MONEY

Studies* show that large-scale commercial mowers only mow about 65% of the total area of the areas they work on. The remaining 35% has to be taken care of later, using a walk-behind mower or a trimmer. The result is markedly lower productivity and more expensive labour costs. And in the end, reduced profitability. The reason for this is that most commercial Ride-on mowers aren't designed for the complex lawn shapes that professional landscapers have to deal with on a daily basis. The exception is our 500 series of compact front mowers. These machines offer lots of smart solutions that reduce the amount of follow-up trimming to 20%. Which means you finish the job earlier and can be on the way to the next one.



Husqvarna P 500-series front mowers | Trimmers/walk behinds



Walk behinds | Large scale commercial mowers | Trimmers

**Studies comparing the mowing productivity of a rear-wheel steered front mower equipped with 155cm cutting deck versus a Husqvarna P 500 equipped with 132cm cutting deck, carried out during a full cutting season.*

Hand-held trimming results.

Our front mowers are designed to minimise your need for follow-up trimming, thanks to the inner workings of the patented cutting deck, that is elevated further via an exterior that enables state-of-art manoeuvrability. The cutting deck's low profile and patented 3-positioned height adjustment allows you to reach in under bushes and park benches. And, a slight offset placement of the deck further accentuates corner handling ability, enabling you to mow extremely close to walls and fences.

Unmatched comfort.

Our front mowers are packed with ergonomic solutions, focusing just as much on the driver as on performance. With great stability and balance thanks to a low centre of gravity, their compact size and articulated steering keeps you in full command at all times. To avoid interfering with your driving, the control panel is placed right by your right hand, complemented by ergonomic pedals that ensure instant and precise speed control. The specially sculpted, driver's seat makes long days behind the wheel feel a lot shorter.

500 SERIES

High-spec commercial-grade machines – as durable as they are powerful. Very manoeuvrable, so you can easily handle lawns with complex shapes. Designed with a strong focus on function, to maximize performance and efficiency. Can take a wide range of accessories. Contact your local Husqvarna dealer or see our website for more information.

P HUSQVARNA P 525D

Highly productive large capacity diesel front mower for long shifts in very large areas. Superb manoeuvrability is provided by the unique articulated steering concept, combined with the All-Wheel-Drive system. Commercial grade components means uncompromised durability and maximum uptime.

Kubota Diesel 3 Cylinder | 18.7kW @ 3000 rpm | Cutting width 132cm or 155cm | Uncut circle 50cm

P HUSQVARNA P 524

Compact professional petrol front mower that offers excellent manoeuvrability in complex areas. Class leading features including All-Wheel-Drive for superior handling on slopes.

Kawasaki FX Series V-Twin | 13.9kW @ 3000 rpm | Cutting width 112cm or 122cm | Uncut circle 50cm

ATTACHMENTS

FLAIL MOWER

Robust, reliable flail mower for rough areas with overgrown grass and low brushwood. Hard-wearing mitre gear for maximum product life. Cutting width 100cm. Suits model P524.

966 79 65-01

BRUSH *Special order via indent only.*

Rotating brush attachment for professional Riders. Adjustable support wheels. Working width 114-120cm.
Suits model P524.

966 79 63-01

COUNTER WEIGHT

Rear counterweight, must be used when operating front-mounted attachments. Total weight 62kg. Suits model P525D.

966 75 49-01

FLAIL MOWER

Productive and robust flail mower for rough areas with overgrown grass and brushwood. Shaft driven with bevelgear. Requires counter weight. Suits model P525D.

967 33 96-01

BRUSH

Rotating brush attachment for model P525D. Shaft driven with bevel gear and chain drive. Two rear solid support wheels for ground following. Requires hydraulic kit. Suits model P525D.

966 75 44-01

UTILITY BUCKET

Practical utility bucket in welded high-tensile steel. Hydraulic adjustment of angling and emptying. Requires hydraulic kit and counter weight. Suits model P525D.

965 99 74-01

HYDRAULIC KIT

Kit necessary for adaption of front-mounted attachments with hydraulic function.
Suits model P525D.

966 75 45-01

ROAD KIT

Complete road kit designed for safe transport on public roads to and from work sites. Kit includes control box, rotating beacon light, position and touring lights (front and rear) and number plate light kit. Suits model P525D.

585 31 87-01

FRONT MOWERS	P524	P525D
Article Number	967 29 22-01	967 29 24-01
Engine manufacturer / Type	Kawasaki FX Series V-Twin	Kubota Diesel 3 Cylinder
Net power @ preset rpm	13.9kW @3000rpm	18.7kW @3000rpm
Alternator, A	20	40
Battery capacity, V/Ah	12/24	12 / 62
Fuel tank capacity, litres	24	25
Transmission	Hydrostatic AWD	Hydrostatic AWD
Transmission manufacturer	Kanzaki KTM23	Kanzaki KTM23
Tyre size, front and rear	18x8.5-8"	20x10-10"
Cutting width, cm	112 - 122	132 - 155
Cutting height, mm	25 - 75	25 - 127
Number of cutting blades	3	3
Wheel base, cm	100	106
Sound Pressure Level (at Operators Ear), dB(A)	88	92
Width/height/length, base machine, cm	98/115/205	114/133/211
Weight excl. cutting deck, kg	385	675
Air filter type	Heavy-duty canister	Heavy-duty canister
Seat type	Premium w/arm rests	Full suspension w/ arm rests
Power steering	●	●
All-Wheel-Drive (AWD)	●	●
Oil Cooler	●	●
Attachment Frame	●	Shaft PTO
Hydraulic equipment lift	●	●
Service position	●	●
Roll-Over-Protection (ROPS)	–	●
Headlights	●	●
Hour meter	●	●
12V outlet	●	●
Quick connection		
CombiClip® 103	(●) / (●)	–
CombiClip® 112	–	(●) / (●)

TABLE KEY: ● = *Standard* (●) = *Optional* – = *Not applicable*

NOMINAL POWER

A new machinery directive (2006 / 42 / EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and fulfilling applicable noise regulations (at specified rpm, see owners manual) of a typical production engine for the engine model measured to SAE standard J 1349 / ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

A VERSATILE WORKHORSE FOR ANY GARDEN

Get the job done, no matter what. Thanks to a wide range of attachments and a built-in choice of cutting methods, a Husqvarna garden tractor offers great usability and becomes a powerful partner in your garden all year round. It's ideal for efficient lawn care and various tasks on your land.

What you get. And how we do it.

Power to perform.

The high specification and reliable engines that power our lawn tractors guarantee superior performance and a long life span to get the job done right. The V-Twin models combine exceptional power and torque with low vibrations and low noise.

Smooth driving.

All models feature a convenient pedal operated hydrostatic transmission, with separate pedals for forward and reverse, ensuring easy speed and direction control. The 200 and 300 series models feature cruise control, allowing the tractor to maintain consistent speed even in rough terrain.

Streamline cutting.

One step towards a perfect lawn is that perfect length. With the spring-assisted, fender mounted deck lever you can quickly and easily adjust the cutting height to suit your requirements.

Comfortable operating.

Designed with the operator in mind, Husqvarna lawn tractors feature a step-through design for comfortable mounting and dismounting, an adjustable sliding seat and easy to access controls within reach from the drivers seat.

Versatile cutting systems.

With a range of optional attachments all Husqvarna tractors can offer the versatility of choosing between three different cutting systems – collecting, mulching (BioClip®) or ejecting – ensuring a good result, no matter what.

Easy maintenance.

Maintenance is made easy with a range of user-friendly features including an hour meter with service reminder and handy deck wash port for quick cleaning.

Superior cutting results.

With the innovative Air Induction™ mowing system, clean air is drawn from the top and bottom of the deck, enhancing air flow which results in greater grass lift and a superior cutting result. The ClearCut™ deck features a deep deck design, air flow control baffles, high performance blades and top discharge.

Built to last.

Built on a robust steel chassis, ensuring maximum durability and sturdiness to go the distance. The pivoting front axles allow the mower to follow contours and undulation in the ground and in turn reduces stress on the chassis. Cutting decks with reinforced details and corrosion resistance add to the lasting durability.

Features specified not applicable to all models, refer to product technical specifications on page 94 for details.

OUR TRACTORS ARE BUILT TO HELP YOU ALL YEAR ROUND

Premium seat with armrests on selected models for maximum comfort

Powerful and durable high-specification engines

LED headlights on selected models for good visibility in dark conditions

The seat platform automatically changes height as seat is moved to optimize operators position

The automatic differential lock on selected models provides improved traction.

ClearCut™ fabricated steel cutting deck, available on selected models, offers maximum durability and performance.



Pivoting, heavy cast front axle on selected models ensures superior balance and driving comfort

Cruise control

Cruise Control, featured on selected models, allows the tractor to maintain consistent speed, even in rough terrain.

Quick blade engagement

Selected models feature electric blade engagement, which quickly engages the cutting blades with a simple pull of the switch on the control panel.

Ejection or collector.

If you mostly cut large areas with long-grown grass, a tractor with side ejection (TS models) is the most suitable choice. If you prefer a tidy cutting result and want to collect grass clippings, leaves and other debris, we recommend a tractor with integrated collector (TC models).

Mulching options.

Frequently mowed lawns can be fertilised the natural way with the BioClip® function, which is available as standard on the larger TC models. It's also available as an accessory for the 100 series TC models and all TS models. In addition, collectors are available as an accessory for the TS models, while the TC models can be converted to rear ejection by an accessory kit. So you really can't go wrong as long as you choose Husqvarna!

Size and specification.

If you're buying your first tractor and have a smaller or mid-sized garden, our user-friendly 100 series is a good choice. Equipped with chokeless start for easy starting and pedal-operated automatic transmission, these compact tractors offer easy and safe operation, making them ideal for beginners.

For a mid-sized or larger garden, you'll need more capacity and comfort. Our 200 series are well-equipped tractors with tight turning radius, reinforced cutting decks and electric blade engagement to enable excellent manoeuvrability, easier and more efficient mowing with less uncut areas.

If you use your tractor more frequently – even all-year-round – or will be mowing larger areas, you'll appreciate our 300 series of powerful, comfortable and well equipped tractors with convenient features to guarantee a superb result. A wide range of attachments and a built-in choice of several cutting methods, give these large tractors excellent usability all-year-round.

Easy operation.

The pedal-operated hydrostatic transmission with separate pedals for forward and reverse, ensures safe manoeuvres through intuitive control of speed and direction.

Built to last.

Built on a robust steel chassis, ensuring maximum durability and sturdiness, Husqvarna lawn tractors will go the distance. The pivoting front axles allow the mower to follow contours and undulation in the ground and in turn reduces stress on the chassis. Cutting decks with reinforced details and corrosion resistance add to the lasting durability of these machines.

300 SERIES

The 300 Series embodies everything Husqvarna stands for with a range of superior lawn tractors designed for landowners who require a high capacity, durable and easy to manoeuvre tractor with smart solutions for better results. Featuring commercial grade engines, pedal-operated hydrostatic transmissions with cruise control, high performance cutting decks and electric blade engagement, ensuring you get the job done fast. Optional accessories are available to convert the tractors into a versatile 3-in-1 cutting system; collection, mulching (BioClip®) or ejection.

L HUSQVARNA TS352
Top of the range garden tractor delivering commercial grade power and performance with fast transmission, cruise control and class leading operator comfort.

Kawasaki FR Series V-Twin | 24.0hp | Cutting width 52" | Hydrostatic

L HUSQVARNA TS348
Powerful premium garden tractor delivering top class performance and cut quality with ClearCut™ fabricated deck, cruise control and automatic rear differential lock for superior traction and control.

Kawasaki FR Series V-Twin | 23.0hp | Cutting width 48" | Hydrostatic

L HUSQVARNA TS342
High capacity garden tractor with automatic rear differential lock for superior traction and control. ClearCut™ fabricated deck offers rock solid durability, industry leading performance and cut quality.

Kawasaki FR Series V-Twin 21.5hp | 21.5hp | Cutting width 42" | Hydrostatic

L HUSQVARNA TC342
Powerful premium garden tractor with integrated rear collection for tidy lawn results. Fast transmission for superior transport speeds, BioClip® adjustable from seat and excellent maneuverability.

Kawasaki FR Series V-Twin | 21.5hp | Cutting width 42" | Hydrostatic

200 SERIES

The 200 Series represents a range of efficient garden tractors built especially for homeowners and landowners with medium to large sized gardens. Driven by high performance, V-Twin engines with hydrostatic transmissions and cruise control for trouble-free operation. The Air Induction™ mowing system provides excellent cutting and collection performance, while the reinforced cutting decks ensure durability. Optional accessories are available to convert the side-eject tractors into a versatile 3-in-1 cutting system: collection, mulching or ejection.

H HUSQVARNA TS246
Premium mid-range garden tractor with high performance engine and side ejection cutting deck delivering top class results. Automatic differential lock and cruise control ensure superior traction and control.

Kawasaki FR Series V-Twin | 21.5hp | Cutting width 46" | Hydrostatic

H HUSQVARNA TS242
High capacity, side ejection garden tractor with a premium engine that delivers top class performance. The side ejection cutting deck with Air Induction™ provides top class cutting results.

Kawasaki FR Series V-Twin | 18.0hp | Cutting width 42" | Hydrostatic

H HUSQVARNA TC238
Premium mid-range garden tractor with integrated collection, powerful V-Twin engine and excellent maneuverability. Features BioClip® from seat and large capacity collector.

Kawasaki FR Series V-Twin | 18.0hp | Cutting width 38" | Hydrostatic

100 SERIES

The 100 Series offers compact, efficient garden tractors for smaller gardens with smart design and user-friendly ergonomics. Featuring efficient engines with automatic choke start and pedal-operated automatic transmission for safe and easy operation. When fitted with optional accessories that can convert them into a 3-in-1 cutting system, these machines offer exceptional versatility for homeowners with small to medium sided gardens.

H HUSQVARNA TS138
User friendly garden tractor with foot-pedal operation, side ejection cutting deck and powerful engine to tackle smaller blocks. Converts easily to BioClip® or collection with optional accessories.

Husqvarna Endurance Series™ | 17.5hp | Cutting width 38" | Hydrostatic

H HUSQVARNA TC130
Compact garden tractor with integrated rear collection for tidy results. Easy to operate with pedal-operated hydrostatic transmission and spring-assist cutting height adjustment.

Husqvarna Endurance Series™ | 17.5hp | Cutting width 30" | Hydrostatic

ATTACHMENTS & ACCESSORIES

BIOCLIP® / MULCHING KIT
Converts standard cutting deck to BioClip® (mulching).
Suits selected lawn tractors.

960 71 00-25	Mulching Plug	30" Suits TS/LT Series
960 71 00-24	Mulching Plug	30" Suits CTH19530
960 71 00-20	Mulching Kit	38" Suits TS/LT Series
960 71 00-06	Mulching Kit	42" Suits LT Series
960 71 00-19	Mulching Kit	46" Suits YT Series
587 41 23-01	Mulching Kit	42" Suits ClearCut™ deck
960 71 00-44	Mulching Kit	42" Suits TS200 Series
586 84 27-01	Mulching Kit	46" Suits TS200 Series
966 41 29-01	Mulching Kit	42" Suits YT Series
965 89 40-03	Mulching Kit	48" Suits TS/YT Series Fab deck
582 55 99-01	Mulching kit	48" Suits ClearCut™ deck
966 51 52-01	Mulching Kit	52" Suits TS/GT Series

COLLECTOR
Spacious collector, available with two or three compartments. 210 or 315 litre capacity.

960 71 00–01	210L	Suits 38" deck
960 71 00–10	210L	Suits 42" deck
587 41 27–01	210L	Suits 42" ClearCut™ deck
960 71 00–21	315L	Suits 46" deck
966 80 50–02	315L	Suits 48" Fab deck
582 55 96–01	315L	Suits 48" ClearCut™ deck
966 80 50–03	315L	Suits 52" deck

DEFLECTOR
Converts CTH models(after 2013) and TC238, TC342 to rear ejection with a deflector.
960 71 00–42

SPREADER
Tow-behind spreaders with various spreading widths (Spreader 30 =1.8m - 3.0m ; Spreader 75 = 3.0m - 3.7m) and various weight capacities.

954 12 00–46	Spreader 30
967 02 72–01	Spreader 75

COVER
Full size covers made in water resistant nylon.

505 63 08–82	Tractor

LOADING RAMPS
Curved loading ramps made of sea water resistant aluminium with slip resistant surface for a secure grip. Well suited for use on trailers with a height up to 700 mm, and for a maximum total load of 450 kg/pair. The ramps are sold in pairs.
505 69 90–43

4-STROKE OIL (HUSQVARNA 10W/30)
Husqvarna SAE10W/30 4-Stroke Engine Oil is a premium, multi-grade engine oil and has been specially compounded and approved for use with Husqvarna Endurance Series™ engines, and other 4-Stroke, air-cooled engines. Specification: SAE 10W30 - API SM (Petrol), API CF-4 (Diesel).

576 90 19–01	1 Litre (ctn 12)
576 90 19–02	4 Litre (ctn 4)
576 90 19–03	20 Litre

FUEL CAN - 15 LITRES
The 15 litre fuel can for wheeled machines offers an innovative way of refueling, mainly due to the three uniquely placed, ergonomic grips and the special spout design. All this allows you to easily lift and carry the can, and – most importantly – quickly refuel without any splash effects and waste.
580 75 45–01

BATTERY CHARGER BC 0.8
Charges all 12 V lead-acid batteries from 1.2–32 Ah and is suitable for maintenance charging up to 100 Ah. It's fully automatic to maximize performance and battery life. Used together with the battery status indicator.
579 45 01–01

BATTERY STATUS INDICATOR
When connected to the battery it quickly shows if the battery needs charging. To charge the battery, connect the charger BC 0.8 to the status indicator.
579 45 21–01

GARDEN TRACTORS	TS138	TS242	TS246	TS342
Article Number	960 41 03-83	960 41 04-00	960 41 04-01	960 41 04-02
Engine	Husqvarna Series™ Intek	Kawasaki FR Series V-Twin	Kawasaki FR Series V-Twin	Kawasaki FR Series V-Twin
Engine type	Model 31R977	Model FR600V	Model FR651V	Model FR651V
Power, hp as rated by engine manufacturer	17.5	18.0	21.5	21.5
Cylinder displacement, cm3	508	603	726	726
Generator, A	5 & 3	16	16	16
Battery capacity	12V 28Ah	12V 28Ah	12V 28Ah	12V 28Ah
Fuel tank capacity, litres	5.68	9.5	9.5	15.1
Transmission manufacturer	General Transmission	Tuff Torq	Tuff Torq	Tuff Torq
Transmission type	Automatic (CVT)	Hydrostatic	Hydrostatic	Hydrostatic
Automatic differential lock	–	•	•	•
Fast transmission	–	–	–	–
Foot-pedal	•	•	•	•
Speed forward, min-max, km/h	0 - 11.6	0 - 8.4	0 - 11.9	0 - 8.4
Speed reverse, km/h	0 - 3.02	0 - 4.7	0 - 4.7	0 - 4.7
Turning radius, inches / cm	16 / 41	16 / 41	16 / 41	16 / 41
Cutting width, inches / cm	38 / 97	42 / 107	46 / 117	42 / 107
Cutting height (min-max), mm	38 - 100	38 - 102	38 - 102	38 - 102
Number of cutting blades	2	2	2	2
Blade type	2-n-1	Hi-Performance	Hi-Performance	Hi-Performance
Fabricated cutting deck	–	–	–	ClearCut™
Air Induction™ cutting deck	•	•	•	–
Electric cutting blade engagement	–	•	•	•
Spring-assist cutting height adjustment	•	•	•	•
Deck wash port	•	•	•	•
Anti-scalp wheels	–	2	2	2
Anti-scalp front roller	–	–	–	•
Full oil pressure-lubricated engine	•	•	•	•
Oil pump / Oil filter	•	•	•	•
Adjustable, sliding seat	•	•	•	•
Comfort seat	•	–	–	–
Premium seat, with arm rests / no arm rests	–	– / •	– / •	• / –
Step-through design	•	•	•	•
Thick, padded steering wheel	–	•	•	•
Cruise control	–	•	•	•
Hour meter with service minder	•	•	•	Deluxe Dials
Headlights	•	•	•	LED
Cup holder	•	•	•	•
Tyre size, front / rear, inches	15x6-6" / 18x8.5-8"	15x6-6" / 20x10-8"	15x6-6" / 20x10-8"	15x6-6" / 20x10-8"
Large, turf-saver rear tyres	–	•	•	•
Wheelbase, cm	119.0	121.9	121.9	121.9
Pivoting front axle / cast iron front axle	• / –	– / •	– /•	– / •
Fuel level window	–	•	•	•
Bumper / Brushguard	(•) / –	• / –	• / –	– / •
Collector / Deflector	(•) / •	(•) / •	(•) /•	(•) / •
Collector volume, litres	–	–	–	–
Mulching kit / Mulching plug (TC)	(•) / –	(•) / –	(•) / –	(•) / –
Mulch from seat	–	–	–	–

NOMINAL POWER

A new machinery directive (2006 / 42 / EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during normal working situations and fulfilling applicable noise regulations (at specified rpm, see owners manual) of a typical production engine for the engine model measured to SAE standard J 1349 / ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

TS348	TS352	TC130	TC238	TC342
960 41 03-98	960 41 03-88	960 51 01-36	960 51 01-63	960 51 01-64
Kawasaki FR Series V-Twin	Kawasaki FR Series V-Twin	Husqvarna Series™ Intek	Kawasaki FR Series V-Twin	Kawasaki FR Series V-Twin
Model FR691V	FR 730V	Model 31R977	Model FR600V	Model FR651V
23.0	24.0	17.5	18.0	21.5
726	726	508	603	726
16	16	5 & 3	16	16
12V 28Ah	12V 28Ah	12V 28Ah	12V 28Ah	12V 14Ah
15.1	15.1	5.7	7.6	13.3
Tuff Torq	Hydro-Gear	Hydro-Gear	Tuff Torq	Tuff Torq
Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic
•	–	–	–	–
–	•	–	–	•
•	•	•	•	•
0 - 8.4	0 - 12.6	0 - 9.0	0 - 8.4	0 - 11.9
0 - 4.7	0 - 3.4	0 - 4.4	0 - 4.7	0 - 4.7
16 / 41	16 / 41	18 / 46	18 / 46	18 / 46
48 / 122	52 / 132	30 / 77	38 / 97	42 / 107
38 - 102	0 - 100	38 - 102	38 - 102	38 - 102
3	3	1	2	2
Hi-Performance	Hi-Performance	Hi-Performance	Hi-Performance	Hi-Performance
ClearCut™	•	–	–	–
–	–	•	•	•
•	•	–	•	•
•	•	•	•	•
•	•	•	•	•
4	4	–	2	4
•	•	–	–	–
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
–	–	•	–	–
• / –	• / –	–	– / •	• /–
•	•	•	•	•
•	•	•	•	•
•	•	–	•	•
Deluxe Dials	Deluxe Dials	•	•	Deluxe Dials
LED	LED	•	•	LED
•	•	•	•	•
16x6.5-8" / 20x10-8"	16x6.5-8" / 23x10.5-12"	13x5-6" / 16x6.5-8"	15x6-6" / 18x8.5-8"	15x6-6" / 18x9.5-8"
•	•	–	•	•
121.9	121.9	119.0	119.0	119.0
– / •	– / •	– / •	– /•	– / •
•	•	–	–	–
– / •	– / •	(•) / –	• / –	–/ •
(•) / •	(•) / •	•/ –	• / (•)	• / (•)
–	–	200	220	320
(•) / –	(•) / –	– / (•)	–	–
–	–	–	•	•

TABLE KEY: • = *Standard* (•) = *Optional* – = *Not applicable*

TALL GRASS, LESS WORK

With a high efficiency cutting deck and turn-on-a-dime manoeuvrability, the Husqvarna zero turn mower makes short work of tall grass. Its rugged chassis and ergonomic controls put mow-anywhere performance at your fingertips.

What you get. And how we do it.

Unbeatable manoeuvrability.

The zero turn steering system offers individual, hydraulic wheel-drive, which provides precise manoeuvring and allows the mower to rotate around on its own axis.

Superior cutting results.

Heavy-duty cutting decks provide superior strength and durability. The ClearCut™ deck technology , on selected models, features deep deck design, air flow control baffles, high performance blades and top discharge.

Simplified cutting height adjustment.

One step towards a perfect lawn is that perfect length. With the spring-assisted, fender mounted deck lever on the Z-Series models you can quickly and easily adjust the cutting height to suit your requirements. Our larger Zero Turns feature a foot-activated deck lift, so your hands remain on the job to give you total control of the machine.

Comfortable operation.

Superior comfort is achieved by providing an excellent overview of the working area, a comfortable seat design, ergonomic adjustable steering levers and a user-friendly control panel places everything conveniently at your fingertips.

Built to last.

Built to withstand the toughest applications, the heavy duty welded steel uni-body frame and rugged front castor wheels provide increased strength, durability and reduced chassis flexing. Cutting decks with reinforced details and corrosion resistance add to the lasting durability of these machines.

Safe operation.

To ensure operator safety and increased stability, our zero turn mowers features a wide stance in combination with a low centre of gravity resulting in a smooth ride.

Power to perform.

The high specification and reliable engines that power our zero turn mowers guarantee superior performance and a long life span to get the job done right. The Commercial grade OHV engines, available on selected models, combine exceptional power and torque with fuel efficiency and reduced emissions.

Easy maintenance.

The mowers have an open chassis design with engines, filters, electrical components, deck and hydro adjustments all conveniently located. The easy to remove foot panel enables great access to the top of the deck for cleaning, spindle greasing and belt service.

Features specified not applicable to all models, refer to product technical specifications on page 102 for details.

MOWERS WITHOUT CUTTING LIMITS

Rear engine guard.

Protects the engine from impact, as well as limiting access to hot surfaces for operator safety.

Automatic park brake.

The park brake system (patent pending) automatically activates or deactivates as the steering levers are moved outward or inward, freeing the user of the task.

* Features specified may or may not be available in selected models. refer to product specifications for details.

Turn on a dime, smooth performance .

Zero-turn steering and the individual, hydraulic wheel-drive systems provide precise manoeuvring. This allows our riding mowers to rotate on their own axis. A zero turning radius means no grass is left uncut when the unit reaches the end of a mowing row and makes a 180° turn to start the next row. Thanks to the vibration-isolated platform, the Husqvarna zero turn lawn mower also delivers a smooth ride. Rubber isolators set your hands, body and feet apart from the frame, which means less fatigue during operation and ergonomic operation at all times. The robust, foot-activated deck lift system enables you to adjust your cutting height quickly and conveniently, hands-free.

Durable design for the long haul.

Built to withstand the toughest applications, the heavy-duty welded steel uni-body frame and rugged front castor wheels provide increased strength, durability and reduced chassis flexing. Cutting decks with reinforced details and corrosion resistance add to the lasting durability of these machines.

Size and specification.

When it comes to choosing a zero turn mower, you need to be sure it's going to tick all the right boxes. For homeowners with big lifestyle blocks, the Z200 series will make the ideal companion. Easy to start and operate, these compact mowers offer homeowners everything they are looking for – true zero turn performance, safety and easy of use. For larger property owners and small commercial operators, the MZ series packs a punch – taking performance, productivity and comfort to a whole new level. With a rugged fabricated steel deck that is mulch and collection capable, the MZ series is practical for all property maintenance needs. For a professional mower that delivers on performance with no compromises, the PZ series is hard to go past. Representing the latest in design, technology and constructions, these mowers deliver on maximum work productivity, with minimum down time.

Ergonomic steering levers.

Dual, adjustable levers with foam-padded hand grips are ergonomically designed and angled inwards to create the correct alignment of wrists and elbows, reducing operator fatigue.



Roll Over Protection.

Practical, foldable Roll Over Protection System (ROPS) provides added protection for the operator and can be lowered to 90° in areas of low-hanging branches or for transportation.

PZ SERIES

The Husqvarna PZ Series represents the latest in high performance drive systems and operator interfaces. The commercial grade engines, combined with high productivity cutting deck designs, ensure these mowers deliver premium cut quality and clipping dispersal at higher ground speeds. Designed in collaboration with commercial operators, the careful consideration of components and design not only provide extended durability but unprecedented ease of service access – meaning less downtime for maximum work productivity.

MZ SERIES

The MZ series takes performance, productivity, and comfort to a whole new level. The intuitive operator interface, heavy-duty steel frame and commercial rated hydraulic system create the ultimate mowing experience. With a rugged fabricated steel deck that is mulch and collection capable, the MZ is practical for all of your property maintenance needs. The high back seat with armrests and adjustable ergonomic steering levers will provide a comfortable ride time after time.

Z SERIES

Performance and style hit the grass running with the homeowner zero turn mower package. Cutting edge design, proven performance and innovative features combine to make lawn maintenance an event instead of a chore. True zero-turn mower performance with twin, maintenance-free integrated transmissions, heavy-duty front casters and a rugged tube steel frame. High performance cutting decks allow side ejection or optional mulch and collection capability. Convenient control placement, foam padded steering levers and an adjustable seat make these units easy and enjoyable to operate.

P HUSQVARNA PZ34

Top of the range mower that combines wide deck options with commercial engine to deliver the best productivity in its class. Heavy-duty fabricated cutting deck is designed for cut quality and clipping dispersal at higher ground speeds for high productivity rates.

Kawasaki FX Series Commercial V-Twin	31.0hp	Cutting width 60" or 72"	Productivity 5.8 - 7.0 acres/hr

P HUSQVARNA PZ29

The balance of power and productivity make the PZ29 a flagship product among professional zero turns. The cutting decks and blade design creates a more efficient cut, while the powerful engine ensures minimum downtime and trouble-free use.

Kawasaki FX Series Commercial V-Twin	25.5hp	Cutting width 54" or 60"	Productivity 4.8 - 5.3 acres/hr

P HUSQVARNA PZT54

Combines the heavy-duty construction, convenient interface and clean service access from the top range PZ models in a compact design and affordable package for professional contractors. Unbeatable maneuverability and cutting performance.

Kawasaki FX Series Commercial V-Twin	24.5hp	Cutting width 54"	Productivity 4.2 acres/hr

L HUSQVARNA MZT61

Ideal for heavy-duty use, the MZT61 provides superior engine performance and high quality cutting results to deliver top-class property maintenance for professional contractors and landowners alike.

Kawasaki FS Series Commercial V-Twin	23.0hp	Cutting width 61"	Productivity 4.9 acres/hr

L HUSQVARNA MZ52

Equipped with a commercial grade engine, the MZ52 provides high power and reliable cutting performance with a commercial quality fabricated cutting deck and host of easy to use features.

Kawasaki FR Series V-Twin	24.0hp	Cutting width 52"	Productivity 3.5 acres/hr

NEW

L HUSQVARNA MZ48

With a compact size and commercial grade engine, the MZ48 is big on performance. The ClearCut™ fabricated deck delivers unsurpassed cutting performance.

Kawasaki FR Series V-Twin	23.0hp	Cutting width 48"	Productivity 3.3 acres/hr

H HUSQVARNA Z248F

High performance mower that combines exceptional and reliable power with fuel efficiency. The ClearCut™ deck is specifically designed for durability, performance and an even cut.

Kawasaki FR Series V-Twin	23.0hp	Cutting width 48"	Productivity 2.5 acres/hr

L HUSQVARNA Z242F

Cut like a professional with true zero turn performance and heavy-duty ClearCut™ fabricated deck for landowners with open lawn areas.

Kawasaki FR Series V-Twin	21.5hp	Cutting width 42"	Productivity 2.2 acres/hr

H HUSQVARNA Z242E

With cutting edge design, easy to start and operate and proven performance, this mower will truly deliver. The ClearCut™ fabricated cutting deck provides unsurpassed cutting results for a lawn to be proud of.

Kawasaki FR Series V-Twin	21.5hp	Cutting width 54"	Productivity 2.8 acres/hr

H HUSQVARNA Z254

Ideal for homeowners, this zero turn mower offers durability and the power you need to get the job done more efficiently. Air Induction™ mowing system delivers quality cut and finish.

Kawasaki FR Series V-Twin	23.0hp	Cutting width 54"	Productivity 2.8 acres/hr

H HUSQVARNA Z246

Easy to operate with turn-on-a-dime maneuverability and excellent cutting performance to make short work of tall grass on lifestyle blocks.

Kawasaki FR Series V-Twin	18.0hp	Cutting width 46"	Productivity 2.4 acres/hr

ATTACHMENTS

BIOCLIP® / MULCHING KIT
Converts standard cutting deck to BioClip® (mulching).

587 41 23–01	42" Suits ClearCut deck
960 71 00–19	46" Suits Z-series
960 71 00–07	54" Suits Z-series
965 89 40–03	48" Suits Z-series Fabricated deck
582 55 99–01	48" Suits Z-series ClearCut deck
582 56 00–01	48" Suits MZ-series ClearCut deck
965 89 40–01	52" Suits MZ-series
965 89 40–02	61" Suits MZ-series
966 05 04–01	54" Suits PZ-series
966 44 47–01	60" Suits PZ-series
966 05 17–01	72" Suits PZ-series

COLLECTORS
A range of spacious collectors available, with two or three bin compartments. Capacity - 210 L or 315 L.

587 96 04–01	210L	Suits Z-series 46" deck
587 41 24–01	210L	Suits Z-series 42" ClearCut deck
587 96 03–01	315L	Suits Z-series 54" deck
587 96 02–01	315L	Suits Z-series 48" deck, with blower
582 55 97–01	315L	Suits Z-series 48" ClearCut deck
582 55 98–01	315L	Suits MZ-series 48" ClearCut deck
966 79 30–01	315L	Suits MZ-series 52" deck, with blower
966 79 30–03	315L	Suits MZ-series 61" deck, with blower
966 65 66–04	315L	Suits PZ-series 54" deck, must add drive kit below
967 32 26–01	315L	Suits PZ-series 54"/60" deck, with blower - must add drive kit options below
966 40 71–01		54" Drive Kit suits PZ-series
966 40 72–01		60" Drive kit suits PZ-series
966 48 87–01		Operator controlled discharge chute, suits PZ-series 54"/60" side-discharge deck

ROPS SYSTEM
ROPS to reduce the risk of accidents in case of the mower should roll. Mounted directly to the chassis. Safety belt included. Suits selected Zero Turns and P525D.

Ask instore for fit up options and ordering details.

SEAT COVER
Water resistant fabric, cushioned for extra comfort, with rear storage pockets for tools and gear. Protects the seat against weather and UV damage. Suits all homeowner/landowner ride-on mowers.

531 30 82–28

LOADING RAMPS
Curved loading ramps made of sea water resistant aluminium with slip resistant surface for a secure grip. Well suited for use on trailers with a height up to 700 mm, and for a maximum total load of 450 kg/pair. The ramps are sold in pairs.

505 69 90–43

4-STROKE OIL (HUSQVARNA 10W/30)
Husqvarna SAE10W/30 4-Stroke Engine Oil is a premium, multi-grade engine oil and has been specially compounded and approved for use with Husqvarna Endurance Series™ engines, and other 4-Stroke, air-cooled engines. Specification: SAE 10W30 - API SM (Petrol), API CF-4 (Diesel).

576 90 19–01	1 Litre (ctn 12)
576 90 19–02	4 Litre (ctn 4)
576 90 19–03	20 Litre

FUEL CAN - 15 LITRES
The 15 litre fuel can for wheeled machines offers an innovative way of refueling, mainly due to the three uniquely placed, ergonomic grips and the special spout design. All this allows you to easily lift and carry the can, and – most importantly – quickly refuel without any splash effects and waste.

580 75 45–01 15 Litre Fuel Can

BATTERY CHARGER BC 0.8
Charges all 12 V lead-acid batteries from 1.2–32 Ah and is suitable for maintenance charging up to 100 Ah. It's fully automatic to maximize performance and battery life. Used together with the battery status indicator.

579 45 01–01

READ MORE AT HUSQVARNA.COM

ZERO TURNS	Z246	Z254	Z242E	Z242F
Article Number	967 66 54-01	967 66 55-01	967 66 56-01	967 66 57-01
Engine	Kawasaki FR Series V-Twin	Kawasaki FR Series V-Twin	Kawasaki FR Series V-Twin	Kawasaki FR Series V-Twin
Engine type	Model FR600V	Model FR691V	Model FR651V	Model FR651V
Power, hp as rated by engine manufacturer	18.0	23.0	21.5	21.5
Cylinder displacement, cm3	603	726	726	726
Air filter	Standard	Standard	Standard	Standard
Cutting width, inches	46	54	42	42
Adjustable cutting height, mm	38 - 102	38 - 102	38 - 102	38 - 102
Deck lift system	Hand-operated	Hand-operated	Hand-operated	Hand-operated
Anti-scalp wheels	3	4	–	–
Nose roller	•	–	•	•
Deck type	Reinforced Stamped	Reinforced Stamped	ClearCut™ Fab. 10 gauge	ClearCut™ Fab. 10 gauge
Number of cutting blades	2	3	2	2
Electric clutch, ft/lb	–	–	–	–
Hydro pumps - wheel motors, cu.in. / cc	EZT	EZT	EZT	EZT
Speed min, max (fwd / rev), km/h	0-10.5 / 0-5.6	0-10.5 / 0-5.6	0-10.5 / 0-5.6	0-10.5 / 0-5.6
Front caster tires, inches	11 x 6-5	11 x 6-5	11 x 4-5	11 x 6-5
Rear drive tires, inches	18 x 9.5-8	18 x 9.5-8	18 x 8.5-8	18 x 8.5-8
Fuel capacity, litres	13.25	13.25	13.25	13.25
Hydraulic reservoir, litres	–	–	–	–
Weight, kgs	263	290.3	263	263
Base machine width (chute up), cm	121.9	145.0	109.2	109.2
Base machine length/height, cm	190.5 / 101.6	190.5 / 101.6	190.5 / 101.6	190.5 / 101.6
Productivity, acres / hr*	2.4	2.8	2.2	2.2
Seat type	15" High-back	15" High-back	15" High-back	15" High-back
Digital hour meter	•	•	•	•
Ergonomic, adjustable steering levers	•	•	•	•
Heavy-duty dampeners	–	–	–	–
Foldable ROPS	–	–	–	–
Drink holder	•	•	•	•

ACCESSORIES				
Mulch Kit	(•)	(•)	(•)	(•)
Collection system	(•)	(•)	(•)	(•)
Optional blades	(•)	(•)	(•)	(•)
Suspension seat	–	–	–	–

TABLE KEY: • = *Standard* (•) = *Optional* – = *Not applicable*

NOMINAL POWER

A new machinery directive (2006 / 42 / EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and fulfilling applicable noise regulations (at specified rpm, see owners manual) of a typical production engine for the engine model measured to SAE standard J 1349 / ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

** Productivity will vary dependant on attainable ground speed, mowing conditions and height of cut. Productivity (80% efficiency) is calculated by width of cut X ground speed/120 = Acres per hour.*

Z248F	MZ48	MZ52	MZT61	PZT54	PZ29	PZ34
967 66 58-01	967 66 59-01	967 66 60-01	967 17 70-10	966 61 34-03	966 55 38-01	966 55 39-01
Kawasaki FR Series V-Twin	Kawasaki FR Series V-Twin	Kawasaki FR Series V-Twin	Kawasaki FS Series V-Twin	Kawasaki FX Series V-Twin	Kawasaki FX Series V-Twin	Kawasaki FX Series V-Twin
Model FR691V	Model FR691V	Model FR730V	Model FS691V	Model FX751V	Model FX801V	Model FX921V
23.0	23.0	24.0	23.0	24.5	25.5	31
726	726	726	726	852	852	999
Standard	Standard	Standard	Standard	Heavy-Duty Canister	Heavy-Duty Canister	Heavy-Duty Canister
48	48	52	61	54	54 or 60	60 or 72
38 - 102	38 - 102	38.1 - 114.3	38.1 - 114.3	38 – 140	25 - 127	25 - 127
Hand-operated	Foot-activated	Foot-activated	Foot-activated	Foot-activated	Foot-activated	Foot-activated
2	4	2	2	2	2	2
•	–	•	•	•	2	2
ClearCut™ Fab. 10 gauge	ClearCut™ Fab. 10 gauge	Fabricated 11 Gauge	Fabricated 11 Gauge	Fabricated 10/7 Gauge	Fabricated 7 Gauge	Fabricated 7 Gauge
3	3	3	3	3	3	3
–	90	90	200	150	250	250
EZT	ZT3100	ZT3100	ZT3400	ZT3400	12/197 - 18/295	16/262 - 18/295
0-10.5 / 0-5.6	0-13.7 / 0-8.05	0-13.7 / 0-8.05	0-16.1 / 0-8.1	0-16.1 / 0-8.0	0–17.7 / 0–8.9	0–19.3 / 0–9.6
11 x 6-5	13 x 6.5-6	13 x 6.5-6	13 x 6.5-6	13 x 6.5-5	13 x 6.5-6 flat free	13 x 6.5-6 flat free
18 x 9.5-8	22 x 10-10	22 x 10-10	23 x 10.5-12	23 x 10.5-12	24 x 12-12	24 x 12-12
13.25	18.9	18.9	18.9	41.6	41.6	41.6
–	–	–	–	–	5.6	5.7
269.89	???	335.7	358.3	485.4	572 - 599	599 - 635
123.2	???	137.2	158.2	135.9	Subject to deck type fitted	Subject to deck type fitted
190.5 / 101.6	191.8 / 106.7	191.8 / 106.7	191.8 / 115.6	205.7 / 116.8	209.5 / 120.6	209.6 / 120.7
2.5	3.3	3.5	4.9	4.2	4.8 - 5.3	5.8 - 7.0
15" High-back	High-back with arm rests	High-back with arm rests	PZT Premium	PZT Premium	PZ Premium Suspension	PZ Premium Suspension
•	•	•	•	•	•	•
•	•	•	•	•	•	•
–	–	–	–	•	•	•
–	•	•	•	•	•	•
•	•	•	•	•	•	•

(•)	(•)	(•)	(•)	(•)	(•)	(•)
(•)	(•)	(•)	(•)	(•)	(•)	(•)
(•)	(•)	(•)	(•)	(•)	(•)	(•)
–	–	–	–	(•)	•	•

TAKE YOUR LAWN TO THE EDGE OF PERFECTION

Adjustable blade.

The LE475 lawn edger features a precision machined cutter head that is easily adjustable. The steel blade can be rotated to 90o to be used in multiple positions for edging, levelling flower beds and trimming.

Unique four-wheel design.

The patented adjustable four wheel design allows you to adjust wheels to edge along curbs without having to buy additional accessories.

DEMANDING USE

The LE475 wheeled edger is powered by a Briggs & Stratton four-stroke engine that provides enough torque to edge through compact soil and grasses. The steel blade delivers a precise cut and can be angled at varying degrees for approaching slopes, trimming, or edging. The patented adjustable four wheel design allows you to adjust wheels to edge along curbs without having to buy additional accessories.

L HUSQVARNA LE475
Robust, wheeled lawn edger that delivers a clean and precise cut for edging along flower beds, driveways and foot paths.

Briggs & Stratton 550 Series

148 cc

32.21kg

EDGER	LE475
Article Number	966 95 11-01
Engine Manufacturer	Briggs & Stratton
Displacement, cc	148
Transmission type	Belt
Fuel tank capacity, litres	1.79
Working depth, inch/cm	4 / 10
Trimming width, inch/cm	9 / 23
Tyre size	8 x 2"
Weight, kg	32.2

SOUND AND VIBRATION LEVELS

* Equivalent sound pressure level, as per ISO 22868, is calculated as the time-weighted energy sum for the sound pressure levels at various operational states. Typical variation for equivalent sound pressure level is a standard deviation of 1 dB(A).
** Equivalent vibration level, as per ISO 22867, is calculated as

the time-weighted energy sum for the vibration levels at various operational states. The data presented for equivalent vibration level has a typical variation (standard deviation) of 1 m / s².

Heavy duty.

Heavy duty construction with enough torque to cut through compact soil and grass for a precise cut along driveways and sidewalks.

Quality details.

With quality in the details, the LE475 edger features a reinforced, adjustable cutter head with 9 inch steel blade for a precise finish. The edging depth is up to 4 inches deep.

EXPERIENCE GROUND BREAKING POWER WITH COMFORT AND EASE

Designed to take tough treatment, Husqvarna tillers are built to withstand intensive operation over many years. Their comfortable handle system and well-grouped controls make them easy to work with and the anti-clockwise rotation system breaks up soil with ease and efficiency.

What you get. And how we do it.

Reliable power.
The high-specified engines give you reliable power and low emissions under load.

Easy maintenance.
The durable and detachable transmission housing with lubrication nipple means reliable operating time in many years as well as easy maintenance.

Convenient work.
The ergonomically designed handlebar with soft grip and easy-access controls provides convenient work.

Deep-digging or surface preparation
The helicoiled tines rotate anti-clockwise and break up the soil smoothly even in tough conditions. This solution makes the tillers capable of deep-digging heavy soil as well as preparing the surface for a seedbed.

Built to last.
All components in our tillers are of the highest quality and thoroughly tested to ensure optimal durability.

Great versatility.
The wide range of accessories means that most of our tillers can be used for many different tasks.

Smooth operation.
The pneumatic clutch uses compressed air technique that enables a smooth and convenient operation.

Features specified not applicable to all models, refer to product technical specifications on page 109 for details.

POWERFUL TILLERS THAT SIMPLY GET THE WORK DONE

- Larger areas
- Comfortable operation
- Extended workdays

REAR-TINE TILLERS

Heavy-duty tillers with impressive capacity.

For larger and more open areas, a rear tine tiller will give you the power to break up densely packed soil effectively. Handling is comfortable thanks to their ergonomic design. The counterweight increases weight on the wheels and increases balance for safe and sturdy operation. Working width 43cm and working depth 15cm.

- Smaller surfaces
- Great versatility
- Easy to use

FRONT-TINE TILLERS

Appropriated easy manoeuvrable tillers.

Good for soil preparing of smaller surfaces and gardens, or gardens with many tight corners. For versatile garden tasks a front tine tiller will do the job. With the addition of accessories you can rake, edge, scarify, ridge and plough too. Working width from 24 to 80 cm and working depth from 15 to 30 cm.

Get more out of your tiller.

The wide range of accessories gives our tillers their versatility and the possibilities are almost unrestricted. A moss rake, earthing plough, weeding tool, edger and scarifier can together with your tiller help you to prepare your ground with time efficiency and minimum effort.



MOSS RAKE
Get a beautiful lawn by clearing moss with the moss rake accessory. Fits T300RH.
967 99 16-15

EDGER
Use your tiller for trimming edges with the edger accessory. It creates distinct edges faster and with less effort. Fits T300RH.
967 99 16-30

WEEDING TOOL
This specially designed tool enables you to effectively remove weeds from garden beds. Fits T300RH.
967 99 16-02

HEAVY DUTY USE

Designed for use on densely packed earth and lawns. With powered wheels and counter-rotating tines, these machines break up soil very effectively.

NEW

L HUSQVARNA TR 430
Powerful rear-tine tiller for landowner use. The counter-rotating tines enable deep soil tilling, making it the ideal machine for use on densely packed soil and older lawns.

Subaru 169cc | 3.14kW @3600rpm | Tilling width 43cm Working depth 15cm | Chain/Gear

LIGHTER LANDSCAPING WORK

Suitable for lighter landscaping work, such as preparing flower beds and garden patches. They are propelled forward by the tines. These models are perfect for tighter garden spaces and can be fitted with accessories for various garden tasks.

NEW

L HUSQVARNA TF435
Robust, powerful front-tine tiller designed for landowner use on larger areas. The easy-start engine is ideal for dry, dusty environments. Features two forward and one reverse gear for easy operation.

Subaru 169cc | 3.7kW @3400rpm | Tilling width 80cm Working depth 30cm | Chain/ Pneumatic

L HUSQVARNA T300RH
Versatile front tine tiller for smaller domestic gardens, flower beds and vegetable plots. Easy to operate and transport thanks to its low weight. Propelled forwards by the front tines.

Honda 33.5cc | 0.6kW @6500rpm | Tilling width 24cm Working depth 15cm | Worm gear/ Manual

TILLERS & CULTIVATORS	T300RH	TF435	TR430
Article Number	967 33 01-01	967 10 12-01	960 91 00-16
Net power @ set rpm	0.6kW @ 6500rpm	3.6kW @ 3600rpm	3.14kW @ 3600rpm
Engine manufacturer	Honda	Honda	Subaru
Fuel tank capacity, litres	0.58	3.1	3.4
Cultivating width, cm	24	80	43
Working depth, cm	15	30	15
Rotational speed, rpm	167	28-165	190
Transmission	Worm gear / Manual	Chain / Manual	Chain / Gear
Speeds, forward / reverse	1 / –	2 / 1	1 / 1
Weight, kg	12	58	92
Counter-rotating tines	–	–	•
Fold-down handlebar	•	•	–
Adjustable handlebar	–	•	•
Carry handles	•	–	–
Transport wheels	–	•	•
Drive wheel	–	–	•
Quick connection			
Ridger	(•)	–	–
Ridger with metal wheels	–	(•)	–
Tine de-thatcher	–	–	–
Weeding tool	(•)	–	–
Scarifier	(•)	–	–
Edger	(•)	–	–

TABLE KEY: • = *Standard* (•) = *Optional* – = *Not applicable*

SOUND AND VIBRATION LEVELS

* Equivalent sound pressure level, as per ISO 22868, is calculated as the time-weighted energy sum for the sound pressure levels at various operational states. Typical variation for equivalent sound pressure level is a standard deviation of 1 dB(A).
** Equivalent vibration level, as per ISO 22867, is calculated as the time-weighted energy sum for the vibration levels at various operational states. The data presented for equivalent vibration level has a typical variation (standard deviation) of 1 m / s².

EXPECT MAXIMUM PROTECTION – NO MATTER PERFORMANCE LEVEL

Good protective equipment must withstand demanding conditions and provide the required protection. That's why we use nothing but high-quality materials. Each job comes with different requirements. Our range of protective clothing takes into consideration every type of work. In fact our extensive range of safety clothing, offering the latest innovations in design and materials, will provide you with the level of protection and comfort you need to get the job done.

Layered protection.
Our advanced protective material comprises fewer layers. This makes it lighter, without compromising protection levels. The material and layering design consists of long fibres that can become tangled in the chain.

Confident safety with regular testing.
Protective clothing for forestry work must carry CE marking. The additional EuroTest mark shows that randomly selected samples are regularly re-inspected by an accredited institute.

Graded protection class.

All personal protection is ranked based on its ability to stop the chain at different speeds:
Class 0 (16 m/s), Class 1 (20 m/s), Class 2 (24 m/s) and Class 3 (28 m/s). Tested and approved in accordance with European (CE) and International (ISO) standards.

Cut protection areas.



The shaded areas show the location of protective material.

TECHNICAL EXTREME

PROTECTIVE CLOTHING MADE FOR MAXIMUM PERFORMANCE

Husqvarna Technical Extreme is our ultimate range of protective clothing. It's built for people who need lightweight comfort, breathability and protection in extreme conditions. With pre-bent knees and sleeves, slim fit, durable stretch fabrics, protection and smart, task-specific design, it's designed to enable total performance all day. Every day.

TECHNICAL EXTREME JACKET
Modern design with slim fit and advanced stretch material for excellent comfort. Strong reinforcement material is used on critical areas, including the unique pre-bent arms, to provide added protection. Two-way ventilation zippers under the arms. Reflective fabric on the arms, reflective band.

585 06 15–46	Small (92cm - 100cm)
585 06 15–50	Medium (100cm - 108cm)
585 06 15–54	Large (108cm - 116cm)
585 06 15–58	X-Large (116cm - 124cm)
585 06 15–62	XX-Large (124cm - 128cm)

TECHNICAL EXTREME TROUSERS
Trousers with the same slim fit, stretch, and reinforced material as the jacket, plus chainsaw protection. Unique pre-bent knees and ventilation zippers at the backs of the legs. Velcro adjustments around the waist ensures a perfect fit for both men and women.

578 16 65–46	Small (170cm - 176cm)
578 16 65–50	Medium (176cm - 182cm)
578 16 65–54	Large (176cm - 182cm)
578 16 65–58	X-Large (182cm - 188cm)
578 16 65–62	XX-Large (188cm - 194cm)

Adjust for perfect fit.
The clothes come with hook and loop wrist and ankle strap as well as elastic drawstrings at the waist and at the lower bottom of the jacket, allowing you to adjust your gear for perfect fit.

Keep your trousers in place.
Attach the boot hook on the inside of the cuff to your laces, to keep them tightly secured.

Braces included.
The trousers come with quality braces, so they stay safely and comfortably in place all day.

Well ventilated.
Openings at the yoke and the lower back make for good ventilation. Zippers in the armpits and at the back of the legs let you adjust the airflow to your liking.

Easy-access pockets.
The jacket has two pockets on the chest, one on the sleeve, and a dedicated first-aid pocket. The trousers feature two front pockets, two back pockets, a leg pocket and a double ruler pocket.

Pockets for your mobile phone.
The chest pockets have a padded lining for your mobile phone, keeping it well protected and within easy reach at all times.

Exceptional protection and mobility.

ADDED PROTECTION LAYERS Provides excellent saw protection, thanks to the additional fibre layers. This improves safety, especially in situations where the trousers fit tight to the knee.

PRE-BENT FABRIC The complete knee, including the saw protection fabric, has been pre-bent to ensure a perfect fit in all working positions.

WATER REPELLENT The knee has a water-resistant inner lining and an outer layer made of water-repellent fabric, keeping water and moisture from penetrating the saw protection layers. This means you can work comfortably in wet conditions for or a longer time.

PROTECTIVE CLOTHING MADE FOR PROFESSIONAL PERFORMANCE

The Husqvarna Technical clothing range is designed and built to perform all day, every day. Task-optimized design meets modern styling, while tough, light stretch fabrics, reinforced panels, pre-bent knees and elbows offer high resistance, durability and performance. You'll look good. And you'll work even better.

Pre-bent knees.

The knees are pre-bent and have been tailored to offer maximum mobility without compromising safety.

Well ventilated.

Openings at the yoke and the lower back make for good ventilation. Zippers in the armpits and at the back of the legs let you adjust the airflow to your liking.

TECHNICAL JACKET
Fitted jacket with four-way stretch material for ease of movement. Reinforced material for high durability, two-way ventilation zippers for additional comfort. The reflective fabric on the arms, a reflective band and high-viz orange fabric at the top, provides increased visibility.

578 16 60–46	Small (92cm - 100cm)
585 06 13–50	Medium (100cm - 108cm)
585 06 13–65	Large (108cm - 116cm)
585 06 13–58	X-Large (116cm - 124cm)
585 06 13–62	XX-Large (124cm - 128cm)

TECHNICAL TROUSERS
Trousers with the same tight fit, stretch material, reinforcements, ventilation and reflective material as the jacket, plus chainsaw protection. Unique pre-bent knees and ventilation zippers at the backs of the legs. The extended back design provides added coverage.

578 16 61–46	Small (170cm - 176cm)
578 16 61–50	Medium (176cm - 182cm)
578 16 61–54	Large (176cm - 182cm)
578 16 61–58	X-Large (182cm - 188cm)
578 16 61–62	XX-Large (188cm - 194cm)

WORK T-SHIRT, TECHNICAL
Light and cool, this garment with zipper front, extended back and easy-access zipped front pocket is ideal for use in warmer weather.
It transports moisture away from the body and dries quickly. So even when you're working hard, you can keep your cool. Size S–XXXL.

501 71 59–46	Short sleeve, Small
501 71 59–50	Short sleeve, Medium
501 71 59–54	Short sleeve, Large
501 71 59–58	Short sleeve, X-Large
501 71 59–62	Short sleeve, XX-Large
501 71 59–66	Short sleeve, XXX-Large
501 72 03–46	Long sleeve, Small
501 72 03–50	Long sleeve, Medium
501 72 03–54	Long sleeve, Large
501 72 03–58	Long sleeve, X-Large
501 72 03–62	Long sleeve, XX-Large
501 72 03–66	Long sleeve, XXX-Large

CLASSIC

PROTECTIVE PERFORMANCE CLOTHING BY HUSQVARNA

The Husqvarna Classic clothing range is perfect for occasional outdoor tasks. Designed with you in mind, it offers the quality and reliability you expect from Husqvarna. High-quality materials and clever design, reliable, approved protection and comfort features give you the confidence you need to get the job done.

CLASSIC JACKET
Boasts a clean and modern design with quality in the details. The high-viz orange fabric at the top and large reflective logo prints, provides increased visibility. The jacket features buttons at the end of the arms to provide a tight and secure fit, a chest pocket and two side pockets.585 06 07–46 Small (92cm - 100cm)

585 06 07–50	Medium (100cm - 108cm)
585 06 07–54	Large (108cm - 116cm)
578 16 53–58	X-Large (116cm - 124cm)
578 16 53–62	XX-Large (124cm - 128cm)

CLASSIC TROUSERS
Clean, modern design trousers with chainsaw protection. The classic trousers feature a comfortable, elastic waist design with front pockets, one back pocket and a convenient ventilation zipper at the back of the legs for user comfort.

578 16 54–46	Small (170cm - 176cm)
578 16 54–50	Medium (176cm - 182cm)
578 16 54–54	Large (176cm - 182cm)
578 16 54–58	X-Large (182cm - 188cm)
578 16 54–62	XX-Large (188cm - 194cm)

HUSQVARNA PRO CHAPS
New style Husqvarna Pro Chainsaw Chaps feature a lightweight, breathable poly-cotton outer shell material with fully adjustable clip style leg straps and a velcro-attached fabric layer on the rear lower leg to offer debris and snagging protection. Fully certified to AS/NZS 4453:1997

LENGTH (WAIST TO BOTTOM OF CHAP)	
5769241–46	Small 90cm
5769241–50	Medium 95cm
5769241–54	Large 100cm

LIFESTYLE CHAPS
Chainsaw chaps for the occasional chainsaw user.
They feature heavy duty nylon outer fabric, with adjustable clips on the upper leg and zip closure on the lower leg to ensure a secure fit. Certified to AS/NZS 4453-3:1997.

LENGTH (WAIST TO BOTTOM OF CHAP)	
5292841–01	Small 90cm
5292842–01	Medium 95cm
5292843–01	Large 100cm

FIRE RETARDANT CHAPS
Suitable for Government, Utility and Emergency Services chainsaw users, Husqvarna's Fire-retardant Chainsaw Chaps offer increased protection from thermal and electrical hazards, and comply with Australian and New Zealand occupational health standards.

LENGTH (WAIST TO BOTTOM OF CHAP)	
5748419–03	Small 90cm
5748419–02	Medium 95cm
5748419–01	Large 100cm

Your head, eyes and ears deserve professional protection.

The protection of the most vulnerable parts of your body have been subjected to extensive research and technological product development at Husqvarna. Following our close, long lasting cooperation with professional users, we offer a excellent combination of ergonomically designed equipment to protect your head, eyes and ears.

FUNCTIONAL

FOREST HELMET KIT
Polycarbonate helmet, made in Australia, and supplied with hearing protection, sun peak and neck guard. Also includes UltraVision visor - which offers a 20% light reduction giving a clearer view. Certified to AS/NZS 1801:1997, Type 2

579 24 40–01	Helmet Assembly (Helmet, Earmuff & Mesh Visor)
580 25 44–01	Helmet Assembly (6pk)
579 24 41–01	Polycarbonate Helmet only

TECHNICAL

ARBORIST HELMET KIT
Lightweight and ventilated helmet for professional arborists, approved for work at heights. Unique harness adjustment with two wheels that centers the head in the helmet for best balance and stability on the head. Only for work at height - Not approved for forestry work on the ground! Certified to EN12492, ANSI Z89.1-2009 Class C.

578 09 23–01	Arborist Helmet Kit (incl. Helmet, Earmuff, Mesh Visor)

FM RADIO EARMUFF WITH AUX JACK
NEW hearing protection with FM radio. The headband design centralises the pressure on the headband, reducing the pressure on the ears. It has improved attenuation and sound quality. The ear muffs are individually designed for the left and right ear, meaning that they follow the shape of the head, giving a perfect fit for all users. Features Audio input 3.5mm (AUX) for mp3 or communication radio. Noise reduction - SNR - 27dB(A). Meets requirements of EN352-3:2002, EN352-6:2002 and EN352-8:2008.

578 27 49–01	FM Radio Earmuff
578 40 23–01	Hygiene Kit for FM Radio Earmuff

PREMIUM EARMUFF
Design allows 20% adjustment of pressure. Lightweight, flexible padded headband. Meets requirements of EN 352-1.

505 66 53–04	Premium Earmuff w. Headband - old
505 66 53–25	Premium Earmuff (Pair) - suits Helmet Type 1 - Arborist
579 03 56–01	Premium Earmuff with adaptor - suits Helmet Type 2 - Forest

PREMIUM EARMUFF WITH PERSPEX OR MESH VISOR
Protection for grass clearing and other tasks. Cover between visor and headband which prevents grass, chips and rain from entering from above. Complete as shown. Can also be fitted with a sun peak. Meets requirements of EN 352-1, EN 166 and EN 1731.

505 66 53–48	Premium Earmuff w. Plexi Visor
505 66 53–58	Premium Earmuff w. Mesh Visor
505 66 53–80	Visor Holder (Premium Earmuff)
505 66 53–42	Visor Clips-L+R (Premium Earmuff)
505 66 53–81	Protection Cap (Premium Earmuff) w. adaptor for Helmet Type 2

GARDEN EARMUFF
Extra wide headband for a secure, comfortable fit with less pressure on the head. Protectors made from impact resistant ABS plastic. Meets requirements of EN 352-1 and EN 166.

510 19 95–01	Single

GARDEN EARMUFF WITH PERSPEX OR MESH VISOR
Complete with visor holder and perspex or mesh visor. Protectors made from impact resistant ABS plastic. Meets requirements of EN 352-1 and EN 166.

505 66 53–60	with Perspex Visor
505 66 53–61	with Mesh Visor

PRO SAFETY GOGGLES WITH ANTI-FOG LENS
Developed for people who wear eyeglasses. Featuring non-scratch anti-fog lenses and soft inside for greater comfort. Meets requirements of EN 166.

544 96 39–01	Pro Safety Goggles (Anti-Fog Lens)

'X' SERIES PROTECTIVE GLASSES
Protective glasses with scratch resistant lenses. Frames can be extended and lenses can be angled. Available in Clear, Grey tint, and Yellow tint. Meets requirements of EN 166, ANSI Z87+

544 96 37–01	Protective Glasses - Clear 'X'
544 96 37–02	Protective Glasses - Yellow 'X'
544 96 37–03	Protective Glasses - Sun 'X'

Gloves that match your requirements.

We offer the latest in gloves specially designed for every type of work. Gardener, forestry worker or arborist? You decide what you need for the work you are doing. Our range gloves covers every requirement.

TECHNICAL

TECHNICAL GLOVES WITH SAW PROTECTION
A Technical glove with chainsaw protection 20m/s. Goat leather palm with interlock jersey and grey foam and laminated spandex fabric on back. Made with comfortable seams that follow the hand shape and with double thumb stitching. Meets the requirements of EN 381-7, Class 1, 20 m/s and EN 388 mechanical hazards CAT II.

579 38 10–08	Size 8
579 38 10–09	Size 9
579 38 10–10	Size 10

FUNCTIONAL

FUNCTIONAL GLOVES WITH SAW PROTECTION
A comfortable saw protection glove made with a goat leather double palm with foam laminated spandex on
the back and with nylon neoprene knuckles. Goat leather has a good protection against moisture since it contains natural fat and is therefore suitable for demanding jobs. Knitted wrist makes it easy to put on and gives a soft comfort. Meets requirements of EN 381-7, Class 0, 16 m/s and EN 388 mechanical hazards CATII.

579 38 02–07	Size 7
579 38 02–08	Size 8
579 38 02–09	Size 9
579 38 02–10	Size 10
579 38 02–12	Size 12

Comfortable design.

The gloves are closed with a comfortable velcro fastener for secure and perfect fit and sewn with comfortable seams that follow the hand shape.

CLASSIC

GLOVES - CLASSIC LIGHT
A slim fit and comfortable glove made with a goat leather palm with jersey fabric on the back. Goat leather has a good protection against moisture since it contains natural fat and is therefore suitable for demanding jobs.

579 38 00–06	Size 6
579 38 00–08	Size 8
579 38 00–09	Size 9
579 38 00–10	Size 10

CLASSIC GLOVES
A one size durable glove made with a goat leather palm and spandex fabric on the back. Goat leather offers good protection against moisture since it contains natural fat and is therefore suitable for demanding jobs. Rubberised cuff with cotton binding for a perfect fit around the wrist.

579 37 99–10	Size 10

Premium material.

Goat leather offers good protection against moisture, since it contains natural fat and is therefore suitable for demanding jobs.

Protective footwear for maximum comfort and stability.

To meet the requirements of different lines of outdoor work, we offer a comprehensive range of feet protection with modern design using high quality materials. Experience by people working professionally in the forest as well as in parks and gardens is the base of the research and development behind our well-designed line of boots.

FUNCTIONAL

PROTECTIVE BOOTS- FUNCTIONAL 24
Features a reinforced toe-cap, ankle protection and approved saw protection. The non-slip sole is prepared for studs, while the ridge on the heel makes it easier to remove boot. Weight 2.5kg/ pair. Meets requirements of EN 345 SB E, EN 381-3 class 2, 24 m/s.

	UK / US size	EU size
573 95 58–37	Size 4	37
573 95 58–38	Size 5	38
573 95 58–39	Size 5 1/2	39
573 95 58–40	Size 6 1/2	40
573 95 58–41	Size 7 1/2	41
573 95 58–42	Size 8	42
573 95 58–43	Size 9	43
573 95 58–44	Size 9 1/2	44
573 95 58–45	Size 10 1/2	4
573 95 58–46	Size 11	4
573 95 58–47	Size 12	47

TECHNICAL

PROTECTIVE BOOTS - TECHNICAL
Highly comfortable protective boot made with composite toe cap which keeps the boot low in weight. Made of nylon mesh and high quality leather Sympatex® membrane material that makes the boot comfortable all day and 100% waterproof.

The Gravity® sole is oil resistant and gives it perfect grip. These boots are suitable for forest and garden work as well as leisure, in all weather conditions.
The front part of the boot is reinforced with extra rubber protection. Certified to EN ISO 20345. Weight 1.5kg pair.

	UK / US size	EU size
575 35 47–36	UK 3.5 / US 4.5	36
575 35 47–37	UK 4 / US 5	37
575 35 47–38	UK 5 / US 6	38
575 35 47–39	UK 5.5 / US 6.5	39
575 35 47–40	UK 6.5 / US 7.5	40
575 35 47–41	UK 7.5 / US 8.5	41
575 35 47–42	UK 8 / US 9	42
575 35 47–43	UK 9 / US 10	43
575 35 47–44	UK 9.5 / US 10.5	44
575 35 47–45	UK 10.5 / US 11.5	45
575 35 47–46	UK 11 / US 12	46
575 35 47–47	UK 12 / US 13	47



DO THE DAILY CHECKS YOURSELF, LEAVE THE REST TO OUR EXPERTS

With over 25,000 Husqvarna dealers around the world, you're never far from professional service and support using only Genuine Husqvarna spare parts and lubricants. Our dealers are the experts in keeping your machines running safe, smooth and strong.
For more information visit husqvarna.com

PROFESSIONAL SUPPORT FOR PROFESSIONAL DEMANDS

Your Husqvarna dealer can advise you on machinery and services to suit your needs. They can also supply you with Genuine Husqvarna spare parts, lubricants and accessories as well as adequate service and repair to keep your Husqvarna equipment ready for your next job. Our dedicated dealers provide professional services for your machines, to safeguard optimal performance and reliability. The Husqvarna dealer network consists of 25,000 locations worldwide, so we're never far away. See our interactive dealer locator on www.husqvarna.com

Keep your machines in original shape with Genuine Husqvarna spare parts.

Our product development always starts with you, the user, in focus, to make your work less strenuous and more efficient. This is also why every single part in a Husqvarna machine is rigorously tested to ensure it interacts optimally with all the other parts. This interaction produces the reliability and characteristics you have the right to expect from a Husqvarna, while proper servicing and using the right parts mean your equipment performs safely, reliably and economically in the long run. Genuine Husqvarna spare parts allow you to get the most out of your Husqvarna.

Enjoy our off-season service offers.

It's wise to let your Husqvarna dealer do the service in the off-season period when your garden rests from growing and you can spare your equipment for a while. Look out for the off-season service offers and local pick-up /delivery services offered by your Husqvarna dealer. Don't forget to ask your dealer to register your product at your dealership to ensure special offers and information.

Minimize your downtime with preventive maintenance and repair.

At our dealers, all servicing is done by authorized technicians. They are all specialists trained in the machines you are using. Many workshops have fixed prices for all forms of service. For each machine there is a detailed service plan, which is divided into a number of time intervals. By maintaining your machines regularly and servicing them at the recommended times, you ensure the machines perform optimally. You also minimize the risk of unexpected downtime. And, just as importantly, the machines will last longer.

Add performance with Husqvarna accessories.

Why let poor equipment get in your way? Husqvarna accessories allow you to keep working – and delivering great results. By choosing Husqvarna accessories and lubricants from our extensive product range, you are guaranteed the same high quality throughout the lifespan of the product.

Financing that suits your situation.

We want you to have access to the machines that best match your particular needs. Talk to your Husqvarna dealer about the financing options for your next machine purchase.

Husqvarna®

www.husqvarna.com

Copyright © 2017 Husqvarna AB (publ). All rights reserved. Husqvarna and other product and feature marks are trademarks of the Husqvarna Group as displayed at www.international.husqvarna.com
Husqvarna Australia Pty Ltd. ABN 45 115 475 619. Locked Bag 5, Central Coast BC NSW 2252. Phone: 02 4352 7400. Fax: 02 4352 7499
Husqvarna New Zealand Ltd. Company No. 111 861. PO Box 76-437, Manukau City, Auckland 2241. Phone: 09 920 2410. Fax: 09 920 2429.

Part Number: 501 71 09-01